



[Sign Out](#)

- ›
- [My Courses](#) ›
- [Level 1 - Foundation Training - revamped](#) ›
- [Play](#) ›
- [RPA Developer Foundation Training - Final Test](#)

RPA Developer Foundation Training - Final Test

Multiple Choice

1) How should an RPA developer address runtime exceptions in the workflows?

- ☒ By using automatic recovery sequences inside the Catch blocks. ☒ By logging any exception events ☒ By using Try/Catch blocks when invoking external workflow files

Multiple Choice

2) What is considered a best practice in large projects?

- ☒ Breaking a large process in smaller workflows ☒ Giving descriptive names to variables and workflows ☒ Testing workflows independently ☒ Encapsulating most used activities in single-activity workflows that can be invoked from other workflows.

Multiple Choice

3) As a best practice, how should workflows use a local desktop application?

- ☒ By checking if the corresponding process is running and if not, opening the application by using the Open Application activity. ☐ By closing the application once it's no longer needed. ☐ By opening the application using the Click Image activity on the application's desktop shortcut. ☒ By using selectors to interact with the application.

Single Choice

4) How should you organize your workflow?

- ☐ Use Flowchart or State Machine for a high level organization ☐ Never break the automation into smaller pieces ☐ Ignore exceptions

Single Choice

5) What would you use to exit from a For Each activity and continue the execution of the workflow?

- ☐ Break activity ☐ Terminate Workflow activity ☐ If activity

Multiple Choice

6) By using the Full Text scraping method, the robot is able to:

- ☒ Get editable text ☐ Get the entire visible text ☐ Get font information (size, colour). ☒ Get hidden information

Single Choice

7) How can you improve the following calendar page selector to work only for dates in 2017?

“<html app='chrome.exe' title='UiPath - Calendar - Week of May 1, 2017' />”

- ☐ “<html app='chrome.exe' title='UiPath - Calendar - * 2017' />” ☐ “<html app='chrome.exe' title='UiPath - Calendar - * />” ☒ “<html app='chrome.exe' title='UiPath - Calendar - * 201?' />” ☐ “<html app='chrome.exe' title='UiPath - Calendar - Week of ?????, 2017' />”

Single Choice

8) Can you insert a Flowchart activity in a Sequence activity?

- ☐ No ☒ Yes

Single Choice

9) What is the Attach Window activity used for?

- ☐ To specify the browser container you will be working with ☒ To specify the top-level window container you will be working with ☐ Specifies that you are working with a java window

Single Choice

10) Which activity should you use to Click on a specified text in a Citrix Environment?

- ☒ Click OCR Text ☐ Hover Text ☐ Click Text

Single Choice

11) How many characters does "*" replace?

- ☒ Zero or more ☐ More than one ☐ Zero

Single Choice

12) Given two Generic variables, A with value “123” and B with value 456, what would the Write Line output of A + B be?

- ☒ 123456 ☐ An exception will be thrown. ☐ 123 + 456 ☐ 579

Multiple Choice

13) How can UiPath identify an UI element on the screen?

- ☒ By using a full selector ☒ By using a reference of it, previously saved in a variable ☒ By using a partial selector inside a container

Single Choice

14) What is the most effective way to handle the click on a UI Element that is not always available?

- ☒ By placing the Click activity inside a Try/Catch block. ☐ By using an Element Exists activity and then a Click activity. ☐ By setting the ContinueOnError property of the Click activity to True.

Multiple Choice

15) Getting the content of a PDF document is possible:

- ☐ This cannot be done by a UiPath robot. ☒ By opening the PDF and using screen scraping to get its data. ☒ By using the Read PDF Text activity and providing the PDF file's path.

Single Choice

16) If you scrape some text and you know it contains only digits, how can you make the scrape better?

- ☐ Use Microsoft OCR with scale set to 3 ☐ Make sure the background is red ☒ Use Google OCR with "Numbers Only"

Multiple Choice

17) Creating automation in a Citrix environment is challenging because:

- ☐ You don't have direct access to UI elements. ☒ Selectors are hard to create for virtual environments. ☒ You need to interact with the app using only Image Recognition and OCR.

Multiple Choice

18) How do you exit the selection mode?

- ☒ ESC ☐ F3 ☐ F2 ☒ Right click

Multiple Choice

19) What is a sequence most suitable for?

- ☒ Short and simple workflows ☒ Pieces of automation that can be used in a larger project ☐ Workflows that imply decision making activities ☐ When we first start a project, as a main workflow

Multiple Choice

20) Can you hover the mouse over a specific UI Element?

- ☒ Yes, by using Hover Image activity. ☒ Yes, by using Hover OCR Text activity. ☐ No, there is no activity for this. ☒ Yes, by using Hover Text activity.

Multiple Choice

21) Which activities can be used to interact with the user?

- ☐ WriteLine ☒ MessageBox ☒ InputDialog

Multiple Choice

22) What activities can you use to send an email message?

- ☐ Send IMAP Mail Message. ☒ Send Outlook Mail Message. ☒ Send SMTP Mail Message.

Multiple Choice

23) Can you run the robot manually, step by step, in order to analyze the robot behavior in certain conditions?

- ☒ Yes, by running the workflow in Debug mode. ☒ Yes, by using Breakpoints and running the workflow in Debug mode. ☐ No, you cannot do it. ☒ Yes, by using Step Into and Step Over.

Single Choice

24) What is an argument?

- ☐ A variable ☐ A variable type ☒ An input/output parameter of the workflow

Multiple Choice

25) What activities can be used to interact with applications in a Citrix environment?

- ☐ Click OCR Text ☒ Click Text ☒ Type Into ☒ Click Image

Single Choice

26) How can you trigger another workflow from within your current one?

- ☐ You cannot trigger another workflow. ☐ By using the Open Application activity. ☒ By using the Invoke Workflow File activity. ☐ By using the Invoke Method activity.

Single Choice

27) What should you use to verify if a checkbox is selected or not?

- ☒ Get Attribute activity ☐ A trigger activity ☐ Click activity ☐ Check activity

Single Choice

28) What happens if you put a Breakpoint on a Click activity and start the workflow in Debug mode?

- ☐ The workflow will be paused for 5 seconds when it reaches that activity. ☒ The workflow will be paused until you click the Continue button. ☐ You can only put a Breakpoint on a Break activity. ☐ The workflow will throw an error when it reaches that activity.

Single Choice

29) What is UiExplorer used for?

- ☐ To create stable selectors ☐ To view logs ☒ To explore the workflow tree ☐ UiExplorer is not part of UiPath

Single Choice

30) What is a wildcard used for?

- ☐ To get text from screen ☒ To replace variable values in selector attributes ☐ To select items in a list

Multiple Choice

31) The Save Attachments activity can save all the attachments of an email to:

- ☒ A relative path. ☒ An absolute path. ☐ In a variable, as a collection of attachment objects.

Single Choice

32) What happens if you send "123[k(enter)]" by using Type Into activity with the SimulateType property selected?

- ☐ It will type "123" and then press the Enter key. ☒ It will type "123[k(enter)]". ☐ It will type "123" without pressing the Enter key.

Multiple Choice

33) Where can you see the activities that make up a workflow?

- ☒ In the Workspace pane ☐ In the Activities pane ☒ In the Outline pane

Multiple Choice

34) Which of the following statements is true regarding Lists and Arrays?

- ☒ You can iterate through a List using a For Each loop activity. ☒ List items can be added using an Add to Collection activity. ☒ Array and List elements can be accessed by index. ☐ You can add any number of elements to an array.

Single Choice

35) How can you install and update activity packs?

- ☒ Using Manage Packages within Activities Pane ☐ In Package Pane ☐ Using TFS

Single Choice

36) How can a string variable called myString be converted to an all-capitals representation for future use?

- ☐ By using an Invoke Method activity with the TargetType property set to String, the TargetObject property set to myString and the MethodName property to ToUpper. ☐ By using a Write Line with the Text property set to myString.ToUpper. ☒ By using an Assign activity with myString on the left side and myString.ToUpper on the right side.

Single Choice

37) What should you use to make sure that the workflow continues no matter what activity fails?

- ☐ TimeoutMS property ☒ ContinueOnError property ☐ Try Catch activity

Single Choice

38) What type of argument can you define to pass data and retrieve the modified value from an invoked workflow?

- ☐ In. ☒ In/Out. ☐ Out.

Multiple Choice

39) What kind of actions can be performed in the Variables panel?

- ☒ Setting default values for variables ☒ Changing variable types ☒ Adding new variables

Multiple Choice

40) What activity allows you to customize the name of the sender when you are sending an email?

- ☒ Send SMTP Mail Message ☐ Send Outlook Mail Message ☒ Send Exchange Mail Message

Single Choice

41) What happens if you use the Write Range activity with the Range property set to "" to write a datatable to an excel file that already contains data?

- ☒ It will append the new data to the existing data. ☐ It will throw an error. ☐ It will overwrite the existing data.

Multiple Choice

42) How can you identify a column in a DataTable?

- ☒ Using the column name ☐ Using the row index ☐ Using the column index ☒ Using the column default value

Single Choice

43) How can you find all anchor elements in a web page?

- ☐ Using the Find element activity ☒ Using the Find Children activity ☐ Using the Find Relative Element activity

Multiple Choice

44) The Read PDF with OCR activity will throw an error if the following is not specified:

- ☐ The Password property. ☒ The FileName property. ☐ The Text property. ☒ The OCR Engine that is to be used.

Single Choice

45) Which activity can you use if you want to loop through a collection of items?

- ☒ For Each activity ☐ Flow Decision activity ☐ If activity ☐ Assign activity

Page: 1 / 1

SUBMIT (TEST COMPLETED)