

Project Phase – 1

PayBout

Activity sign_up.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".SignUp">

    <TextView
        android:id="@+id/textView"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="36dp"
        android:text="@string/sign_up"
        android:textSize="32sp"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.5"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

    <EditText
        android:id="@+id/fullname"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="112dp"
        android:ems="10"
        android:hint="@string/fullname"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.502"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

    <EditText
        android:id="@+id/username"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="32dp"
        android:ems="10"
        android:hint="@string/username"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.502"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/fullname" />

    <EditText
```

```
        android:id="@+id/email"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="32dp"
        android:ems="10"
        android:hint="@string/email"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.497"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/username" />
```

<EditText

```
        android:id="@+id/password"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="32dp"
        android:ems="10"
        android:hint="@string/password"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.502"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/email" />
```

<Button

```
        android:id="@+id/sign_up_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="40dp"
        android:text="@string/sign_up"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.498"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/password" />
```

<TextView

```
        android:id="@+id/login_activity"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="44dp"
        android:text="@string/old_user"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.498"
        app:layout_constraintStart_toStartOf="parent" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

SignUp.kt

```
package com.example.paybout
```

```
import android.content.Intent
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.os.Handler
import android.os.Looper
import android.view.View
import android.widget.Button
import android.widget.EditText
import android.widget.TextView
import android.widget.Toast
import com.vishnusivadas.advanced_httpurlconnection.PutData

class SignUp : AppCompatActivity() {

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_sign_up)

        val inputFullName = findViewById<EditText>(R.id.fullname)
        val inputUserName = findViewById<EditText>(R.id.username)
        val inputEmail = findViewById<EditText>(R.id.email)
        val inputPassword = findViewById<EditText>(R.id.password)
        val inputSignUpBtn = findViewById<Button>(R.id.sign_up_btn)
        val loginActivity = findViewById<TextView>(R.id.login_activity)

        loginActivity.setOnClickListener{
            intent = Intent(this, Login::class.java)
            startActivity(intent)
            finish()
        }

        inputSignUpBtn.setOnClickListener {

            val fullName = inputFullName.text.toString()
            val userName = inputUserName.text.toString()
            val email = inputEmail.text.toString()
            val password = inputPassword.text.toString()

            val runVar = Runnable {
                val field =
                    arrayOf("fullname", "username", "email", "password")
                val data = arrayOf(fullName, userName, email, password)

                val putData = PutData(
                    "http://49.32.131.88/LoginRegister/signup.php",
                    "POST",
                    field,
                    data
                )

                if (putData.startPut()) {
                    if (putData.onComplete()) {
                        val res = putData.result
                        if (res.equals("Sign Up Success")) {
                            Toast.makeText(applicationContext, res,
                                Toast.LENGTH_SHORT).show()
                        }
                    }
                }
            }
            runVar.run()
        }
    }
}
```

```

        intent = Intent(this, Login::class.java)
        startActivity(intent)
        finish()
    } else {
        Toast.makeText(applicationContext, res,
Toast.LENGTH_SHORT).show()
    }
}

    Toast.makeText(applicationContext, "insdie Handler" ,
Toast.LENGTH_LONG).show()
}

        if(fullName.isNotEmpty() && userName.isNotEmpty() &&
email.isNotEmpty() && password.isNotEmpty()) {
            val handler = Handler(Looper.getMainLooper())
            handler.post(runVar)
        } else {
            Toast.makeText(applicationContext, "All fields are required",
Toast.LENGTH_SHORT).show()
        }

    }

}

}

}

```

Login

Username

Password

LOGIN

Create an accout? Sign up

Activity_login.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout

```

```

xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".Login">

<TextView
    android:id="@+id/textView2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="36dp"
    android:text="Login"
    android:textSize="32sp"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.498"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />

<EditText
    android:id="@+id/login_username"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="48dp"
    android:ems="10"
    android:inputType="textPersonName"
    android:hint="@string/username"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.497"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView2" />

<EditText
    android:id="@+id/login_password"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="32dp"
    android:ems="10"
    android:inputType="textPersonName"
    android:hint="@string/password"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.497"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/login_username" />

<Button
    android:id="@+id/login_btn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="72dp"
    android:text="Login"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.498"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/login_password" />

<TextView

```

```

        android:id="@+id/sign_up_activity"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="44dp"
        android:text="@string/new_user"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.498"
        app:layout_constraintStart_toStartOf="parent" />

```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

Login.kt

```

package com.example.paybout

import android.content.Intent
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.os.Handler
import android.os.Looper
import android.widget.Button
import android.widget.EditText
import android.widget.TextView
import android.widget.Toast
import com.vishnusivadas.advanced_httpurlconnection.PutData

class Login : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_login)

        val inputUserName = findViewById<EditText>(R.id.login_username)
        val inputPassword = findViewById<EditText>(R.id.login_password)
        val inputLoginBtn = findViewById<Button>(R.id.login_btn)
        val signUpActivity = findViewById<TextView>(R.id.sign_up_activity)

        signUpActivity.setOnClickListener{
            intent = Intent(this, SignUp::class.java)
            startActivity(intent)
            finish()
        }

        inputLoginBtn.setOnClickListener {
            //
            /*
            val userName = inputUserName.text.toString()
            val password = inputPassword.text.toString()

            val runVar = Runnable {
                val field =
                    arrayOf("username", "password")
                val data = arrayOf(userName, password)
            */

```

```

        val putData = PutData(
            "http://49.32.131.88/LoginRegister/login.php",
            "POST",
            field,
            data
        )

        if (putData.startPut()) {
            if (putData.onComplete()) {
                val res = putData.result
                if (res.equals("Login Success")) {
                    Toast.makeText(applicationContext, res,
Toast.LENGTH_SHORT).show()
                    intent = Intent(this, MainActivity::class.java)
                    startActivity(intent)
                    finish()
                } else {
                    Toast.makeText(applicationContext, res,
Toast.LENGTH_SHORT).show()
                }
            }
        }
    }

    if( userName.isNotEmpty() && password.isNotEmpty()) {
        val handler = Handler(Looper.getMainLooper())
        handler.post(runVar)
        // Toast.makeText(applicationContext, "outside Handler" ,
Toast.LENGTH_LONG).show()
    } else {
        Toast.makeText(applicationContext, "All fields are required",
Toast.LENGTH_SHORT).show()
    }
    // */
    // Toast.makeText(applicationContext, "skdjfai",
Toast.LENGTH_LONG).show()
    // intent = Intent(this, Login::class.java)
    // startActivity(intent)

}

}
}

```

activity_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"

```

```
tools:context=".MainActivity">
```

```
<ImageView
```

```
    android:id="@+id/trending_fight_card"  
    android:layout_width="409dp"  
    android:layout_height="235dp"  
    app:layout_constraintEnd_toEndOf="parent"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintTop_toTopOf="parent"  
    app:srcCompat="@drawable/fightcard"  
/>
```

```
<TextView
```

```
    android:id="@+id/trending_fight_text"  
    android:layout_width="wrap_content"  
    android:background="@color/black"  
    android:layout_height="wrap_content"  
    android:layout_marginTop="188dp"  
    android:text="@string/trending_fights"  
    android:textColor="@color/white"  
    android:textSize="24sp"  
    app:layout_constraintEnd_toEndOf="parent"  
    app:layout_constraintHorizontal_bias="0.065"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintTop_toTopOf="parent" />
```

```
<ImageView
```

```
    android:id="@+id/imageView2"  
    android:layout_width="50dp"  
    android:layout_height="50dp"  
    android:layout_marginTop="20dp"  
    app:layout_constraintEnd_toEndOf="parent"  
    app:layout_constraintHorizontal_bias="0.044"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"  
    app:srcCompat="@drawable/ufclogo" />
```

```
<ImageView
```

```
    android:id="@+id/imageView2"  
    android:layout_width="50dp"  
    android:layout_height="50dp"  
    android:layout_marginTop="20dp"  
    app:layout_constraintEnd_toEndOf="parent"  
    app:layout_constraintHorizontal_bias="0.216"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"  
    app:srcCompat="@drawable/onelogo" />
```

```
<ImageView
```

```
    android:id="@+id/imageView2"  
    android:layout_width="50dp"  
    android:layout_height="50dp"  
    android:layout_marginTop="20dp"  
    app:layout_constraintEnd_toEndOf="parent"
```



```
app:layout_constraintHorizontal_bias="0.742"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"
app:srcCompat="@drawable/ufclogo" />
```

<ImageView

```
android:id="@+id/imageView3"
android:layout_width="50dp"
android:layout_height="50dp"
android:layout_marginTop="20dp"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.925"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"
app:srcCompat="@drawable/ufclogo" />
```

<ImageView

```
android:id="@+id/imageView2"
android:layout_width="50dp"
android:layout_height="50dp"
android:layout_marginTop="20dp"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.567"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"
app:srcCompat="@drawable/onelogo" />
```

<ImageView

```
android:id="@+id/imageView2"
android:layout_width="50dp"
android:layout_height="50dp"
android:layout_marginTop="20dp"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.401"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"
app:srcCompat="@drawable/ufclogo" />
```

<TextView

```
android:id="@+id/textView4"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginTop="104dp"
android:text="UFC"
android:textSize="18sp"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.041"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/trending_fight_card" />
```

<Button

```
android:id="@+id/button"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginTop="88dp"
```

```
    android:backgroundTint="@color/white"
    android:text="@string/view_all"
    android:textColor="@color/black"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.947"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card" />
```

<ImageView

```
    android:id="@+id/trending_fight_card2"
    android:layout_width="310dp"
    android:layout_height="180dp"
    android:layout_marginTop="148dp"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.158"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"
    app:srcCompat="@drawable/fightcard" />
```

<ImageView

```
    android:id="@+id/trending_fight_card4"
    android:layout_width="310dp"
    android:layout_height="180dp"
    android:layout_marginTop="404dp"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.158"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"
    app:srcCompat="@drawable/fightcard" />
```

<ImageView

```
    android:id="@+id/trending_fight_card3"
    android:layout_width="310dp"
    android:layout_height="180dp"
    android:layout_marginStart="360dp"
    android:layout_marginTop="148dp"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card"
    app:srcCompat="@drawable/fightcard" />
```

<TextView

```
    android:id="@+id/textView5"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="360dp"
    android:text="ONE"
    android:textSize="18sp"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.042"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card" />
```

<Button

```
    android:id="@+id/button2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
```

```

        android:layout_marginTop="336dp"
        android:backgroundTint="@color/white"
        android:text="@string/view_all"
        android:textColor="@color/black"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.996"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/trending_fight_card" />
</androidx.constraintlayout.widget.ConstraintLayout>

```



UFC

[VIEW ALL](#)



ONE

[VIEW ALL](#)



[Database](#)

phpMyAdmin

Server: 127.0.0.1 • Database: payout_db • Table: users

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Showing rows 0 - 1 (2 total, Query took 0.0223 seconds)

SELECT * FROM `users`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	id	fullname	username	email	password
<input type="checkbox"/>	2	prat	bray	example@email.com	0
<input type="checkbox"/>	6	William	willi	william@fmail.com	\$2y\$10\$6Y1d.6q4XbJocTZ7sCyR9eBchZd4/TnIFGHq4JfC0S...

☐ Check all | With selected | Edit | Copy | Delete | Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print | Copy to clipboard | Export | Display chart | Create view

Bookmark this SQL query

Label: ☐ Let every user access this bookmark

Bookmark this SQL query

Console