

## Project Phase – 1

### MedYog

#### Activity sign\_up.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".SignUp">

    <TextView
        android:id="@+id/textView"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="36dp"
        android:text="@string/sign_up"
        android:textSize="32sp"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.5"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

    <EditText
        android:id="@+id/fullname"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="112dp"
        android:ems="10"
        android:hint="@string/fullname"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.502"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

    <EditText
        android:id="@+id/username"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="32dp"
        android:ems="10"
        android:hint="@string/username"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.502"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/fullname" />

    <EditText
```

```
        android:id="@+id/email"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="32dp"
        android:ems="10"
        android:hint="@string/email"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.497"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/username" />
```

#### <EditText

```
        android:id="@+id/password"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="32dp"
        android:ems="10"
        android:hint="@string/password"
        android:inputType="textPersonName"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.502"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/email" />
```

#### <Button

```
        android:id="@+id/sign_up_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="40dp"
        android:text="@string/sign_up"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.498"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/password" />
```

#### <TextView

```
        android:id="@+id/login_activity"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="44dp"
        android:text="@string/old_user"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.498"
        app:layout_constraintStart_toStartOf="parent" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

### SignUp.kt

```
package com.example.paybout
```

```
import android.content.Intent
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.os.Handler
import android.os.Looper
import android.view.View
import android.widget.Button
import android.widget.EditText
import android.widget.TextView
import android.widget.Toast
import com.vishnusivadas.advanced_httpurlconnection.PutData

class SignUp : AppCompatActivity() {

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_sign_up)

        val inputFullName = findViewById<EditText>(R.id.fullname)
        val inputUserName = findViewById<EditText>(R.id.username)
        val inputEmail = findViewById<EditText>(R.id.email)
        val inputPassword = findViewById<EditText>(R.id.password)
        val inputSignUpBtn = findViewById<Button>(R.id.sign_up_btn)
        val loginActivity = findViewById<TextView>(R.id.login_activity)

        loginActivity.setOnClickListener{
            intent = Intent(this, Login::class.java)
            startActivity(intent)
            finish()
        }

        inputSignUpBtn.setOnClickListener {

            val fullName = inputFullName.text.toString()
            val userName = inputUserName.text.toString()
            val email = inputEmail.text.toString()
            val password = inputPassword.text.toString()

            val runVar = Runnable {
                val field =
                    arrayOf("fullname", "username", "email", "password")
                val data = arrayOf(fullName, userName, email, password)

                val putData = PutData(
                    "http://49.32.131.88/LoginRegister/signup.php",
                    "POST",
                    field,
                    data
                )

                if (putData.startPut()) {
                    if (putData.onComplete()) {
                        val res = putData.result
                        if (res.equals("Sign Up Success")) {
                            Toast.makeText(applicationContext, res,
                                Toast.LENGTH_SHORT).show()
                        }
                    }
                }
            }
            runVar.run()
        }
    }
}
```

```

                                intent = Intent(this, Login::class.java)
                                startActivity(intent)
                                finish()
                            } else {
                                Toast.makeText(applicationContext, res,
Toast.LENGTH_SHORT).show()
                            }
                        }
                    }
                    Toast.makeText(applicationContext, "insdie Handler" ,
Toast.LENGTH_LONG).show()
                }


                if(fullName.isNotEmpty() && userName.isNotEmpty() &&
email.isNotEmpty() && password.isNotEmpty()) {
                    val handler = Handler(Looper.getMainLooper())
                    handler.post(runVar)
                } else {
                    Toast.makeText(applicationContext, "All fields are required",
Toast.LENGTH_SHORT).show()
                }

            }

        }

    }
}

```



#### Activity\_login.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".Login">

    <TextView
        android:id="@+id/textView2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="36dp"
        android:text="Login"
        android:textSize="32sp"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.498"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

    <EditText
        android:id="@+id/login_username"
```

```

        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="48dp"
        android:ems="10"
        android:inputType="textPersonName"
        android:hint="@string/username"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.497"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView2" />

<EditText
    android:id="@+id/login_password"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="32dp"
    android:ems="10"
    android:inputType="textPersonName"
    android:hint="@string/password"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.497"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/login_username" />

<Button
    android:id="@+id/login_btn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="72dp"
    android:text="Login"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.498"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/login_password" />

<TextView
    android:id="@+id/sign_up_activity"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="44dp"
    android:text="@string/new_user"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.498"
    app:layout_constraintStart_toStartOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>

```

## Login.kt

```

package com.example.paybout

import android.content.Intent
import androidx.appcompat.app.AppCompatActivity

```

```

import android.os.Bundle
import android.os.Handler
import android.os.Looper
import android.widget.Button
import android.widget.EditText
import android.widget.TextView
import android.widget.Toast
import com.vishnusivadas.advanced_httpurlconnection.PutData

class Login : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_login)

        val inputUserName = findViewById<EditText>(R.id.login_username)
        val inputPassword = findViewById<EditText>(R.id.login_password)
        val inputLoginBtn = findViewById<Button>(R.id.login_btn)
        val signUpActivity = findViewById<TextView>(R.id.sign_up_activity)

        signUpActivity.setOnClickListener{
            intent = Intent(this, SignUp::class.java)
            startActivity(intent)
            finish()
        }

        inputLoginBtn.setOnClickListener {
            /*
            val userName = inputUserName.text.toString()
            val password = inputPassword.text.toString()

            val runVar = Runnable {
                val field =
                    arrayOf("username", "password")
                val data = arrayOf(userName, password)

                val putData = PutData(
                    "http://49.32.131.88/LoginRegister/login.php",
                    "POST",
                    field,
                    data
                )

                if (putData.startPut()) {
                    if (putData.onComplete()) {
                        val res = putData.result
                        if(res.equals("Login Success")) {
                            Toast.makeText(applicationContext, res,
                                Toast.LENGTH_SHORT).show()
                            intent = Intent(this, MainActivity::class.java)
                            startActivity(intent)
                            finish()
                        } else {
                            Toast.makeText(applicationContext, res,
                                Toast.LENGTH_SHORT).show()
                        }
                    }
                }
            }
            */
        }
    }
}

```

```

    }

    }

    if( userName.isNotEmpty() && password.isNotEmpty()) {
        val handler = Handler(Looper.getMainLooper())
        handler.post(runVar)
//        Toast.makeText(applicationContext, "outside Handler" ,
Toast.LENGTH_LONG).show()
    } else {
        Toast.makeText(applicationContext, "All fields are required",
Toast.LENGTH_SHORT).show()
    }


//    */
//    Toast.makeText(applicationContext, "skdjfai",
Toast.LENGTH_LONG).show()
//    intent = Intent(this, Login::class.java)
//    startActivity(intent)

}

}

}

```



activity\_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"

```



```
xmlns:app="http://schemas.android.com/apk/res-auto"  
xmlns:tools="http://schemas.android.com/tools"  
android:layout_width="match_parent"  
android:layout_height="match_parent"  
tools:context=".MainActivity">
```

```
<ImageView
```

```
    android:id="@+id/medyoghome"  
    android:layout_width="409dp"  
    android:layout_height="235dp"  
    app:layout_constraintEnd_toEndOf="parent"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintTop_toTopOf="parent"  
    app:srcCompat="@drawable/fightcard"  
/>
```

```
<TextView
```

```
    android:id="@+id/textView4"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_marginTop="36dp"  
    android:text="EXPLORE"  
    android:textSize="18sp"  
    app:layout_constraintEnd_toEndOf="parent"  
    app:layout_constraintHorizontal_bias="0.047"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintTop_toBottomOf="@+id/trending_fight_card" />
```

```
<ImageView
```

```
    android:id="@+id/imageView4"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_marginTop="220dp"  
    app:layout_constraintTop_toTopOf="parent"  
    app:srcCompat="@drawable/newsfeed"  
    tools:layout_editor_absoluteX="1dp" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```



## Explore

<https://www.theguardian.com> › apr

### Enigmatic photographs Sufi spirituality – in pictu

23-Apr-2022 – Artist Maïmouna Gi  
and videos capture a blend of west

## Database

phpMyAdmin

Server: 127.0.0.1 Database: payout\_db Table: users

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Showing rows 0 - 1 (2 total, Query took 0.0223 seconds)

SELECT \* FROM `users`

Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	id	fullname	username	email	password
<input type="checkbox"/>	2	prat	bray	example@email.com	0
<input type="checkbox"/>	6	William	willi	william@fmail.com	\$2y\$10\$6Y1d6q4XbJocTZ7sCyR9eBchZd4/TnIFGHjq4JfC0S...

Check all With selected Edit Copy Delete Export

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Label:  ☐ Let every user access this bookmark

Bookmark this SQL query

Console