

PENETRATION TESTING REPORT

FOOTPRINTING & NETWORK SCANNING PHASES

W2-PM-FINAL-REPORT | NETWORKWALKS

REPORT METADATA

Field	Details
Pentester Name (Cybersecurity Professional)	Pratyay Chandra
Program - Batch	Networkwalks - B083F
Date	18 September 2026
Modules Completed	W2-PM1 (Multiple Kali Tools) · W2-PM2 (GHDB Footprinting) · W2-PM3 (Maltego Footprinting) · W2-PM4 (theHarvester Footprinting) · W2-PM5 (Zenmap Scanning)
Client/Target	1) networkwalks.com (Networkwalks - secured written permission) 2) microsoft.com (passive OSINT aggregation only, via theHarvester - no direct testing performed) 3) My own local LAN network (10.0.0.0/24)
Permission Secured from Client	Signed Letter of Authorization (Ref: NW-LOA-B083F), attached in the W2-Permission-Letter/ folder of this repository
Phases Covered	Phase 1: Reconnaissance & Footprinting (PM1-PM4) Phase 2: Scanning & Network Discovery (PM5)

1. Liability Disclaimer

I have performed these activities only on the systems & devices where I had secured written permission or the devices/systems that I own myself. Where a third-party domain (microsoft.com) was queried, this was done strictly through passive, publicly available OSINT aggregation (theHarvester), no direct requests were made to that organization's own infrastructure at any point and no authorization was required for this activity as no system testing of any kind occurred against it.

All materials in this report are for education and research purposes only. Do not use anything from here to break the law. The instructor, the authors and Networkwalks are not responsible for what you do with this knowledge. Every action taken is my own responsibility. Misuse can lead to criminal charges, heavy fines, loss of employment and a permanent record. In most countries, unauthorized access is a crime even when nothing is damaged.

2. Introduction

This report documents the complete Week 2 reconnaissance engagement performed as part of the Networkwalks Cybersecurity Internship (Batch B083F). All 6 modules were completed: footprinting the networkwalks.com domain using six Kali Linux command-line tools (W2-PM1); footprinting via the Google Hacking Database (W2-PM2); visual OSINT and email harvesting using Maltego (W2-PM3); multi-source OSINT aggregation against microsoft.com using theHarvester (W2-PM4) and active network scanning of my own local lab subnet using Zenmap (W2-PM5).

Together, these five modules demonstrate the complete reconnaissance methodology a real penetration tester follows before ever touching exploitation, progressing from purely passive, undetectable information-gathering through to active, detectable network scanning.

All footprinting commands were executed in Kali Linux 2026.2 (VirtualBox lab environment). Network scanning was performed both via the Linux Kali's Zenmap GUI. Every step below includes the exact command used, the result observed, a screenshot or raw-output reference as evidence and a short note on why the finding matters from a reconnaissance/attacker perspective.

3.Tools Used

Tool	Purpose
Kali Linux & Windows	Operating systems used for reconnaissance and scanning activities
WHOIS	Find domain registration details (owner, dates, name servers)
WhatWeb	Fingerprint web technologies (server, CMS, plugins, IP)
nslookup	Resolve the domain name to its IP address using DNS
curl -I	Read the HTTP response headers of the website
wafw00f	Detect whether a Web Application Firewall protects the site
dnsrecon	Enumerate all DNS records (NS, MX, SPF, TXT, SRV)
GHDB	Discover publicly indexed leaks/misconfigurations across the internet
Maltego CE 4.11.3	Visual OSINT entity-relationship mapping and email harvesting
theHarvester 4.11.1	Multi-source passive OSINT aggregation (emails, hosts, subdomains, ASNs)
Zenmap / Nmap 7.99	Scan the local subnet to find live hosts, open ports, services, and generate topology maps

4.Activities Performed

4.1 Footprinting & Reconnaissance with Multiple Kali Tools (W2-PM1)

Reconnaissance was performed against the networkwalks.com domain using six Kali Linux command line tools: WHOIS, WhatWeb, Nslookup, Curl, Wafw00f and DNSRecon. Each tool collected a different type of information about the target.

- WHOIS** - Used to obtain publicly available domain registration information and identify the domain's name servers. Registrar: GoDaddy.com, LLC. Created: 6 Nov 2019, Expires: 6 Nov 2027. Name servers hosted via HostGator. DNSSEC unsigned. Registrant shielded via Domains by Proxy privacy protection.
- WhatWeb** - Used to identify technologies used by the website. Identified WordPress 7.1 and WP Download Manager 3.3.58, server type Apache, server IP 192.232.216.135, framework stack Bootstrap 7.1 + jQuery 3.7.1 and an exposed contact email info@networkwalks.com.

- c. **Nslookup** - Used to resolve the domain name to its IP address. Result: 192.232.216.135 (via Google Public DNS 8.8.8.8), confirming the WhatWeb finding.
- d. **Curl -I** - Used to inspect HTTP response headers. Exposed the WordPress REST API endpoint /wp-json/, Apache server banner and an Endurance/nginx caching layer.
- e. **Wafw00f** - Used to determine whether a Web Application Firewall was protecting the website. Result: ModSecurity (SpiderLabs) detected in just 2 requests.
- f. **DNSRecon** - Used to enumerate DNS records. Found SOA/NS records pointing to HostGator name servers running Bind 9.18.31, DNS recursion enabled on both authoritative name servers (flagged as a finding), an MX record, SPF/TXT records and 8 SRV records for cPanel email autodiscovery.

4.2 Footprinting with GHDB - Google Hacking Database (W2-PM2)

This module used exploit-db.com's GHDB repository of pre-built Google Dorks, manually verified via live Google search. This is the most passive module in the engagement - no request is sent to any "target" server until manually clicking a link to confirm it is live.

Task 1 - 10 Live, Accessible Security Camera Feeds: Using dorks such as intitle:"webcam" inurl:"8080" and intitle:webcamxp inurl:8080, 10 publicly indexed, unauthenticated camera feeds were located across unrelated third-party systems worldwide (full list with URLs and dorks documented in the linked GHDB file).

Task 2 - 10 Downloadable Mathematics eBook Repositories: Using the dork intitle:index.of "parent directory" mathematics pdf, 10 open-directory academic file repositories were located, none belonging to networkwalks.com.

Lesson: Neither target set belongs to networkwalks.com - they demonstrate, at internet scale, what Google indexes when organizations fail to restrict directory listings or authentication on exposed devices. The same technique run against one's own domain functions as a free, zero-cost external-exposure audit.

Full methodology, dork tables, and supporting screenshots: see footprinting-ghdb.docx in W2-PM2/

4.3 Footprinting with Maltego (W2-PM3)

Task 1 - Installation: Maltego Community Edition 4.11.3 was installed (Java Runtime prerequisite → installer wizard → Maltego ID account creation → browser login → Community "Utilities" transform set installed under Normal privacy mode).

Task 2 - Email Harvesting: A Domain entity was created for networkwalks.com, and 4 transforms were run:

Transform	What it does
[Utilities] To Email address [From whois info]	Extracts emails from WHOIS registrant/admin/abuse contact fields
[Utilities] To Email Addresses [PGP]	Searches public PGP keyservers for keys registered under the domain
[Utilities] To Email Addresses [Search Engine]	Finds @domain mentions indexed across the web
[Utilities] To Emails @domain [Search Engine]	Same technique, constrained specifically to the target domain suffix

Emails discovered: info@networkwalks.com and abuse@godaddy.com

Why this matters: Each harvested email is a potential phishing/social-engineering entry point. Maltego's core value is not the raw data (theHarvester or manual search can find the same) - it is the visual entity-relationship graph, which makes connections immediately obvious even to a non-technical stakeholder.

4.4 Footprinting with theHarvester (W2-PM4)

Target: microsoft.com - a large, well-known domain deliberately chosen to demonstrate OSINT aggregation at scale. No direct requests were made to Microsoft's own infrastructure at any point - theHarvester only queries third-party public sources (search engines, certificate transparency logs, breach-notification indexes).

Task 1 - Single-Source Search (theHarvester -d microsoft.com -l 1000 -b baidu): Returned 22 hosts, 0 IPs, 0 emails from this single source.

Task 2 - Comprehensive Multi-Source Search (theHarvester -d microsoft.com -l 50 -b all): Queried 27+ data sources simultaneously.

Category	Result
ASNs found	7
Interesting URLs	1 (Microsoft OAuth2 authorize URL via Cloudflare Access)
IPs found	143 (IPv4 + IPv6)
Emails found	3 (dotnet-docker-bot@microsoft.com, opencode@microsoft.com, secure@microsoft.com)
Hosts found	9,957 subdomains

4.5 Network Scanning with Zenmap/Nmap (W2-PM5)

Target: My own Lab LAN, 10.0.0.0/24 (Kali = 10.0.0.2, Gateway = 10.0.0.1). The official task required a single Ping Scan via the Linux Kali's Zenmap GUI. As bonus effort, two additional, deeper scans were run directly via Nmap CLI in the Kali terminal.

- a. Ping Scan (nmap -sn 10.0.0.0/24, via Zenmap GUI): Identified 2 live hosts - 10.0.0.1 (gateway) and 10.0.0.2 (Kali itself), out of 256 addresses scanned. This confirms the lab's NAT Network architecture behaves exactly as designed, with slots 10.0.0.3-99 reserved and empty.
- b. Intense Scan (nmap -T4 -A -v 10.0.0.0/24, Kali CLI): Deep SYN + version + OS scan found 9 open TCP ports on the gateway (10.0.0.1), including 135/tcp (msrpc), 445/tcp (SMB), 902/902 & 912/tcp (VMware Auth Daemon), and 5357/tcp (Microsoft HTTPAPI/UPnP). OS detection was inconclusive. SMB signing was confirmed enabled and required. 10.0.0.2 (Kali) showed all 1000 ports filtered as expected for a hardened attacker box.
- c. Slow Comprehensive Scan (full TCP+UDP sweep, 303 NSE scripts, ~11.6 min runtime): Expanded findings to 9 TCP + 7 UDP ports on the gateway, notably an open, unauthenticated TFTP service (69/udp) and confirmed VMware Authentication Daemon ports - indicating the "gateway" node is actually a hypervisor host reachable from the general LAN segment.

Topology Export: The Zenmap Topology tab was used with the Legend enabled to export a visual network diagram (see topology.pdf).

5.Risk Analysis / Impact

The findings below are observations from footprinting and scanning exercises only, not confirmed vulnerabilities. No exploitation or vulnerability validation was performed at any point in this engagement.

No.	Risk / Finding	Evidence / Observation	Potential Impact	Risk Level
1	Web technology/version info exposed	WhatWeb identified WordPress 7.1 + WP Download Manager 3.3.58	Enables targeted CVE lookup for outdated software	Medium
2	Origin server IP identifiable	Nslookup/WhatWeb resolved 192.232.216.135	Allows direct-to-IP scanning, bypassing any CDN protection	Low
3	HTTP technical information exposed	Curl revealed /wp-json/ REST endpoint + cache headers	Assists technology fingerprinting and further enumeration	Low
4	WAF vendor fingerprintable	Wafw00f identified ModSecurity (SpiderLabs)	Informs attacker of applicable evasion techniques	Low
5	DNS recursion enabled on authoritative NS	DNSRecon flagged recursion on both name servers	Risk of DNS cache poisoning / amplification abuse	Medium
6	Full mail/DNS infrastructure exposed	DNSRecon returned SRV, MX, SPF records	Maps secondary attack surface (email infrastructure)	Medium
7	Widespread public misconfigurations demonstrated at internet scale	GHDB dorks returned 10 live camera feeds + 10 open directories	Reinforces need for organizations to self-audit via dorking	Low (illustrative)
8	Real organizational emails discoverable	Maltego + theHarvester surfaced info@networkwalks.com, abuse@godaddy.com, 3 Microsoft addresses	Phishing / social-engineering entry point	Medium
9	Massive subdomain footprint discoverable via free tools	theHarvester found 9,957 subdomains for microsoft.com	Demonstrates attack-surface scale even for mature organizations	Low (illustrative)
10	Gateway exposes VMware Authentication Daemon	Nmap found 902/912 tcp open	Suggests hypervisor management interface reachable from general LAN	Medium
11	TFTP (69/udp) open	Nmap slow scan confirmed	TFTP has no built-in authentication - file read/write risk if misconfigured	High
12	3 unidentified open services (9080, 19780, 49152/tcp)	Nmap scans	Unknown attack surface pending manual investigation	Medium
13	SMB message signing enforced	Nmap smb2-security-mode script	Positive control - mitigates SMB relay attacks	Info (Good)
14	No reverse DNS (PTR) record for gateway	Nmap fcrdns script	Minor - complicates legitimate troubleshooting/logging	Low
15	Multiple live hosts confirmed on lab subnet	Nmap ping scan	Expected/by-design - validates lab architecture, not a real finding	Info

Important caveats:

- These are observations from information gathering and host discovery only.
- No exploitation or vulnerability validation was performed in any module.
- Presence of exposed software version/IP/DNS/port information does NOT by itself confirm a vulnerability exists.
- Further authorized security testing would be required to confirm any actual vulnerability.

6. Recommendations

1. Keep WordPress core and the WP Download Manager plugin patched to the latest release; monitor version-disclosure headers.
2. Strip/minimize identifying HTTP headers (server, cache-layer banners) where feasible without breaking functionality.
3. Disable open DNS recursion on the authoritative name servers unless explicitly required for a documented purpose.
4. Run GHDB/Google-dork audits against one's own domain quarterly to catch accidental indexing before attackers do.
5. Maintain the WAF, but layer it with rate-limiting and input validation at the application level rather than relying on it alone.
6. Run phishing-awareness training for staff given the ease of harvesting real organizational email addresses.
7. Prefer role-based aliases (info@, support@) over exposing individual employee emails in public-facing metadata.
8. Restrict the VMware Authentication Daemon ports (902/912) to a dedicated management VLAN - they should not be reachable from the general LAN segment.
9. Disable TFTP (69/udp) unless a documented business need exists; if required, restrict source IPs via firewall rules.
10. Investigate and document the 3 unidentified open services (9080, 19780, 49152) to confirm they are legitimate and intended.
11. Continue enforcing SMB signing across all hosts - this control is already working correctly.
12. Institutionalize periodic authorized internal scans to maintain an accurate, drift-free asset inventory.
13. Always document written authorization/scope before any active scanning - a practice followed throughout this engagement.

7. Conclusion

During Week 2 of the Cybersecurity & Ethical Hacking Program at Networkwalks, all 6 available modules were completed.

Footprinting activities (PM1-PM4):

- Six Kali Linux tools (WHOIS, WhatWeb, Nslookup, Curl, Wafw00f, DNSRecon) were used to build a complete external profile of networkwalks.com.
- Google Hacking Database dorking demonstrated internet-scale public exposure discovery.
- Maltego provided visual entity-relationship mapping and email harvesting for the target domain.
- theHarvester demonstrated multi-source passive OSINT aggregation at scale against microsoft.com.

Network scanning activity (PM5):


Zenmap was used to identify live hosts on my own lab subnet, enumerate open TCP/UDP ports and services and generate a network topology diagram - validating that the Week 1 lab architecture behaves exactly as designed.

Key takeaways:

- Information gathering is a critical part of cybersecurity - a significant environmental knowledge base can be built before any exploitation attempt, purely through analysis of public information and network responses.
- Passive reconnaissance is nearly undetectable, yet can surface real emails, subdomains and misconfigurations at massive scale.
- Active scanning is a fundamentally different risk category - it is detectable and requires explicit authorization every time, unlike passive OSINT.
- A good cybersecurity report explains what was performed, what was discovered, what the observation means, what risk it may create and what can be done to reduce that risk.
- Reconnaissance and scanning must always be performed within an authorized scope. All activities in this report were completed under the written authorization referenced in Section (Report Metadata) and within my own owned lab environment.


8.Evidence Collected (Full Terminal/Tool Output & Screenshots)

Evidence 1: WHOIS Lookup - Part 1 (Kali Linux Terminal)

A screenshot of a Kali Linux terminal window running in Oracle VM VirtualBox. The terminal shows a WHOIS lookup for the domain networkwalks.com. The output includes domain name, registry ID, registrar (GoDaddy), creation and expiry dates, registrar contact information, and domain status. The terminal window has a menu bar (File, Machine, View, Input, Devices, Help) and a toolbar with icons for file operations and network status. The background of the terminal window features a Kali Linux logo and the word 'KALI' in a large, stylized font.

```
Kali Linux 2026.2 (Fresh State) [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Net 0.00 Kbps
pratyay@kali: ~
Session Actions Edit View Help
(pratyay@kali) - [~]
$ whois networkwalks.com
Domain Name: NETWORKWALKS.COM
Registry Domain ID: 2452319255_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.godaddy.com
Registrar URL: http://www.godaddy.com
Updated Date: 2025-11-12T10:08:43Z
Creation Date: 2019-11-06T22:51:46Z
Registry Expiry Date: 2027-11-06T22:51:46Z
Registrar: GoDaddy.com, LLC
Registrar IANA ID: 146
Registrar Abuse Contact Email: abuse@godaddy.com
Registrar Abuse Contact Phone: 480-624-2505
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientRenewProhibited https://icann.org/epp#clientRenewProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Name Server: NS6135.HOSTGATOR.COM
Name Server: NS6136.HOSTGATOR.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2026-09-14T09:06:52Z <<<
```

Evidence 2: WHOIS Lookup - Part 2 (Kali Linux Terminal)



```
Session Actions Edit View Help
Domain Name: networkwalks.com
Registry Domain ID: 2452319255_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.godaddy.com
Registrar URL: https://www.godaddy.com
Updated Date: 2025-11-12T05:08:41Z
Creation Date: 2019-11-06T17:51:46Z
Registrar Registration Expiration Date: 2027-11-06T17:51:46Z
Registrar: GoDaddy.com, LLC
Registrar IANA ID: 146
Registrar Abuse Contact Email: abuse@godaddy.com
Registrar Abuse Contact Phone: +1.4806242505
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Domain Status: clientRenewProhibited https://icann.org/epp#clientRenewProhibited
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Registry Registrant ID: Not Available From Registry
Registrant Name: Registration Private
Registrant Organization: Domains By Proxy, LLC
Registrant Street: DomainsByProxy.com
Registrant Street: 100 S. Mill Ave, Suite 1600
Registrant City: Tempe
Registrant State/Province: Arizona
Registrant Postal Code: 85281
Registrant Country: US
Registrant Phone: +1.4806242599
Registrant Phone Ext:
Registrant Fax:
Registrant Fax Ext:
Registrant Email: https://www.godaddy.com/whois/results.aspx?domain=networkwalks.com&action=contactDomainOwner
Registry Tech ID: Not Available From Registry
Tech Name: Registration Private
Tech Organization: Domains By Proxy, LLC
Tech Street: DomainsByProxy.com
Tech Street: 100 S. Mill Ave, Suite 1600
Tech City: Tempe
Tech State/Province: Arizona
Tech Postal Code: 85281
Tech Country: US
Tech Phone: +1.4806242599
Tech Phone Ext:
Tech Fax:
Tech Fax Ext:
Tech Email: https://www.godaddy.com/whois/results.aspx?domain=networkwalks.com&action=contactDomainOwner
Name Server: NS6135.HOSTGATOR.COM
Name Server: NS6136.HOSTGATOR.COM
Name Server: NS29.DOMAINCONTROL.COM
Name Server: NS30.DOMAINCONTROL.COM
DNSSEC: unsigned
```

Evidence 3: WhatWeb Scan (Kali Linux Terminal)

```
Kali Linux 2026.2 (Fresh State) [Running] - Oracle VirtualBox
File Machine View Input Devices Help
pratyay@kali: ~
Session Actions Edit View Help

(pratyay@kali)-[~]
$ whatweb networkwalks.com
http://networkwalks.com [301 Moved Permanently] Apache, Cookies[_wpdm_client], Country[UNITED STATES][US], HTTPServer[Apache], HttpOnly[_wpdm_client], IP[192.232.216.135], RedirectLocation[https://networkwalks.com/], UncommonHeaders[permissions-policy,x-redirect-by,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache]
https://networkwalks.com [200 OK] Apache, Bootstrap[7.1], Cookies[_wpdm_client], Country[UNITED STATES][US], Email[info@networkwalks.com], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], HttpOnly[_wpdm_client], IP[192.232.216.135], JQuery[3.7.1], MetaGenerator[WordPress 7.1,WordPress Download Manager 3.3.58], Open-Graph-Protocol[website], Script[4684NR-IPiB&amp;pidnVar2=50511&amp;pvtVar2=7&amp;scvVar2=12,application/json,application/ld+json,module,speculationrules,text/javascript], Title[Networkwalks Academy], UncommonHeaders[permissions-policy,link,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache], WordPress[7.1]
https://networkwalks.com/ [200 OK] Apache, Bootstrap[7.1], Country[UNITED STATES][US], Email[info@networkwalks.com], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], IP[192.232.216.135], JQuery[3.7.1], MetaGenerator[WordPress 7.1,WordPress Download Manager 3.3.58], Open-Graph-Protocol[website], Script[4684NR-IPiB&amp;pidnVar2=50511&amp;pvtVar2=7&amp;scvVar2=12,application/json,application/ld+json,module,speculationrules,text/javascript], Title[Networkwalks Academy], UncommonHeaders[permissions-policy,link,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache], WordPress[7.1]
```

Evidence 4: Nslookup (Kali Linux Terminal)

```
Kali Linux 2026.2 (Fresh State) [Running] - Oracle VirtualBox
File Machine View Input Devices Help
pratyay@kali: ~
Session Actions Edit View Help

(pratyay@kali)-[~]
$ nslookup networkwalks.com
Server:      8.8.8.8
Address:     8.8.8.8#53

Non-authoritative answer:
Name:   networkwalks.com
Address: 192.232.216.135
```

Evidence 5: Curl HTTP Header Inspection (Kali Linux Terminal)

```
Kali Linux 2026.2 (Fresh State) [Running] - Oracle VirtualBox
File Machine View Input Devices Help
pratyay@kali: ~
Session Actions Edit View Help

(pratyay@kali)-[~]
$ curl -I https://networkwalks.com
HTTP/2 200
permissions-policy: private-state-token-redemption=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com"), private-state-token-issuance=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com")
link: <https://networkwalks.com/wp-json/>; rel="https://api.w.org/", <https://networkwalks.com/wp-json/wp/v2/pages/53>; rel="alternate"; title="JSON"; type="application/json", <https://networkwalks.com/>; rel=shortlink
set-cookie: _wpdm_client=4c3aeaf8e27a2885899059ff32e2f618; path=/; domain=networkwalks.com; secure; HttpOnly
referrer-policy: no-referrer-when-downgrade
x-endurance-cache-level: 0
x-nginx-cache: WordPress
content-type: text/html; charset=UTF-8
date: Mon, 14 Sep 2026 09:27:56 GMT
server: Apache
```

Evidence 6: Wafw00f WAF Detection (Kali Linux Terminal)

```
Kali Linux 2026.2 (Fresh State) [Running] - Oracle VirtualBox
File Machine View Input Devices Help
pratyay@kali: ~

Session Actions Edit View Help

(pratyay@kali)-[~]
$ wafw00f networkwalks.com

? ??
( ) ; ???
/ , /
\\ \\

~ WAFW00F : v2.4.2 ~
~ Sniffing Web Application Firewalls since 2009 ~

[*] Checking https://networkwalks.com
[+] The site https://networkwalks.com is behind ModSecurity (SpiderLabs) WAF.
[~] Number of requests: 2
```

Evidence 7: DNSRecon Enumeration (Kali Linux Terminal)

```
Kali Linux 2026.2 (Fresh State) [Running] - Oracle VirtualBox
File Machine View Input Devices Help
pratyay@kali: ~

Session Actions Edit View Help

(pratyay@kali)-[~]
$ dnsrecon -d networkwalks.com
2026-09-14T15:04:32.283309+0530 INFO Starting enumeration for domain: networkwalks.com
2026-09-14T15:04:32.285257+0530 INFO std: Performing General Enumeration against: networkwalks.com...
2026-09-14T15:04:32.876417+0530 ERROR No answer for DNSSEC query for networkwalks.com
2026-09-14T15:04:33.038783+0530 INFO SOA ns6135.hostgator.com 50.87.144.87
2026-09-14T15:04:33.332197+0530 INFO NS ns6136.hostgator.com 192.232.216.131
2026-09-14T15:04:33.338457+0530 ERROR Recursion enabled on NS Server 192.232.216.131
2026-09-14T15:04:33.344048+0530 INFO Bind Version for 192.232.216.131 "9.18.31"
2026-09-14T15:04:33.344458+0530 INFO NS ns6135.hostgator.com 50.87.144.87
2026-09-14T15:04:33.348564+0530 ERROR Recursion enabled on NS Server 50.87.144.87
2026-09-14T15:04:33.352958+0530 INFO Bind Version for 50.87.144.87 "9.18.31"
2026-09-14T15:04:34.014806+0530 INFO MX mail.networkwalks.com 192.232.216.135
2026-09-14T15:04:34.358153+0530 INFO A networkwalks.com 192.232.216.135
2026-09-14T15:04:34.778413+0530 INFO TXT networkwalks.com google-site-verification=rr04eRmqHowY3XemnizDNVK4q75X-Ij-mjgEeg-UsYI
2026-09-14T15:04:34.778553+0530 INFO TXT networkwalks.com v=spf1 +a +mx +ip4:50.87.144.87 +include:websitewelcome.com ~all
2026-09-14T15:04:35.377018+0530 INFO Enumerating SRV Records
2026-09-14T15:04:40.911020+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.9 443
2026-09-14T15:04:40.911412+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.14 443
2026-09-14T15:04:40.911835+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.15 443
2026-09-14T15:04:40.912117+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.14 443
2026-09-14T15:04:40.912382+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.9 443
2026-09-14T15:04:40.912549+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.11 443
2026-09-14T15:04:40.912770+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.15 443
2026-09-14T15:04:40.912970+0530 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.11 443
2026-09-14T15:04:41.094902+0530 INFO 8 Records Found
2026-09-14T15:04:41.095102+0530 INFO Completed enumeration for domain: networkwalks.com
```

Evidence 8: GHDB Google Dorking - Full Documented Findings

Task - 1

Find 10x live vulnerable security camera links that are exposed & accessible from Internet. List them in below table along with their relevant dork that you have used.



No.	Link	Relevant Dork	Username/ Password
1	http://109.206.96.249:8080/	intitle:"webcam" inurl:"8080" -intext:"8080"	None
2	http://109.233.191.130:8080/multi.html	intitle:"webcam" inurl:"8080" -intext:"8080"	None
3	http://66.206.54.197/	Display Cameras intitle:"Express6 Live Image"	None
4	http://109.164.203.165/control/userimage.html	intitle:"IP CAMERA Viewer" intext:"setting Client setting"	None
5	https://hj50ac9nwcc.sn.mynetname.net/cctv/	intitle:"IP CAMERA Viewer" intext:"setting Client setting"	None
6	https://tuwebcam.towson.edu/index.html	intitle:"Webcam" inurl:WebCam.htm	None
7	http://72.199.200.5:8080/	intitle:webcamxp inurl:8080	None
8	http://139.64.168.120:8080/	intitle:webcamxp inurl:8080	None
9	http://46.253.32.35/camera.htm	intitle:webcamxp inurl:8080	None
10	http://75.149.26.30:1024/	intitle:webcamxp inurl:8080	None



Task - 2

Find 10x listings which contain downloadable mathematics ebooks in PDF format:


No.	Link	Relevant Dork	Username / Password
1	http://erewhon.superkuh.com/library/Math/	intitle: index of "parent directory" mathematics pdf	None
2	https://www.unm.edu/~megrad/Math/	intitle: index of "parent directory" mathematics pdf	None
3	https://www.netlib.org/math/docpdf/	intitle: index of "parent directory" mathematics pdf	None
4	https://education.giakonda.org.uk/Maths/?SD	intitle: index of "parent directory" mathematics pdf	None
5	https://www.jsoftware.com/books/pdf/	intitle: index of "parent directory" mathematics pdf	None
6	https://ochicken.net/library/Mathematics/	intitle: index of "parent directory" mathematics pdf	None
7	https://theswissbay.ch/pdf/Gentoomen%20Library/Maths/	intitle: index of "parent directory" mathematics pdf	None
8	https://file.helpstudentpoint.com/wp-content/uploads/2024/04/?SD	intitle: index of "parent directory" mathematics pdf	None
9	https://www.maths.dur.ac.uk/papers/2025/	intitle: index of "parent directory" mathematics pdf	None
10	https://lira.epac.to/DOCS-TECH/Math/Engineering%20and%20Applied/	intitle: index of "parent directory" mathematics pdf	None

Evidence 9: Maltego Installation Process (4 screenshots)








Evidence 10: Maltego Domain Entity Setup



Evidence 11: Maltego Transforms Used



Evidence 12: Maltego Entity-Relationship Graph (2 screenshots)



Evidence 13: Maltego Detailed Entity Views (5 screenshots)

Detail View

 Domain
maltego.Domain
networkwalks.com

- Relationships

- Outgoing
info@networkwalks.com abuse@godaddy.com

Property View X Hub Transform Inputs

- Properties

Type	Domain
Domain Name	networkwalks.com
WHOIS Info	

- Dynamic properties

IP whois	Domain Name: NETWORKWALKS.COM Registry Do...
----------	--

- Graph info

Weight	50
Incoming	0
Outgoing	2
Bookmark	

Detail View X

 Email Address
maltego.EmailAddress
info@networkwalks.com

- Relationships

- Incoming
networkwalks.com

- Outgoing
[Join Network Walks as Trainer today! - Networkwalks Academy](#)

- Search Engine Results

Join Network Walks as Trainer today! - Networkwalks Academy
[\[https://networkwalks.com/join-network-walks-as-trainer/\]](https://networkwalks.com/join-network-walks-as-trainer/)
Join us as a Trainer in Network, IT, Cisco, MS fields. Simply apply by sending your updated CV with your certification detail at: info@networkwalks.com.

- Generator detail

Source	networkwalks.com (Domain)
Transform	[Utilities] To Email Addresses [Search Engine]
Gen. date	2026-09-15 23:57:59.174 +0530

Detail View



Email Address
maltego.EmailAddress
abuse@godaddy.com

- Relationships

- Incoming
networkwalks.com

- Generator detail

Source	networkwalks.com	(Domain)
Transform	[Utilities] To Email address [From whois info]	
Gen. date	2026-09-15 23:57:14.436 +0530	

Detail View



URL
maltego.URL
Join Network Walks as Trainer today! - Networkwalks Academy

- Relationships

- Incoming
info@networkwalks.com

- Search Engine Results

Join Network Walks as Trainer today! - Networkwalks Academy
[\[https://networkwalks.com/join-network-walks-as-trainer/\]](https://networkwalks.com/join-network-walks-as-trainer/)
Join us as a Trainer in Network, IT, Cisco, MS fields. Simply apply by sending your updated CV with your certification detail at: info@networkwalks.com.

- Generator detail

Source	info@networkwalks.com	(Email Address)
Transform	[Utilities] To Email Addresses [Search Engine]	
Gen. date	2026-09-15 23:57:59.174 +0530	

Detail View




Domain
maltego.Domain
networkwalks.com

- Relationships

- Outgoing
info@networkwalks.com
abuse@godaddy.com

Evidence 14: Maltego Topology Export




Evidence 15: theHarvester Task 1 Output - Single-Source Search

Text-based evidence (terminal output, no screenshot captured). See full raw file: W2-PM4/outputs/task1-theharvester-baidu.txt


Evidence 16: theHarvester Task 2 Output - Comprehensive Multi-Source Search

Text-based evidence (9,957-host output, no screenshot captured). See full raw file: W2-PM4/outputs/task2-theharvester-all-sources.txt

Evidence 17: Zenmap Ping Scan - Local Network Discovery



Evidence 18: Zenmap Regular Scan



Evidence 19: Nmap Intense Scan - Full CLI Output (Kali Terminal)


Text-based evidence (no screenshot captured; run via CLI as bonus effort). See full raw file: W2-PM5/outputs/nmap-intense-scan.txt

Evidence 20: Nmap Slow Comprehensive Scan - Full CLI Output (Kali Terminal)

Text-based evidence (no screenshot captured; run via CLI as bonus effort). See full raw file: W2-PM5/outputs/nmap-slow-comprehensive-scan.txt

Evidence 21: Network Topology Diagram (Zenmap Export)

See attached PDF: W2-PM5/topology.pdf and W2-PM5/zenmap-lab-result-networkwalks-academy.pdf



9.Creator & Project Information

Creator:

- Name: Pratyay Chandra
- Batch: B083F
- GitHub: <https://github.com/pratyaychandra>

Project Information:

- Program Name: Cybersecurity Program at Networkwalks
- Week: 02
- Repository: Week2-Footprinting-and-Network-Scanning

END OF REPORT