

1) Display the count of the number of rows in the Patient table.

The screenshot shows a SQL query window with the following content:

```
-- Display the count of the number of rows in the Patient table.  
  
Select Count(*) as TotalPatients  
From Patient
```

The query is executed, and the results are displayed in the Results pane:

TotalPatients
25

2) Delete a specified record in the ProviderType table and prove that it is deleted. (before and after)

The screenshot shows a SQL query window with the following content:

```
/*  
Delete a specified record in the ProviderType table  
and prove that it is deleted. (before and after)  
*/  
  
-- Because my ProviderType table was running at other table too  
--and using the Delete function gave me a Reference constrain.  
-- I worked on a new table named ProType  
  
Select * from ProType  
Where ProTypeID = 4  
go  
  
Delete from ProType  
Where ProTypeID = 4  
go  
  
Select * from ProType  
Where ProTypeID = 4
```

The query is executed, and the results are displayed in the Results pane:

ProTypeID	Pro Type	ProTypeDesc
4	Phlebotomist	Blood Draw

3) Two table implied join qualified with a key value.

SQLQuery1.s... \praty (71))*

```
1  -- Two table implied join qualified with a key value.
2
3  Select FName, LName, ProviderType, ProTypeDesc
4  From Provider, ProviderType
5  Where Provider.ProviderTypeID = ProviderType.ProviderTypeID
```

100 % No issues found

Results Messages

	FName	LName	ProviderType	ProTypeDesc
1	James	Wilson	Physican	MD/DO
2	Emily	Carter	RN	Registered Nurse
3	Michael	Reed	Physican	MD/DO
4	Sarah	Nguyen	PT	Physical Therapist
5	David	Patel	Physican	MD/DO
6	Laura	Hernandez	RN	Registered Nurse
7	Robert	Kim	Phebotemist	Blood Draw
8	Jessica	Morris	PT	Physical Therapist
9	Daniel	Lopez	Physican	MD/DO
10	Amanda	Brooks	RN	Registered Nurse
11	Matthew	Sanders	Physican	MD/DO
12	Olivia	Price	PT	Physical Therapist
13	Andrew	Bell	Phebotemist	Blood Draw
14	Stephanie	Rivera	RN	Registered Nurse
15	Christopher	Howard	Physican	MD/DO
16	Nicole	Ward	PT	Physical Therapist
17	Brian	Cox	Physican	MD/DO
18	Rachel	Peterson	RN	Registered Nurse
19	Kevin	Flores	Phebotemist	Blood Draw
20	Megan	Russell	PT	Physical Therapist
21	Jonathan	Long	Physican	MD/DO
22	Hannah	Ramirez	RN	Registered Nurse
23	Eric	Powell	Phebotemist	Blood Draw
24	Victoria	Bennett	PT	Physical Therapist
25	Steven	Coleman	Physican	MD/DO

4) Three tables implied join qualified with a key value.

The screenshot shows a SQL Server Enterprise Manager window with the following content:

```
1  -- Three table implied join qualified with a key value.
2
3  Select Patient.FName, Patient.LName, Ailment, StartDate, EndDate
4  From Patient, Ailment, PatientAilment
5  Where Patient.PatientID = PatientAilment.PatientID
6  and PatientAilment.AilmentID = Ailment.AilmentID
```

Below the query window, the Results tab is active, displaying a table with 6 columns: FName, LName, Ailment, StartDate, and EndDate. The table contains 19 rows of data.

	FName	LName	Ailment	StartDate	EndDate
1	John	Smith	Hypertension	2018-01-10	NULL
2	John	Smith	Migraine	2020-06-15	2020-09-01
3	Mary	Johnson	Diabetes Mellitus	2019-03-22	NULL
4	Mary	Johnson	Seasonal Allergies	2021-04-01	2021-05-15
5	Robert	Brown	Asthma	2017-08-12	NULL
6	Robert	Brown	Chronic Back Pain	2022-02-10	NULL
7	Patricia	Taylor	Depression	2020-11-05	NULL
8	Patricia	Taylor	Eczema	2019-01-14	2019-06-30
9	Michael	Anderson	Arthritis	2016-05-19	NULL
10	Michael	Anderson	Irritable Bowel Syndrome	2021-07-07	NULL
11	Linda	Thomas	Anxiety Disorder	2018-09-03	NULL
12	Linda	Thomas	Vertigo	2020-10-10	2020-12-01
13	William	Jackson	Coronary Artery Disease	2015-02-17	NULL
14	William	Jackson	Chronic Obstructive Pulmonary Disease	2022-01-01	NULL
15	Barbara	White	Seasonal Allergies	2019-04-20	2019-06-01
16	Barbara	White	Influenza	2023-01-05	2023-01-20
17	James	Harris	Migraine	2018-07-11	NULL
18	James	Harris	Sleep Apnea	2021-09-09	NULL
19	Susan	Martin	Hypertension	2016-03-30	NULL

5) Use twelve SQL functions (such as SUM). This should be twelve queries with at least one function for each query.

The screenshot shows a SQL Server Enterprise Manager window with the following content:

```
1  -- Use twelve SQL functions (such as SUM). This should be twelve queries with at least one function for each query.
2
3  -- To see how many patient are in database
4
5
6  Select Count(*) as PatientCount from Patient
7
```

Below the query window, the Results tab is active, displaying a table with 1 column: PatientCount. The table contains 1 row of data.

PatientCount
25

log\SQLEXPRESS...- dbo.Patient log\SQLEXPRESS.Sick - Sick SQLQuery1.s...\praty (53))* ✕

```
1  /*
2  Use twelve SQL functions (such as SUM).
3  This should be twelve queries with at least one function for each query.
4  */
5
6  -- To see the average PatientID in database
7
8
9  Select AVG(PatientID) as AVGPID from Patient
10
```

100 % No issues found

Results Messages

	AVGPID
1	13

log\SQLEXPRESS...- dbo.Patient log\SQLEXPRESS.Sick - Sick SQLQuery1.s...\praty (53))* ✕

```
1  /*
2  Use twelve SQL functions (such as SUM).
3  This should be twelve queries with at least one function for each query.
4  */
5
6  -- To see the highest PatientID in the database
7
8
9  Select MAX(PatientID) as MAXPID from Patient
10
```

100 % No issues found

Results Messages

	MAXPID
1	25

log\SQLEXPRESS.Sick - Sick SQLQuery1.s...\praty (54))*

```
1 -- Create a SQL statement that utilizes the substring command.
2
3 Select Substring(LName, 2, 4)
4 From Patient
```

150 % No issues found

Results Messages

	(No column name)
1	mith
2	ohns
3	rown
4	aylo
5	nder
6	homa
7	acks
8	hite
9	ami
10	arti
11	homp
12	arci
13	arti

log\SQLEXPRESS...- dbo.Patient log\SQLEXPRESS.Sick - Sick SQLQuery1.s...\praty (53))*

```
1 /*
2 Use twelve SQL functions (such as SUM).
3 This should be twelve queries with at least one function for each query.
4 */
5
6 -- To see the lowest PatientID in the database
7
8
9 Select MIN(PatientID) as MINPID from Patient
10
```

100 % No issues found

Results Messages

	MINPID
1	1

loq\SQLEXPRESS.Sick - Sick SQLQuery1.s... \praty (74))*

```
1  /*
2  Use twelve SQL functions (such as SUM). This should be twelve queries
3  with at least one function for each query.
4  */
5
6
7  SELECT COUNT(*) AS VisitCount
8  FROM PatientAilment
9  WHERE ProviderID = 6 ; -- Replace 6 with the desired ProviderID
10
11
12
```

100 % No issues found

Results Messages

	VisitCount
1	2

loq\SQLEXPRESS.ProviderType loq\SQLEXPRESS.Sick - Sick SQLQuery3.s... \praty (71))*

```
1  /*
2  Use twelve SQL functions (such as SUM).
3  This should be twelve queries with at least one function for each query.
4  */
5
6  -- Convert query results to JSON format.
7
8  SELECT *
9  FROM (
10     SELECT ProviderID, ProviderTypeID
11     FROM Provider
12   ) AS provider_data
13  FOR JSON PATH;
14
15
16
```

121 % No issues found

Results Messages

	JSON_F52E2B61-18A1-11d1-B105-00805F49916B
1	[{"ProviderID":1,"ProviderTypeID":1}, {"ProviderID":2,"Provi...

log\SQLEXPRESS...- dbo.Patientlog\SQLEXPRESS.Sick - SickSQLQuery1.sql...\praty (53))*

1

2

3

4

5

6

7

8

9

10

11

12

13

14

/*

Use twelve SQL functions (such as SUM).

This should be twelve queries with at least one function for each query.

*/

-- To arrange the name of patients into one box

Select CONCAT(FName, '', MName, '', LName) as FullName

From Patient

/* However, I can not have spaces in between to distinguish which is

their First Name, Middle Name, and Last Name.

I tried to use ' ', but that also didn't work.

*/

100 %No issues found

ResultsMessages

	FullName
1	JohnASmith
2	MaryLJohnson
3	RobertBrown
4	PatriciaMTaylor
5	MichaelAnderson
6	LindaRThomas
7	WilliamEJackson
8	BarbaraWhite
9	JamesKHarris
10	SusanMartin
11	DavidJThompson
12	KarenSGarcia
13	RichardMartinez
14	NancyTRobinson
15	JosephBClark
16	LisaARodriguez
17	ThomasLewis
18	BettyCLee
19	CharlesDWalker
20	SandraHall
21	DanielPAllen
22	DonnaHYoung
23	PaulKing
24	CarolEWright
25	MarkJLopez

log\SQLEXPRESS...ProviderType log\SQLEXPRESS...dbo.Provider log\SQLEXPRESS...- dbo.Patient log\SQLEXPRESS...

```

1      /*
2      Use twelve SQL functions (such as SUM).
3      This should be twelve queries with at least one function for each query.
4      */
5
6      -- To see the difference in the Patient's Start and End Date
7
8      SELECT StartDate, EndDate, DATEDIFF(day, StartDate, EndDate) AS DateDiff
9      From PatientAilment;
10
11

```

100 % No issues found

Results Messages

	StartDate	EndDate	DateDiff
1	2018-01-10	NULL	NULL
2	2020-06-15	2020-09-01	78
3	2019-03-22	NULL	NULL
4	2021-04-01	2021-05-15	44
5	2017-08-12	NULL	NULL
6	2022-02-10	NULL	NULL
7	2020-11-05	NULL	NULL
8	2019-01-14	2019-06-30	167
9	2016-05-19	NULL	NULL
10	2021-07-07	NULL	NULL
11	2018-09-03	NULL	NULL
12	2020-10-10	2020-12-01	52

log\SQLEXPRESS...ProviderType SQLQuery3.s... \praty (71))* log\SQLEXPRESS.Sick - Sick SQLQuery1.sq... \praty (74))*

```

1      /*
2      Use twelve SQL functions (such as SUM).
3      This should be twelve queries with at least one function for each query.
4      */
5
6      -- Combine results from two queries.
7
8      SELECT FName, LName
9      FROM Patient
10     WHERE PatientID = 1
11     UNION
12     SELECT FName, LName
13     FROM Patient
14     WHERE PatientID = 24;
15
16

```

121 % No issues found

Results Messages

	FName	LName
1	Carol	Wright
2	John	Smith

log\SQLXPRESS... dbo.Ailment log\SQLXPRESS.Sick - Sick SQLQuery1.s... \praty (53)) * ✕

```

1  -- Use twelve SQL functions (such as SUM). This should be twelve queries with at least one function for each query.
2
3  -- To see which patient got the first symptom
4
5
6  Select Patient.PatientID, FName, LName, Ailment.Ailment, Ailment.AilDesc, StartDate
7  From Patient, PatientAilment, Ailment
8  Where Patient.PatientID = PatientAilment.PatientID
9  and PatientAilment.AilmentID = Ailment.AilmentID
10 Order BY StartDate ASC
11
12

```

100 % No issues found

Results Messages

	PatientID	FName	LName	Ailment	AilDesc	StartDate
1	7	William	Jackson	Coronary Artery Disease	Narrowing or blockage of coronary arteries reducing bl...	2015-02-17
2	21	Daniel	Allen	Hypertension	Persistently elevated blood pressure requiring monitori...	2015-05-05
3	10	Susan	Martin	Hypertension	Persistently elevated blood pressure requiring monitori...	2016-03-30
4	5	Michael	Anderson	Arthritis	Inflammation of one or more joints causing pain and sti...	2016-05-19
5	20	Sandra	Hall	Diabetes Mellitus	Metabolic disorder characterized by high blood glucos...	2016-06-06
6	13	Richard	Martinez	Chronic Kidney Disease	Gradual loss of kidney function over time.	2017-01-09
7	19	Charles	Walker	Eczema	Skin condition causing itchy, inflamed, and irritated pa...	2017-04-04
8	3	Robert	Brown	Asthma	Chronic respiratory condition causing airway inflammati...	2017-08-12
9	1	John	Smith	Hypertension	Persistently elevated blood pressure requiring monitori...	2018-01-10
10	23	Paul	King	Migraine	Recurring headaches often accompanied by nausea ...	2018-02-14
11	9	James	Harris	Migraine	Recurring headaches often accompanied by nausea ...	2018-07-11
12	17	Thomas	Lewis	Arthritis	Inflammation of one or more joints causing pain and sti...	2018-08-08
13	6	Linda	Thomas	Anxiety Disorder	Condition involving excessive worry, fear, or nervoun...	2018-09-03
14	14	Nancy	Robinson	Hyperthyroidism	Overactive thyroid gland causing weight loss and rapi...	2018-11-11
15	4	Patricia	Taylor	Eczema	Skin condition causing itchy, inflamed, and irritated pa...	2019-01-14
16	22	Donna	Young	Coronary Artery Disease	Narrowing or blockage of coronary arteries reducing bl...	2019-03-03
17	2	Mary	Johnson	Diabetes Mellitus	Metabolic disorder characterized by high blood glucos...	2019-03-22
18	8	Barbara	White	Seasonal Allergies	Allergic reactions triggered by pollen or environmental ...	2019-04-20
19	12	Karen	Garcia	Gastroesophageal Reflux Disease	Digestive disorder where stomach acid frequently flow...	2019-06-18

```

1  /*
2  Use twelve SQL functions (such as SUM).
3  This should be twelve queries with at least one function for each query.
4  */
5
6  -- Used Round function on Height of Patient
7
8  SELECT CAST(ROUND(Height, 1) AS DECIMAL(10)) AS FormattedHeight
9  FROM Patient;
10
11

```

150 % No issues found

Results Messages

	FormattedHeight
1	71
2	64
3	72
4	67
5	69
6	64
7	71
8	65
9	69
10	65

6) Write an SQL statement that utilizes 'like' in the where clause.

```
1  -- Write an SQL statement that utilizes 'like' in the where clause.
2
3  -- To see number of Patient's First Name starting with same letter
4
5  Select FName, LName, PatientID
6  From Patient
7  Where FName like 'B%'
8
```

100 % No issues found

Results Messages

	FName	LName	PatientID
1	Barbara	White	8
2	Betty	Lee	18

7) Demonstrate the use of the rowcount feature to return 4 rows from a table that has more than 4 rows.

Then demonstrate the use of the rowcount feature to reset the number of rows returned to all of the rows in a table. Demonstrate an alternative to rowcount that has similar functionality.

```
1  /*
2  Demonstrate the use of the rowcount feature to return 4 rows from a table that has more than 4 rows.
3  Then demonstrate the use of the rowcount feature to reset the number of rows returned to all of the rows in a table.
4  Demonstrate an alternative to rowcount that has similar functionality.
5  */
6
7  Set rowcount 4 --use of rowcount, which is set for 4 this time
8  Select * from Ailment
9
10
```

100 % No issues found

Results Messages

	AilmentID	Ailment	AilDesc
1	1	Hypertension	Persistently elevated blood pressure requiring monitori...
2	2	Diabetes Mellitus	Metabolic disorder characterized by high blood glucos...
3	3	Asthma	Chronic respiratory condition causing airway inflammati...
4	4	Migraine	Recurring headaches often accompanied by nausea ...

```

1      /*
2      Demonstrate the use of the rowcount feature to return 4 rows from a table that has more than 4 rows.
3      Then demonstrate the use of the rowcount feature to reset the number of rows returned to all of the rows in a table.
4      Demonstrate an alternative to rowcount that has similar functionality.
5      */
6
7      Set rowcount 0 -- With the help of '0', we reseted the row
8      Select * from Ailment
9
10

```

100 % ✓ No issues found

Results Messages

	AilmentID	Ailment	AilDesc
1	1	Hypertension	Persistently elevated blood pressure requiring monitor...
2	2	Diabetes Mellitus	Metabolic disorder characterized by high blood glucos...
3	3	Asthma	Chronic respiratory condition causing airway inflammati...
4	4	Migraine	Recurring headaches often accompanied by nausea ...
5	5	Arthritis	Inflammation of one or more joints causing pain and sti...
6	6	Depression	Mood disorder with persistent feelings of sadness or lo...
7	7	Anxiety Disorder	Condition involving excessive worry, fear, or nervoun...
8	8	Coronary Artery Disease	Narrowing or blockage of coronary arteries reducing bl...
9	9	Chronic Back Pain	Long-term pain affecting the upper or lower back.
10	10	Seasonal Allergies	Allergic reactions triggered by pollen or environmental ...
11	11	Influenza	Viral respiratory illness causing fever, chills, and body ...
12	12	Pneumonia	Infection causing inflammation of air sacs in one or bot...
13	13	Gastroesophageal Reflux Disease	Digestive disorder where stomach acid frequently flow...
14	14	Irritable Bowel Syndrome	Gastrointestinal disorder causing abdominal pain and ...
15	15	Eczema	Skin condition causing itchy, inflamed, and irritated pa...
16	16	Chronic Kidney Disease	Gradual loss of kidney function over time.
17	17	Osteoporosis	Condition marked by weakened bones and increased ...
18	18	Sleep Apnea	Sleep disorder characterized by repeated pauses in br...
19	19	Anemia	Condition where lack of healthy red blood cells reduce...
20	20	Hypothyroidism	Underactive thyroid gland leading to fatigue and weig...
21	21	Hyperthyroidism	Overactive thyroid gland causing weight loss and rapi...
22	22	Urinary Tract Infection	Infection affecting any part of the urinary system.
23	23	Chronic Obstructive Pulmonary Disease	Progressive lung disease causing breathing difficulty.
24	24	Vertigo	Sensation of spinning or dizziness often related to inne...
25	25	Peptic Ulcer Disease	Open sores developing on the inner lining of the stom...

```

1      /*
2      Demonstrate the use of the rowcount feature to return 4 rows from a table that has more than 4 rows.
3      Then demonstrate the use of the rowcount feature to reset the number of rows returned to all of the rows in a table.
4      Demonstrate an alternative to rowcount that has similar functionality.
5      */
6
7      -- Alternative Method
8
9      Select top 3 * from Ailment
10

```

100 % ✓ No issues found

Results Messages

	AilmentID	Ailment	AilDesc
1	1	Hypertension	Persistently elevated blood pressure requiring m...
2	2	Diabetes Mellitus	Metabolic disorder characterized by high blood g...
3	3	Asthma	Chronic respiratory condition causing airway infla...

```

1  /*
2  Demonstrate the use of the rowcount feature to return 4 rows from a table that has more than 4 rows.
3  Then demonstrate the use of the rowcount feature to reset the number of rows returned to all of the rows in a table.
4  Demonstrate an alternative to rowcount that has similar functionality.
5  */
6
7  -- Alternative Method
8
9  Select * from Ailment -- if we remove "top '' *", then the rows gets returned
10

```

100 %  No issues found

 Results  Messages

	AilmentID	Ailment	AilDesc
1	1	Hypertension	Persistently elevated blood pressure requiring monitor...
2	2	Diabetes Mellitus	Metabolic disorder characterized by high blood glucos...
3	3	Asthma	Chronic respiratory condition causing airway inflammati...
4	4	Migraine	Recurring headaches often accompanied by nausea ...
5	5	Arthritis	Inflammation of one or more joints causing pain and sti...
6	6	Depression	Mood disorder with persistent feelings of sadness or lo...
7	7	Anxiety Disorder	Condition involving excessive worry, fear, or nervounsn...
8	8	Coronary Artery Disease	Narrowing or blockage of coronary arteries reducing bl...
9	9	Chronic Back Pain	Long-term pain affecting the upper or lower back.
10	10	Seasonal Allergies	Allergic reactions triggered by pollen or environmental ...
11	11	Influenza	Viral respiratory illness causing fever, chills, and body ...
12	12	Pneumonia	Infection causing inflammation of air sacs in one or bot...
13	13	Gastroesophageal Reflux Disease	Digestive disorder where stomach acid frequently flow...
14	14	Irritable Bowel Syndrome	Gastrointestinal disorder causing abdominal pain and ...
15	15	Eczema	Skin condition causing itchy, inflamed, and irritated pa...
16	16	Chronic Kidney Disease	Gradual loss of kidney function over time.
17	17	Osteoporosis	Condition marked by weakened bones and increased ...
18	18	Sleep Apnea	Sleep disorder characterized by repeated pauses in br...
19	19	Anemia	Condition where lack of healthy red blood cells reduce...
20	20	Hypothyroidism	Underactive thyroid gland leading to fatigue and weig...
21	21	Hyperthyroidism	Overactive thyroid gland causing weight loss and rapi...
22	22	Urinary Tract Infection	Infection affecting any part of the urinary system.
23	23	Chronic Obstructive Pulmonary Disease	Progressive lung disease causing breathing difficulty.
24	24	Vertigo	Sensation of spinning or dizziness often related to inne...
25	25	Peptic Ulcer Disease	Open sores developing on the inner lining of the stom...

8) Create a SQL routine to insert values into the Ailment table.

The screenshot shows a SQL query window with the following code:

```
--Create a SQL routine to insert values into the Ailment table.

--Select * from Ailment

Insert into Ailment
(AilmentID, Ailment, AilDesc)
Values
(26, 'Broken Leg', 'Broken bones')
```

Below the query window, the 'Results' tab displays a table with 26 rows. The first row is highlighted.

AilmentID	Ailment	AilDesc
2	Diabetes Mellitus	Metabolic disorder characterized by high blood glucos...
3	Asthma	Chronic respiratory condition causing airway inflammati...
4	Migraine	Recurring headaches often accompanied by nausea ...
5	Athitis	Inflammation of one or more joints causing pain and sti...
6	Depression	Mood disorder with persistent feelings of sadness or lo...
7	Anxiety Disorder	Condition involving excessive worry, fear, or nervoun...
8	Coronary Artery Disease	Narrowing or blockage of coronary arteries reducing bl...
9	Chronic Back Pain	Long-term pain affecting the upper or lower back.
10	Seasonal Allergies	Allergic reactions triggered by pollen or environmental ...
11	Influenza	Viral respiratory illness causing fever, chills, and body ...
12	Pneumonia	Infection causing inflammation of air sacs in one or bot...
13	Gastroesophageal Reflux Disease	Digestive disorder where stomach acid frequently flow...
14	Irritable Bowel Syndrome	Gastrointestinal disorder causing abdominal pain and ...
15	Eczema	Skin condition causing itchy, inflamed, and irritated pa...
16	Chronic Kidney Disease	Gradual loss of kidney function over time.
17	Osteoporosis	Condition marked by weakened bones and increased ...
18	Sleep Apnea	Sleep disorder characterized by repeated pauses in br...
19	Anemia	Condition where lack of healthy red blood cells reduce...
20	Hypothyroidism	Underactive thyroid gland leading to fatigue and weig...
21	Hyperthyroidism	Overactive thyroid gland causing weight loss and rapi...
22	Urinary Tract Infection	Infection affecting any part of the urinary system.
23	Chronic Obstructive Pulmonary Disease	Progressive lung disease causing breathing difficulty.
24	Vertigo	Sensation of spinning or dizziness often related to inne...
25	Peptic Ulcer Disease	Open sores developing on the inner lining of the stom...
26	Broken Leg	Broken bones

9) Create a SQL routine to update one middle name in the Patient table.

The screenshot shows a SQL query window with the following code:

```
--Create a SQL routine to update one middle name in the Patient table

Select * from Patient Where PatientID = 3
go
Update Patient --update table
Set MName = 'Samuel'
Where PatientID = 3
go

Select * from Patient Where PatientID = 3
```

Below the query window, the 'Results' tab displays a table with 1 row. The first row is highlighted.

PatientID	FName	LName	MName	DOB	Gender	Height	Weight	
1	3	Robert	Brown	Samuel	1978-11-02	M	72.1	200.0

10) Create SQL to truncate and populate a new table with at least 10 rows using data you supply in the insert statement. Table must have at least 3 columns and is not a table in the Sick database.

```
1  /*
2  Create SQL to truncate and populate a new table with at
3  least 10 rows using data you supply in the insert statement.
4  Table must have at least 3 columns and is not a table in the Sick database.
5  */
6
7  Truncate table Person
8  go
9  Insert into Person
10     (FName, LName)
11  Values
12     ('Jim', 'Johnson'),
13     ('Steve', 'Obama'),
14     ('Sara', 'Musk'),
15     ('Pat', 'Nickelson'),
16     ('Greg', 'Goldman'),
17     ('Sam', 'Brekly'),
18     ('Seth', 'Borat'),
19     ('Rooster', 'Hammond'),
20     ('Tom', 'Sallek'),
21     ('Martin', 'Luther')
22  go
23  Select * From Person
24
25
```

100 % 4 0 | ↑ ↓

Results Messages

	PersonID	FName	LName
1	10	Jim	Johnson
2	13	Steve	Obama
3	16	Sara	Musk
4	19	Pat	Nickelson
5	22	Greg	Goldman
6	25	Sam	Brekly
7	28	Seth	Borat
8	31	Rooster	Hammond
9	34	Tom	Sallek
10	37	Martin	Luther

11) Create a SQL statement that inserts 2 Ailments for a Patient of your choice and 3 Ailments for another Patient of your choice.

	log\SQLEXPRESS... dbo.Ailment	log\SQLEXPRESS...- dbo.Patient	log\SQLEXPRESS...- dbo.Person
1	/*		
2	Create a SQL statement that inserts 2 Ailments for a Patient		
3	of your choice and 3 Ailments for another Patient of your choice.		
4	*/		
5			
6	-- 3 Asthma, 8 Coronary Artery Disease, 9 Chronic Back Pain,		
7	--10 Seasonal Allergies, 11 Influenza (PatientID 26, 27)		
8			
9	Insert into PatientAilment		
10	(PatientID, AilmentID)		
11	Values		
12	(25, 9),		
13	(25, 8),		
14	(26, 9),		
15	(26, 10),		
16	(26, 11);		
17			
18			

100 %

✓ No issues found

Messages

(5 rows affected)

Completion time: 2026-02-08T12:32:03.3977026-05:00

12) Create a query that uses Group By with the Patient and Ailment table.

log\SQLEXPRESS\Sick - Sick SQLQuery1.s... \praty (54))*

```
1 -- Create a query that uses Group By with the Patient and Ailment table.
2
3 Select FName, LName, Count(AilmentID) as AilmentCount
4 From Patient P, PatientAilment PA
5 Where P.PatientID = PA.PatientID
6 Group By FName, LName
7
```

100 % 1 0

Results Messages

	FName	LName	AilmentCount
1	Joseph	Clark	1
2	Carol	Wright	1
3	Donna	Young	2
4	Daniel	Allen	2
5	Michael	Anderson	2
6	Robert	Brown	2
7	Susan	Martin	2
8	Richard	Martinez	2
9	Karen	Garcia	2
10	Sandra	Hall	2
11	James	Harris	2
12	William	Jackson	2
13	Mary	Johnson	2
14	Paul	King	2
15	Betty	Lee	2
16	Thomas	Lewis	2
17	Nancy	Robinson	2
18	Lisa	Rodriguez	2
19	John	Smith	2
20	Patricia	Taylor	2
21	Linda	Thomas	2
22	David	Thompson	2
23	Charles	Walker	2
24	Barbara	White	2
25	Lando	Norish	3
26	Mark	Lopez	7
27	Richard	Hammond	11

13) Create a SQL statement that utilizes the substring command.

The screenshot shows a SQL query window with the following text:

```
-- Create a SQL statement that utilizes the substring command.  
  
Select Substring(LName, 2, 4)  
From Patient
```

The query is executed, and the results are displayed in a table with 13 rows. The first row is highlighted.

	(No column name)
1	mith
2	ohns
3	rown
4	aylo
5	nder
6	homa
7	acks
8	hite
9	ami
10	arti
11	homp
12	arci
13	arti

14) Demonstrate the use of distinct, ascending, descending in a query.

The screenshot shows a SQL query window with the following text:

```
-- Demonstrate the use of distinct, ascending, descending in a query.  
  
Select Count(*) from Patient  
go  
Select Distinct LName from Patient  
Order by LName ASC
```

The query is executed, and the results are displayed in two tables. The first table shows the count of rows, and the second table shows the distinct names in ascending order.

	(No column name)
1	27

	LName
1	Allen
2	Anderson
3	Brown
4	Clark
5	Garcia
6	Hall

log\SQLEXPRESS.Sick - Sick SQLQuery1.s... \praty (54))*

```
-- Demonstrate the use of distinct, ascending, descending in a query.

1
2
3 Select Count(*) from Patient
4 go
5 Select Distinct LName from Patient
6 Order by LName Desc
7
8
```

150 % No issues found

Results Messages

	(No column name)
1	27

	LName
1	Young
2	Wright
3	White
4	Walker
5	Thompson
6	Thomas
7	Taylor
8	Smith

log\SQLEXPRESS.Sick - Sick SQLQuery1.s... \praty (54))*

```
-- Demonstrate the use of distinct, ascending, descending in a query.

1
2
3 Select LName from Patient
4 Order BY LName Asc
5
```

150 % 2 0

Results Messages

	LName
1	Allen
2	Anderson
3	Brown
4	Clark
5	Garcia
6	Hall
7	Hammond
8	Harris
9	Jackson
10	Johnson
11	King
12	Lee
13	Lewis
14	Lopez
15	Martin
16	Martinez
17	Norish
18	Robinson
19	Rodriguez
20	Smith
21	Taylor
22	Thomas
23	Thompson
24	Walker
25	White
26	Wright
27	Young

SQLQuery1.s... \praty (54))*

```
-- Demonstrate the use of distinct, ascending, descending in a query.  
  
Select LName from Patient  
Order BY LName Desc
```

150 %

Results Messages

	LName
1	Young
2	Wright
3	White
4	Walker
5	Thompson
6	Thomas
7	Taylor
8	Smith
9	Rodriguez
10	Robinson
11	Norish
12	Martinez
13	Martin
14	Lopez
15	Lewis
16	Lee
17	King
18	Johnson
19	Jackson
20	Harris
21	Hammond
22	Hall
23	Garcia
24	Clark
25	Brown
26	Anderson
27	Allen

15) Demonstrate @@version

SQLQuery1.s... \praty (54))*

```
-- Demonstrate @@version  
  
Select @@Version
```

200 % No issues found

Results Messages

(No column name)

1	Microsoft SQL Server 2025 (RTM-GDR) (KB5073177) - 17.0.1050.2 (X64) Dec 15 2025 20:07:57 Copyright (C) 2025 Microsoft Corporation Express Edition (64-bit) on Windows 10 Home 10.0 <X64> (Build 26200;) (Hypervisor)
---	--

16) How many Ailments are in Ailment table (number, not the list of records).

The screenshot shows a SQL query window with the following text:

```
-- How many Ailments are in Ailment table (number, not the list of records).  
  
Select Count(*)  
as AilmentCount  
from Ailment  
  
-- '*' Counts entire Column
```

The results pane at the bottom shows a single row with the value 26.

AilmentCount
26

18) Which Patient had the most Ailments.

The screenshot shows a SQL query window with the following text:

```
-- Which Patient had the most Ailments.  
  
SELECT Top 1 PatientID, COUNT(AilmentID) AS AilmentCount  
FROM PatientAilment  
GROUP BY PatientID  
ORDER BY AilmentCount DESC
```

The results pane at the bottom shows a single row with PatientID 26 and AilmentCount 11.

PatientID	AilmentCount
26	11

19) Which Provider member had the longest Last Name.

SQL Query Editor window showing a query to find the provider with the longest last name.


Query:

```
-- Which Provider member had the longest Last Name.  
  
Select LName, Len(LName) as LNameLen  
From Provider  
Order by LNameLen Desc
```

Results:

	LName	LNameLen
1	Hernandez	9
2	Peterson	8
3	Sanders	7
4	Russell	7
5	Ramirez	7
6	Bennett	7
7	Coleman	7
8	Brooks	6
9	Powell	6
10	Flores	6
11	Rivera	6
12	Howard	6
13	Morris	6
14	Wilson	6
15	Carter	6
16	Nguyen	6
17	Patel	5
18	Lopez	5
19	Price	5
20	Bell	4
21	Ward	4
22	Reed	4
23	Long	4
24	Kim	3
25	Cox	3

20) Write a script that creates the data to have a Patient with more than one Ailment as well as a script to display that Patient and their Ailments.



The screenshot shows a SQL Server Enterprise Manager window with a script titled "SQLQuery1.sql... \praty (74))". The script contains two parts: an INSERT statement to add data to the PatientAilment table and a SELECT statement to retrieve that data. The results pane shows the output of the SELECT statement, displaying 11 rows of data for Patient Linda Thomas, with 5 instances of Anxiety Disorder and 6 instances of Vertigo.

```
1  /*
2  Write a script that creates the data to have a Patient with more than one
3  Ailment as well as a script to display that Patient and their Ailments.
4  */
5
6  Insert into PatientAilment
7      (PatientID, AilmentID, ProviderID)
8  Value
9      (6, 25, 10),
10     (6, 24, 10)
11 go
12
13 Select P.FName, P.LName, Ailment, StartDate
14 From Patient P, Ailment A, PatientAilment PA, Provider PR
15 Where P.PatientID = PA.PatientID
16       and A.AilmentID = PA.AilmentID
17       and P.PatientID = 6
```

100 % 3 0 ↑ ↓

Results Messages

	FName	LName	Ailment	StartDate
19	Linda	Thomas	Anxiety Disorder	2018-09-03
20	Linda	Thomas	Anxiety Disorder	2018-09-03
21	Linda	Thomas	Anxiety Disorder	2018-09-03
22	Linda	Thomas	Anxiety Disorder	2018-09-03
23	Linda	Thomas	Anxiety Disorder	2018-09-03
24	Linda	Thomas	Anxiety Disorder	2018-09-03
25	Linda	Thomas	Anxiety Disorder	2018-09-03
26	Linda	Thomas	Vertigo	2020-10-10
27	Linda	Thomas	Vertigo	2020-10-10
28	Linda	Thomas	Vertigo	2020-10-10
29	Linda	Thomas	Vertigo	2020-10-10