src/components/Navbar.js:

```
import React from "react";
import { Link } from "react-router-dom";

function Navbar() {
    return React.createElement(
        "nav",
        { className: "navbar" },

        React.createElement(
            "h2",
            null,
            "Student Management"
        ),

        React.createElement(
            "div",
            { className: "nav-links" },

            React.createElement(
                Link,
                { to: "/" },
                "Home"
            ),

            React.createElement(
                Link,
                { to: "/register" },
                "Register"
```

```
        ),

        React.createElement(
            Link,
            { to: "/login" },
            "Login"
        ),

        React.createElement(
            Link,
            { to: "/about" },
            "About"
        ),

        React.createElement(
            Link,
            { to: "/contact" },
            "Contact"
        )
    )
  );
}

export default Navbar;
```

---

src/pages/Home.js:

```
import React from "react";

function Home() {
  return React.createElement(
```

```
        "div",
        { className: "page" },

        React.createElement(
            "h1",
            null,
            "Student Management System"
        ),

        React.createElement(
            "p",
            null,
            "Welcome to the Student Management System."
        ),

        React.createElement(
            "p",
            null,
            "You can register students, login, and view information about the system."
        )
    );
}

export default Home;
```

---

src/pages/Register.js

```
import React, { useState } from "react";

function Register() {
```

```
const [name, setName] = useState("");
const [email, setEmail] = useState("");
const [password, setPassword] = useState("");

const handleRegister = (event) => {

    event.preventDefault();

    alert(
        "Registration successful for " + name
    );

    setName("");
    setEmail("");
    setPassword("");
};

return React.createElement(
    "div",
    { className: "form-container" },

    React.createElement(
        "h1",
        null,
        "Student Registration"
    ),

    React.createElement(
        "form",
```

```
{ onSubmit: handleRegister },

React.createElement(
    "input",
    {
        type: "text",
        placeholder: "Enter Student Name",
        value: name,
        onChange: (event) =>
            setName(event.target.value)
    }
),

React.createElement(
    "input",
    {
        type: "email",
        placeholder: "Enter Email",
        value: email,
        onChange: (event) =>
            setEmail(event.target.value)
    }
),

React.createElement(
    "input",
    {
        type: "password",
        placeholder: "Enter Password",
```

```
                value: password,
                onChange: (event) =>
                    setPassword(event.target.value)
            }
        ),

        React.createElement(
            "button",
            {
                type: "submit"
            },
            "Register"
        )
    )
  );
}

export default Register;
```

---

src/pages/Login.js

```
import React, { useState } from "react";

function Login() {

  const [email, setEmail] = useState("");
  const [password, setPassword] = useState("");

  const handleLogin = (event) => {

    event.preventDefault();
```

```
    if (email === "" || password === "") {

        alert("Please enter email and password.");

        return;
    }

    alert("Login successful!");

    setEmail("");
    setPassword("");
};

return React.createElement(
    "div",
    { className: "form-container" },

    React.createElement(
        "h1",
        null,
        "Student Login"
    ),

    React.createElement(
        "form",
        { onSubmit: handleLogin },

        React.createElement(
```

```
        "input",
        {
            type: "email",
            placeholder: "Enter Email",
            value: email,
            onChange: (event) =>
                setEmail(event.target.value)
        }
    ),

    React.createElement(
        "input",
        {
            type: "password",
            placeholder: "Enter Password",
            value: password,
            onChange: (event) =>
                setPassword(event.target.value)
        }
    ),

    React.createElement(
        "button",
        {
            type: "submit"
        },
        "Login"
    )
)
```

```
    );
}

export default Login;
```

---

src/pages/About.js

```
import React from "react";

function About() {

    return React.createElement(
        "div",
        { className: "page" },

        React.createElement(
            "h1",
            null,
            "About Us"
        ),

        React.createElement(
            "p",
            null,
            "The Student Management System is a React-based application."
        ),

        React.createElement(
            "p",
            null,
            "It helps manage student registration and login information."
```

```
        )
    );
}

export default About;
```

---

src/pages/Contact.js

```
import React, { useState } from "react";

function Contact() {

    const [name, setName] = useState("");
    const [email, setEmail] = useState("");
    const [message, setMessage] = useState("");

    const handleSubmit = (event) => {

        event.preventDefault();

        alert("Your message has been submitted.");

        setName("");
        setEmail("");
        setMessage("");
    };

    return React.createElement(
        "div",
        { className: "form-container" },
```

```
React.createElement(
    "h1",
    null,
    "Contact Us"
),

React.createElement(
    "form",
    { onSubmit: handleSubmit },

    React.createElement(
        "input",
        {
            type: "text",
            placeholder: "Your Name",
            value: name,
            onChange: (event) =>
                setName(event.target.value)
        }
    ),

    React.createElement(
        "input",
        {
            type: "email",
            placeholder: "Your Email",
            value: email,
            onChange: (event) =>
                setEmail(event.target.value)
```

```
            }
        ),

        React.createElement(
            "textarea",
            {
                placeholder: "Your Message",
                value: message,
                onChange: (event) =>
                    setMessage(event.target.value)
            }
        ),

        React.createElement(
            "button",
            {
                type: "submit"
            },
            "Send Message"
        )
    )
  );
}

export default Contact;
```

---

src/App.js

```
import React from "react";

import {
```

```
    BrowserRouter,
    Routes,
    Route
} from "react-router-dom";

import Navbar from "./components/Navbar";

import Home from "./pages/Home";
import Register from "./pages/Register";
import Login from "./pages/Login";
import About from "./pages/About";
import Contact from "./pages/Contact";

function App() {

    return React.createElement(
        BrowserRouter,
        null,

        React.createElement(
            Navbar
        ),

        React.createElement(
            Routes,
            null,

            React.createElement(
                Route,
```

```
    {
        path: "/",
        element: React.createElement(Home)
    }
),

React.createElement(
    Route,
    {
        path: "/register",
        element: React.createElement(Register)
    }
),

React.createElement(
    Route,
    {
        path: "/login",
        element: React.createElement(Login)
    }
),

React.createElement(
    Route,
    {
        path: "/about",
        element: React.createElement(About)
    }
),
```

```
            React.createElement(
                Route,
                {
                    path: "/contact",
                    element: React.createElement(Contact)
                }
            )
        )
    );
}

export default App;
```

src/main.js

```
import React from "react";

import {
    createRoot
} from "react-dom/client";

import App from "./App";

import "./index.css";

createRoot(
    document.getElementById("root")
).render(
    React.createElement(App)
);
```

src/index.css

```
body {
    margin: 0;
    font-family: Arial, sans-serif;
    background-color: #f4f6f8;
}

.navbar {
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 15px 40px;
    background-color: #1976d2;
    color: white;
}

.nav-links {
    display: flex;
    gap: 20px;
}

.nav-links a {
    color: white;
    text-decoration: none;
    font-weight: bold;
}

.nav-links a:hover {
    text-decoration: underline;
```

```
}

.page {
    text-align: center;
    padding: 60px 20px;
}

.form-container {
    width: 400px;
    margin: 50px auto;
    padding: 30px;
    background-color: white;
    border-radius: 10px;
    box-shadow: 0 4px 15px rgba(0, 0, 0, 0.15);
}

.form-container h1 {
    text-align: center;
    margin-bottom: 25px;
}

.form-container form {
    display: flex;
    flex-direction: column;
    gap: 15px;
}

.form-container input,
.form-container textarea {
```

```
    padding: 12px;
    font-size: 16px;
    border: 1px solid #ccc;
    border-radius: 5px;
}

.form-container textarea {
    height: 120px;
    resize: none;
}

.form-container button {
    padding: 12px;
    background-color: #1976d2;
    color: white;
    border: none;
    border-radius: 5px;
    font-size: 16px;
    cursor: pointer;
}

.form-container button:hover {
    background-color: #125ca1;
}
```

---

index.html

```
<!doctype html>
<html lang="en">

<head>
```

```
    <meta charset="UTF-8" />

    <meta
      name="viewport"
      content="width=device-width, initial-scale=1.0"
    />

    <title>
      Student Management System
    </title>

</head>

<body>

    <div id="root"></div>

    <script
      type="module"
      src="/src/main.js">
    </script>

</body>

</html>
```

```
npm run dev

VITE ...

Local: http://localhost:5173/
```

http://localhost:5173/

