

```

branch.main.remote=origin
branch.main.merge=refs/heads/main
pravalikachintala@Pravalikas-MacBook-Air DevOps % git branch -M main
pravalikachintala@Pravalikas-MacBook-Air DevOps % git remote add origin https://github.com/pravalika2604/DevOps.git
error: remote origin already exists.
pravalikachintala@Pravalikas-MacBook-Air DevOps % git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 335 bytes | 335.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/pravalika2604/DevOps.git
 d824abc..0ad465c  main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
pravalikachintala@Pravalikas-MacBook-Air DevOps % nano PRG2.txt
pravalikachintala@Pravalikas-MacBook-Air DevOps % git add PRG2.txt
pravalikachintala@Pravalikas-MacBook-Air DevOps % git commit -m"change in PRG2.txt"
[main 414cd8b] change in PRG2.txt
Committer: Pravalika chintala <pravalikachintala@Pravalikas-MacBook-Air.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+), 1 deletion(-)
pravalikachintala@Pravalikas-MacBook-Air DevOps % git branch -M main
pravalikachintala@Pravalikas-MacBook-Air DevOps % git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 330 bytes | 330.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/pravalika2604/DevOps.git
 0ad465c..414cd8b  main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
pravalikachintala@Pravalikas-MacBook-Air DevOps % git log
commit 414cd8b0d6c4e4d8d9f948703dd57f1c6 (HEAD -> main, origin/main)
Author: Pravalika chintala <pravalikachintala@Pravalikas-MacBook-Air.local>
Date: Thu Aug 26 17:22:02 2021 +0530

    change in PRG2.txt

commit 0ad465c830cd284b7833119eb33b65195693a94e
Author: Pravalika chintala <pravalikachintala@Pravalikas-MacBook-Air.local>
Date: Thu Aug 26 17:11:20 2021 +0530

    First change in PRG1.txt

commit d824abc92d9d3d47f28f4956a58c098943ee9991
Author: Pravalika chintala <pravalikachintala@Pravalikas-MacBook-Air.local>
Date: Thu Aug 26 16:54:18 2021 +0530

    Added two files
pravalikachintala@Pravalikas-MacBook-Air DevOps %

```

```

Last login: Thu Aug 26 16:33:34 on ttys000
pravalikachintala@Pravalikas-MacBook-Air ~ % cd
pravalikachintala@Pravalikas-MacBook-Air ~ % cd Desktop
pravalikachintala@Pravalikas-MacBook-Air Desktop % cd Team-6
pravalikachintala@Pravalikas-MacBook-Air Team-6 % cd DevOps
pravalikachintala@Pravalikas-MacBook-Air DevOps % git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:     git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:     git branch -m <name>
Initialized empty Git repository in /Users/pravalikachintala/Desktop/Team-6/DevOps/.git/
pravalikachintala@Pravalikas-MacBook-Air DevOps % nano PRG1.txt
pravalikachintala@Pravalikas-MacBook-Air DevOps % nano PRG2.txt
pravalikachintala@Pravalikas-MacBook-Air DevOps % git add .
pravalikachintala@Pravalikas-MacBook-Air DevOps % git commit -m"Added two files"
[master (root-commit) d824abc] Added two files
Committer: Pravalika chintala <pravalikachintala@Pravalikas-MacBook-Air.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 2 insertions(+)
create mode 100644 PRG1.txt
create mode 100644 PRG2.txt
pravalikachintala@Pravalikas-MacBook-Air DevOps % git branch -M main
pravalikachintala@Pravalikas-MacBook-Air DevOps % git remote add origin https://github.com/pravalika2604/DevOps.git
pravalikachintala@Pravalikas-MacBook-Air DevOps % git push -u origin main
Username for 'https://github.com': pravalika2604
Password for 'https://pravalika2604@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 324 bytes | 324.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/pravalika2604/DevOps.git
 * [new branch]  main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
pravalikachintala@Pravalikas-MacBook-Air DevOps % nano PRG1.txt
pravalikachintala@Pravalikas-MacBook-Air DevOps % git add PRG1.txt
pravalikachintala@Pravalikas-MacBook-Air DevOps % git commit -m"First change in PRG1.txt"
[main 0ad465c] First change in PRG1.txt
Committer: Pravalika chintala <pravalikachintala@Pravalikas-MacBook-Air.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

```