

Started on	Friday, 7 August 2026, 5:37 PM
State	Finished
Completed on	Friday, 7 August 2026, 6:36 PM
Time taken	58 mins 55 secs
Marks	19.00/20.00
Grade	9.50 out of 10.00 (95%)

Question **1**

Correct

Mark 1.00 out of 1.00

Write a SQL statement to Increase quantity of all products by 10% to adjust for surplus stock counted

Products table

product_id
product_name
category
cost_price
sell_price
reorder_lvl
quantity
supplier_id

Answer: (penalty regime: 0 %)

```
1 | UPDATE products
2 | SET quantity = quantity * 1.10;
```

	Test	Expected	Got	
✓	select changes();	changes() ----- 4	changes() ----- 4	✓

	Test	Expected	Got	
✓	<pre>select * from products; select changes();</pre>	<pre>product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ----- -- ----- ----- 1 Product 1 Category A 20 50 10 100 1 4 Product 1 Category A 10 15 20 100 1 2 Product 2 Category B 20 25 30 150 3 3 Product 3 Category C 5 8 10 200 5 product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ----- -- ----- ----- 1 Product 1 Category A 20 50 10 110.0 1 4 Product 1 Category A 10 15 20 110.0 1 2 Product 2 Category B 20 25 30 165 3 3 Product 3 Category C 5 8 10 220.0 5 changes() ----- 4</pre>	<pre>product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ----- -- ----- ----- 1 Product 1 Category A 20 50 10 100 1 4 Product 1 Category A 10 15 20 100 1 2 Product 2 Category B 20 25 30 150 3 3 Product 3 Category C 5 8 10 200 5 product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ----- -- ----- ----- 1 Product 1 Category A 20 50 10 110.0 1 4 Product 1 Category A 10 15 20 110.0 1 2 Product 2 Category B 20 25 30 165 3 3 Product 3 Category C 5 8 10 220.0 5 changes() ----- 4</pre>	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Write a SQL statement to Update the `product_name` to 'Premium Bread' whose product ID is 5 in the `products` table.

`Products` table

```
-----
product_id
product_name
category
cost_price
sell_price
reorder_lvl
quantity
supplier_id
```

Answer: (penalty regime: 0 %)

```
1 | UPDATE products
2 | SET product_name = 'Premium Bread'
3 | WHERE product_id = 5;
```

	Test	Expected	Got	
✓	select changes();	changes() ----- 1	changes() ----- 1	✓
✓	select * from products WHERE product_id=5; select changes();	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ----- -- ----- 5 Premium Bread Category A 20 50 10 1010 2 changes() ----- 1	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ----- -- ----- 5 Premium Bread Category A 20 50 10 1010 2 changes() ----- 1	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Write a SQL statement to Increase the selling price by 15% in the products table where quantity in stock is less than 50 and supplier ID is 10.

Products Table

name	type
-----	-----
product_id	INT PRIMARY KEY
product_name	VARCHAR(10)
category	VARCHAR(50)
cost_price	DECIMAL(10)
sell_price	DECIMAL(10)
reorder_lv	INT
quantity	INT
supplier_id	INT

For example:

Test	Result
select changes();	changes() ----- 4

Answer: (penalty regime: 0 %)

```
1 UPDATE products
2 SET sell_price = sell_price * 1.15
3 WHERE quantity < 50
4 AND supplier_id = 10;
```

	Test	Expected	Got	
✓	select changes();	changes() ----- 4	changes() ----- 4	✓

	Test	Expected	Got																																																																																																																																																																									
✓	SELECT*FROM Products WHERE supplier_id = 10;	<table><tr><td>product_id</td><td>product_name</td><td>category</td></tr><tr><td>cost_price</td><td>sell_price</td><td>reorder_lvl</td></tr><tr><td>quantity</td><td>supplier_id</td><td></td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>6</td><td>Detergent Powder</td><td>Snacks</td></tr><tr><td>60</td><td>80</td><td>20</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>7</td><td>Surf Excel Deter</td><td>Snacks</td></tr><tr><td>85</td><td>100</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>8</td><td>Detergent Ariel</td><td>Items</td></tr><tr><td>85</td><td>100</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>product_id</td><td>product_name</td><td>category</td></tr><tr><td>cost_price</td><td>sell_price</td><td>reorder_lvl</td></tr><tr><td>quantity</td><td>supplier_id</td><td></td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>6</td><td>Detergent Powder</td><td>Snacks</td></tr><tr><td>60</td><td>92</td><td>20</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>7</td><td>Surf Excel Deter</td><td>Snacks</td></tr><tr><td>85</td><td>115.0</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>8</td><td>Detergent Ariel</td><td>Items</td></tr><tr><td>85</td><td>115.0</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr></table>	product_id	product_name	category	cost_price	sell_price	reorder_lvl	quantity	supplier_id		-----	-----	-----	-----	-----	-----	6	Detergent Powder	Snacks	60	80	20	10		40	7	Surf Excel Deter	Snacks	85	100	10	10		40	8	Detergent Ariel	Items	85	100	10	10		40	product_id	product_name	category	cost_price	sell_price	reorder_lvl	quantity	supplier_id		-----	-----	-----	-----	-----	-----	6	Detergent Powder	Snacks	60	92	20	10		40	7	Surf Excel Deter	Snacks	85	115.0	10	10		40	8	Detergent Ariel	Items	85	115.0	10	10		40	<table><tr><td>product_id</td><td>product_name</td><td>category</td></tr><tr><td>cost_price</td><td>sell_price</td><td>reorder_lvl</td></tr><tr><td>quantity</td><td>supplier_id</td><td></td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>6</td><td>Detergent Powder</td><td>Snacks</td></tr><tr><td>60</td><td>80</td><td>20</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>7</td><td>Surf Excel Deter</td><td>Snacks</td></tr><tr><td>85</td><td>100</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>8</td><td>Detergent Ariel</td><td>Items</td></tr><tr><td>85</td><td>100</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>product_id</td><td>product_name</td><td>category</td></tr><tr><td>cost_price</td><td>sell_price</td><td>reorder_lvl</td></tr><tr><td>quantity</td><td>supplier_id</td><td></td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>6</td><td>Detergent Powder</td><td>Snacks</td></tr><tr><td>60</td><td>92</td><td>20</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>7</td><td>Surf Excel Deter</td><td>Snacks</td></tr><tr><td>85</td><td>115.0</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr><tr><td>8</td><td>Detergent Ariel</td><td>Items</td></tr><tr><td>85</td><td>115.0</td><td>10</td></tr><tr><td>10</td><td></td><td>40</td></tr></table>	product_id	product_name	category	cost_price	sell_price	reorder_lvl	quantity	supplier_id		-----	-----	-----	-----	-----	-----	6	Detergent Powder	Snacks	60	80	20	10		40	7	Surf Excel Deter	Snacks	85	100	10	10		40	8	Detergent Ariel	Items	85	100	10	10		40	product_id	product_name	category	cost_price	sell_price	reorder_lvl	quantity	supplier_id		-----	-----	-----	-----	-----	-----	6	Detergent Powder	Snacks	60	92	20	10		40	7	Surf Excel Deter	Snacks	85	115.0	10	10		40	8	Detergent Ariel	Items	85	115.0	10	10		40	✓
product_id	product_name	category																																																																																																																																																																										
cost_price	sell_price	reorder_lvl																																																																																																																																																																										
quantity	supplier_id																																																																																																																																																																											
-----	-----	-----																																																																																																																																																																										
-----	-----	-----																																																																																																																																																																										
6	Detergent Powder	Snacks																																																																																																																																																																										
60	80	20																																																																																																																																																																										
10		40																																																																																																																																																																										
7	Surf Excel Deter	Snacks																																																																																																																																																																										
85	100	10																																																																																																																																																																										
10		40																																																																																																																																																																										
8	Detergent Ariel	Items																																																																																																																																																																										
85	100	10																																																																																																																																																																										
10		40																																																																																																																																																																										
product_id	product_name	category																																																																																																																																																																										
cost_price	sell_price	reorder_lvl																																																																																																																																																																										
quantity	supplier_id																																																																																																																																																																											
-----	-----	-----																																																																																																																																																																										
-----	-----	-----																																																																																																																																																																										
6	Detergent Powder	Snacks																																																																																																																																																																										
60	92	20																																																																																																																																																																										
10		40																																																																																																																																																																										
7	Surf Excel Deter	Snacks																																																																																																																																																																										
85	115.0	10																																																																																																																																																																										
10		40																																																																																																																																																																										
8	Detergent Ariel	Items																																																																																																																																																																										
85	115.0	10																																																																																																																																																																										
10		40																																																																																																																																																																										
product_id	product_name	category																																																																																																																																																																										
cost_price	sell_price	reorder_lvl																																																																																																																																																																										
quantity	supplier_id																																																																																																																																																																											
-----	-----	-----																																																																																																																																																																										
-----	-----	-----																																																																																																																																																																										
6	Detergent Powder	Snacks																																																																																																																																																																										
60	80	20																																																																																																																																																																										
10		40																																																																																																																																																																										
7	Surf Excel Deter	Snacks																																																																																																																																																																										
85	100	10																																																																																																																																																																										
10		40																																																																																																																																																																										
8	Detergent Ariel	Items																																																																																																																																																																										
85	100	10																																																																																																																																																																										
10		40																																																																																																																																																																										
product_id	product_name	category																																																																																																																																																																										
cost_price	sell_price	reorder_lvl																																																																																																																																																																										
quantity	supplier_id																																																																																																																																																																											
-----	-----	-----																																																																																																																																																																										
-----	-----	-----																																																																																																																																																																										
6	Detergent Powder	Snacks																																																																																																																																																																										
60	92	20																																																																																																																																																																										
10		40																																																																																																																																																																										
7	Surf Excel Deter	Snacks																																																																																																																																																																										
85	115.0	10																																																																																																																																																																										
10		40																																																																																																																																																																										
8	Detergent Ariel	Items																																																																																																																																																																										
85	115.0	10																																																																																																																																																																										
10		40																																																																																																																																																																										

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

For Increase the selling price per unit by 3 for all products supplied by supplier ID 4 in the sales table.

PRODUCTS TABLE

name	type
-----	-----
product_id	INT
product_name	VARCHAR(100)
category	VARCHAR(50)
cost_price	DECIMAL(10,2)
sell_price	DECIMAL(10,2)
reorder_lvl	INT
quantity	INT
supplier_id	INT

SALES TABLE

name	type
-----	-----
sale_id	INT
sale_date	DATE
product_id	INT
quantity	INT
sell_price	DECIMAL(10,2)
total_sell_price	DECIMAL(10,2)

For example:

Test	Result
select changes();	changes() ----- 1

Answer: (penalty regime: 0 %)

```

1 UPDATE sales
2 SET sell_price = sell_price + 3
3 WHERE product_id IN(
4 SELECT product_id
5 FROM products
6 WHERE supplier_id = 4
7 );
```


	Test	Expected	Got	
✓	select changes();	changes() ----- 1	changes() ----- 1	✓
✓	SELECT*FROM sales WHERE sale_id in (10,11,12);	sale_id sale_date product_id quantity sell_price total_sell_price ----- ----- 10 2024-01-20 6 10 8 50 11 2024-01-20 6 10 13 50 12 2024-01-20 7 10 10 50	sale_id sale_date product_id quantity sell_price total_sell_price ----- ----- 10 2024-01-20 6 10 8 50 11 2024-01-20 6 10 13 50 12 2024-01-20 7 10 10 50	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Write a SQL statement to change the EMAIL and COMMISSION_PCT column of the following EMPLOYEES table with 'not available' and 0.55 for those employees whose DEPARTMENT_ID is 110.

Employees table

```

-----
employee_id
first_name
last_name
email
phone_number
hire_date
job_id
salary
commission_pct
manager_id
department_id

```

For example:

Test	Result			
SELECT EMPLOYEE_ID, FIRST_NAME, EMAIL, COMMISSION_PCT FROM EMPLOYEES WHERE DEPARTMENT_ID=110 LIMIT 1;	EMPLOYEE_ID	FIRST_NAME	EMAIL	COMMISSION_PCT
	-----	-----	-----	-----
	205	Shelley	not available	0.55

Answer: (penalty regime: 0 %)

```

1 UPDATE employees
2 SET email = 'not available',
3   commission_pct=0.55
4 WHERE department_id = 110;

```

	Test	Expected	Got	
✓	SELECT EMPLOYEE_ID,FIRST_NAME,EMAIL,COMMISSION_PCT FROM EMPLOYEES WHERE DEPARTMENT_ID=110 LIMIT 1;	EMPLOYEE_ID FIRST_NAME EMAIL COMMISSION_PCT ----- 205 Shelley not available 0.55	EMPLOYEE_ID FIRST_NAME EMAIL COMMISSION_PCT ----- 205 Shelley not available 0.55	✓
✓	SELECT EMPLOYEE_ID,FIRST_NAME,EMAIL,COMMISSION_PCT FROM EMPLOYEES WHERE DEPARTMENT_ID=110;	EMPLOYEE_ID FIRST_NAME EMAIL COMMISSION_PCT ----- 205 Shelley not available 0.55 206 William not available 0.55 300 Jone not available 0.55	EMPLOYEE_ID FIRST_NAME EMAIL COMMISSION_PCT ----- 205 Shelley not available 0.55 206 William not available 0.55 300 Jone not available 0.55	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **6**

Correct

Mark 1.00 out of 1.00

Write a SQL query to Delete customers from 'customer' table where 'GRADE' is exactly 2.

Sample table: Customer

CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT	PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE
C00013	Holmes	London	London	UK	2	6000.00	5000.00	7000.00	4000.00	BBBBBBB	A003
C00001	Micheal	New York	New York	USA	2	3000.00	5000.00	2000.00	6000.00	CCCCCCC	A008
C00020	Albert	New York	New York	USA	3	5000.00	7000.00	6000.00	6000.00	BBBBBBSBB	A008

For example:

Test	Result
select distinct(grade)from customer;	GRADE ----- 2 3 1 0 GRADE ----- 3 1 0

Answer: (penalty regime: 0 %)

```
1 DELETE FROM customer
2 WHERE grade = 2;
```

	Test	Expected	Got	
✓	<code>select distinct(grade)from customer;</code>	GRADE ----- 2 3 1 0 GRADE ----- 3 1 0	GRADE ----- 2 3 1 0 GRADE ----- 3 1 0	✓
✓	<code>SELECT count(*) from customer;</code>	count(*) ----- 25 count(*) ----- 15	count(*) ----- 25 count(*) ----- 15	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

Write a SQL query to Delete customers from 'customer' table where 'CUST_COUNTRY' is neither 'India' nor 'USA'.

Sample table: Customer

CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT	PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE
C00013	Holmes	London	London	UK	2	6000.00	5000.00	7000.00	4000.00	BBBBBBB	A003
C00001	Micheal	New York	New York	USA	2	3000.00	5000.00	2000.00	6000.00	CCCCCCC	A008
C00020	Albert	New York	New York	USA	3	5000.00	7000.00	6000.00	6000.00	BBBBBBSB	A008

For example:

Test	Result
select changes();	changes() ----- 11

Answer: (penalty regime: 0 %)

```
1 | DELETE FROM customer
2 | WHERE cust_country NOT IN ('India','USA');
```

	Test	Expected	Got	
✓	select changes();	changes() ----- 11	changes() ----- 11	✓

	Test	Expected	Got	
✓	select changes();	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- ----- - ----- C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00021 Jacks Brisban Brisban Australia 1 7000 7000 7000 7000 WERTGDF A005 C00004 Winston Brisban Brisban Australia 1 5000 8000 7000 6000 AAAAAAA A005 C00023 Karl London London UK 0 4000 6000 7000 3000 AAAABAA A006 C00006 Shilton Torento Torento Canada 1 10000 7000 6000 11000 DDDDDDD A004 C00010 Charles Hampshair Hampshair UK 3 6000 4000 5000 5000 MMMMMMM A009 C00008 Karolina Torento Torento Canada 1 7000 7000 9000 5000 HJKORED A004 changes() ----- 7	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- ----- - ----- C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00021 Jacks Brisban Brisban Australia 1 7000 7000 7000 7000 WERTGDF A005 C00004 Winston Brisban Brisban Australia 1 5000 8000 7000 6000 AAAAAAA A005 C00023 Karl London London UK 0 4000 6000 7000 3000 AAAABAA A006 C00006 Shilton Torento Torento Canada 1 10000 7000 6000 11000 DDDDDDD A004 C00010 Charles Hampshair Hampshair UK 3 6000 4000 5000 5000 MMMMMMM A009 C00008 Karolina Torento Torento Canada 1 7000 7000 9000 5000 HJKORED A004 changes() ----- 7	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **8**

Correct

Mark 1.00 out of 1.00

Write a SQL query to Delete customers from 'customer' table where 'CUST_NAME' has exactly 6 characters.

Sample table: Customer

CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT	PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE
C00013	Holmes	London	London	UK	2	6000.00	5000.00	7000.00	4000.00	BBBBBBB	A003
C00001	Micheal	New York	New York	USA	2	3000.00	5000.00	2000.00	6000.00	CCCCCCC	A008
C00020	Albert	New York	New York	USA	3	5000.00	7000.00	6000.00	6000.00	BBBBSBB	A008

For example:

Test	Result									
select changes();	CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT		
	PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE						
	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	C00013	Holmes	London	London	UK	2	6000	5000	7000	
	4000	BBBBBBB	A003							
	C00020	Albert	New York	New York	USA	3	5000	7000	6000	
	6000	BBBBSBB	A008							
	C00015	Stuart	London	London	UK	1	6000	8000	3000	
	11000	GFSGERS	A003							
	C00012	Steven	San Jose	San Jose	USA	1	5000	7000	9000	
3000	KRFYGJK	A012								
C00003	Martin	Torento	Torento	Canada	2	8000	7000	7000		
8000	MJYURFD	A004								
C00009	Ramesh	Mumbai	Mumbai	India	3	8000	7000	3000		
12000	Phone No	A002								
changes()										

6										

Answer: (penalty regime: 0 %)

```
1 DELETE FROM customer
2 WHERE LENGTH(cust_name) = 6;
```


Test	Expected	Got	
✓ select changes();	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- - ----- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBSBB A003 C00020 Albert New York New York USA 3 5000 7000 6000 6000 BBBBSBB A008 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012 C00003 Martin Toronto Toronto Canada 2 8000 7000 7000 8000 MJYURFD A004 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 changes() ----- 6	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- - ----- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBSBB A003 C00020 Albert New York New York USA 3 5000 7000 6000 6000 BBBBSBB A008 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012 C00003 Martin Toronto Toronto Canada 2 8000 7000 7000 8000 MJYURFD A004 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 changes() ----- 6	✓

	Test	Expected	Got	
✓	select changes();	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- ----- - ----- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBB BBB A003 C00001 Michel New York New York USA 2 3000 5000 2000 6000 CCCCCC A008 C00020 Albert New York New York USA 3 5000 7000 6000 6000 BBBBSBB A008 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012 C00003 Martin Toronto Toronto Canada 2 8000 7000 7000 8000 MJYURFD A004 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 changes() ----- 7	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- ----- - ----- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBB BBB A003 C00001 Michel New York New York USA 2 3000 5000 2000 6000 CCCCCC A008 C00020 Albert New York New York USA 3 5000 7000 6000 6000 BBBBSBB A008 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012 C00003 Martin Toronto Toronto Canada 2 8000 7000 7000 8000 MJYURFD A004 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 changes() ----- 7	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 9

Correct

Mark 1.00 out of 1.00

Write a SQL query to Delete customers from 'customer' table where 'CUST_NAME' contains the substring 'Holmes'.

Sample table: Customer

CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT	PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE
C00013	Holmes	London	London	UK	2	6000.00	5000.00	7000.00	4000.00	BBBBBBB	A003
C00001	Micheal	New York	New York	USA	2	3000.00	5000.00	2000.00	6000.00	CCCCCCC	A008
C00020	Albert	New York	New York	USA	3	5000.00	7000.00	6000.00	6000.00	BBBBSBB	A008

For example:

Test	Result																																								
select changes();	<table><tr><th>CUST_CODE</th><th>CUST_NAME</th><th>CUST_CITY</th><th>WORKING_AREA</th><th>CUST_COUNTRY</th><th>GRADE</th><th>OPENING_AMT</th><th>RECEIVE_AMT</th></tr><tr><th>PAYMENT_AMT</th><th>OUTSTANDING_AMT</th><th>PHONE_NO</th><th>AGENT_CODE</th><th></th><th></th><th></th><th></th></tr><tr><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td></tr><tr><td>C00013</td><td>Holmes</td><td>London</td><td>London</td><td>UK</td><td>2</td><td>6000</td><td>5000</td></tr><tr><td>4000</td><td>BBBBBBB</td><td>A003</td><td></td><td></td><td></td><td></td><td>7000</td></tr></table> changes() ----- 1	CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT	PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE					-----	-----	-----	-----	-----	-----	-----	-----	C00013	Holmes	London	London	UK	2	6000	5000	4000	BBBBBBB	A003					7000
CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT																																		
PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE																																						
-----	-----	-----	-----	-----	-----	-----	-----																																		
C00013	Holmes	London	London	UK	2	6000	5000																																		
4000	BBBBBBB	A003					7000																																		

Answer: (penalty regime: 0 %)

```
1 DELETE FROM customer
2 WHERE CUST_NAME LIKE '%Holmes%'
3
```

	Test	Expected	Got	
✓	select changes();	<pre>CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- ----- - ----- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBB BBBB A003 changes() ----- 1</pre>	<pre>CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- - ----- ----- - ----- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBB BBBB A003 changes() ----- 1</pre>	✓
✓	select changes();	<pre>CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- ----- ----- ----- C00013 SherlockHolmess London London UK 2 6000 5000 7000 4000 BBBB BBBB A003 C00024 SherlockHolmess London London UK 2 4000 9000 7000 6000 FSDDSD F A006 C00015 SherlockHolmess London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00023 SherlockHolmess London London UK 0 4000 6000 7000 3000 AAAABAA A006 changes() ----- 4</pre>	<pre>CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ----- ----- ----- ----- C00013 SherlockHolmess London London UK 2 6000 5000 7000 4000 BBBB BBBB A003 C00024 SherlockHolmess London London UK 2 4000 9000 7000 6000 FSDDSD F A006 C00015 SherlockHolmess London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00023 SherlockHolmess London London UK 0 4000 6000 7000 3000 AAAABAA A006 changes() ----- 4</pre>	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 10

Correct

Mark 1.00 out of 1.00

Write a SQL query to Delete customers from 'customer' table where 'GRADE' is less than 2.

Sample table: Customer

CUST_CODE	CUST_NAME	CUST_CITY	WORKING_AREA	CUST_COUNTRY	GRADE	OPENING_AMT	RECEIVE_AMT	PAYMENT_AMT	OUTSTANDING_AMT	PHONE_NO	AGENT_CODE
C00013	Holmes	London	London	UK	2	6000.00	5000.00	7000.00	4000.00	BBBBBBB	A003
C00001	Micheal	New York	New York	USA	2	3000.00	5000.00	2000.00	6000.00	CCCCCCC	A008
C00020	Albert	New York	New York	USA	3	5000.00	7000.00	6000.00	6000.00	BBBBBBSBB	A008

For example:

Test	Result
select distinct(grade)from customer;	GRADE ----- 2 3 1 0 GRADE ----- 2 3

Answer: (penalty regime: 0 %)

```
1 DELETE FROM customer
2 WHERE grade<2;
```

	Test	Expected	Got	
✓	<code>select distinct(grade)from customer;</code>	GRADE ----- 2 3 1 0 GRADE ----- 2 3	GRADE ----- 2 3 1 0 GRADE ----- 2 3	✓
✓	<code>SELECT count(*) from customer;</code>	count(*) ----- 25 count(*) ----- 15	count(*) ----- 25 count(*) ----- 15	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 11

Correct

Mark 1.00 out of 1.00

Write a SQL query to Select all patients who were admitted for one day.

Table: Patients

name	type
-----	-----
patient_id	INT
first_name	VARCHAR(50)
last_name	VARCHAR(50)
date_of_birth	DATE
admission_date	DATE
discharge_date	DATE
doctor_id	INT

For example:

Result			
patient_id	first_name	admission_date	discharge_date
-----	-----	-----	-----
4	Abhishek	2023-02-10	2023-02-10
5	Alice	2023-08-02	2023-08-02

Answer: (penalty regime: 0 %)

```
1 SELECT patient_id ,first_name ,
2 admission_date,discharge_date
3 FROM patients
4 WHERE admission_date = discharge_date
5
```

	Expected				Got				
✓	patient_id	first_name	admission_date	discharge_date	patient_id	first_name	admission_date	discharge_date	✓
	-----	-----	-----	-----	-----	-----	-----	-----	
	4	Abhishek	2023-02-10	2023-02-10	4	Abhishek	2023-02-10	2023-02-10	
	5	Alice	2023-08-02	2023-08-02	5	Alice	2023-08-02	2023-08-02	
✓	patient_id	first_name	admission_date	discharge_date	patient_id	first_name	admission_date	discharge_date	✓
	-----	-----	-----	-----	-----	-----	-----	-----	
	4	Abhishek	2023-02-10	2023-02-10	4	Abhishek	2023-02-10	2023-02-10	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 12

Correct

Mark 1.00 out of 1.00

Write a query to fetch details of all employees excluding the employees with first names, "Sanjay" and "Sonia" from the EmployeeInfo table.

EmpID	EmpFname	EmpLname	Department	Project	Address	DOB	Gender
1	Sanjay	Mehra	HR	P1	Hyderabad(HYD)	01/12/1976	M
2	Ananya	Mishra	Admin	P2	Delhi(DEL)	02/05/1968	F

For example:

Result							
EmpID	EmpFname	EmpLname	Department	Project	Address	DOB	Gender
-----	-----	-----	-----	-----	-----	-----	-----
2	Ananya	Mishra	Admin	P2	Delhi(DEL)	1968-05-02	F
3	Rohan	Diwan	Account	P3	Mumbai(BOM)	1980-01-01	M
5	Ankit	Kapoor	Admin	P2	Delhi(DEL)	1994-07-03	M

Answer: (penalty regime: 0 %)

```
1 SELECT *
2 FROM employeeInfo
3 WHERE EmpFname NOT IN ('Sanjay',
4 'Sonia');
```

	Expected					Got					
✓	EmpID	EmpFname	EmpLname	Department		EmpID	EmpFname	EmpLname	Department		✓
	Project	Address	DOB	Gender		Project	Address	DOB	Gender		
	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
	2	Ananya	Mishra	Admin	P2	2	Ananya	Mishra	Admin	P2	
	Delhi(DEL)	1968-05-02	F			Delhi(DEL)	1968-05-02	F			
	3	Rohan	Diwan	Account	P3	3	Rohan	Diwan	Account	P3	
	Mumbai(BOM)	1980-01-01	M			Mumbai(BOM)	1980-01-01	M			
	5	Ankit	Kapoor	Admin	P2	5	Ankit	Kapoor	Admin	P2	
	Delhi(DEL)	1994-07-03	M			Delhi(DEL)	1994-07-03	M			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **13**

Correct

Mark 1.00 out of 1.00

Write a SQL query to determine the age group of **value1** in the **Calculations** table as 'Child' if it is less than 13, 'Teen' if it is between 13 and 19, and 'Adult' if it is 20 or older.

cid	name	type	notnull	dflt_value	pk
0	id	INTEGER	0		1
1	value1	REAL	0	0	
2	value2	REAL	0	0	
3	base	INTEGER	0	0	
4	exponent	INTEGER	0	0	
5	number	REAL	0	0	
6	decimal	REAL	0	0	

For example:

Result		
id	value1	age_group
1	10.0	Child
2	18.0	Teen
3	23.0	Adult

Answer: (penalty regime: 0 %)

```

1 SELECT id,value1,
2 CASE
3 WHEN value1 < 13 THEN
4 'Child'
5 WHEN value1 BETWEEN 13 AND
6 19 THEN 'Teen'
7 ELSE 'Adult'
8 END AS age_group
9 FROM calculations;
10

```

	Expected			Got			
✓	id	value1	age_group	id	value1	age_group	✓
	1	10.0	Child	1	10.0	Child	
	2	18.0	Teen	2	18.0	Teen	
	3	23.0	Adult	3	23.0	Adult	

	Expected			Got			
✓	id	value1	age_group	id	value1	age_group	✓
	-----	-----	-----	-----	-----	-----	
	5	25.0	Adult	5	25.0	Adult	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **14**

Correct

Mark 1.00 out of 1.00

Write a SQL query to retrieve the details of all customers whose ID belongs to any of the values 3007, 3008 or 3009. Return customer_id, cust_name, city, grade, and salesman_id.

Sample table: customer

customer_id	cust_name	city	grade	salesman_id
3002	Nick Rimando	New York	100	5001
3007	Brad Davis	New York	200	5001
3005	Graham Zusi	California	200	5002

For example:

Result				
customer_id	cust_name	city	grade	salesman_id
3007	Brad Davis	New York	200	5001
3008	Julian Gre	London	300	5002
3009	Geoff Came	Berlin	100	5003

Answer: (penalty regime: 0 %)

```

1 | SELECT customer_id,cust_name,city,
2 | grade,salesman_id
3 | FROM customer
4 | WHERE customer_id IN(3007,3008,
5 | 3009);

```

	Expected					Got					
✓	customer_id	cust_name	city	grade		customer_id	cust_name	city	grade		✓
	salesman_id					salesman_id					
	-----	-----	-----	-----		-----	-----	-----	-----		
	-----					-----					
	3007	Brad Davis	New York	200	5001	3007	Brad Davis	New York	200	5001	
	3008	Julian Gre	London	300	5002	3008	Julian Gre	London	300	5002	
	3009	Geoff Came	Berlin	100	5003	3009	Geoff Came	Berlin	100	5003	
✓	customer_id	cust_name	city	grade		customer_id	cust_name	city	grade		✓
	salesman_id					salesman_id					
	-----	-----	-----	-----		-----	-----	-----	-----		
	-----					-----					
	3008	Julian Green	London	300		3008	Julian Green	London	300		
	5002					5002					
	3009	Geoff Camero	Berlin	100		3009	Geoff Camero	Berlin	100		
	5003					5003					

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **15**

Correct

Mark 1.00 out of 1.00

Write a SQL query to find all those customers who does not have any grade. Return customer_id, cust_name, city, grade, salesman_id.

Sample table: customer

customer_id	cust_name	city	grade	salesman_id
3002	Nick Rimando	New York	100	5001
3007	Brad Davis	New York	200	5001
3005	Graham Zusi	California	200	5002

For example:

Result				
customer_id	cust_name	city	grade	salesman_id
1	John Mathew	New York		5000
2	Michel John	Paris		2000

Answer: (penalty regime: 0 %)

```

1 SELECT customer_id,cust_name,city,grade,salesman_id
2 FROM customer
3 WHERE grade is NULL;
4

```

	Expected				Got				
✓	customer_id	cust_name	city	grade	customer_id	cust_name	city	grade	✓
	salesman_id				salesman_id				
	-----	-----	-----	-----	-----	-----	-----	-----	
	1	John Mathew	New York	5000	1	John Mathew	New York	5000	
	2	Michel John	Paris	2000	2	Michel John	Paris	2000	

	Expected				Got				
✓	customer_id	cust_name	city	grade	customer_id	cust_name	city	grade	✓
	salesman_id				salesman_id				
	-----	-----	-----	-----	-----	-----	-----	-----	
	-----				-----				
	1	John Mathew	New York	5000	1	John Mathew	New York	5000	
	2	Michel John	Paris	2000	2	Michel John	Paris	2000	
	3	Esrn	New York	3000	3	Esrn	New York	3000	
	4	Antony Roy	London	2000	4	Antony Roy	London	2000	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **16**

Correct

Mark 1.00 out of 1.00

Write a SQL query to calculate the discount amount for each product. Return product_id, original_price, discount_percentage, and discount_amount.

Sample table: Products

```
product_id | original_price | discount_percentage
-----+-----+-----
101 | 50.00 | 0.10
102 | 75.00 | 0.15
103 | 100.00 | 0.20
```

For example:

Result			
product_id	original_price	discount_percentage	discount_amount
101	50.0	0.1	5.0
102	75.0	0.15	11.25
103	100.0	0.2	20.0

Answer: (penalty regime: 0 %)

```
1 SELECT
2 product_id,
3 original_price,
4 discount_percentage,
5 (original_price * discount_percentage) AS discount_amount
6 FROM Products;
7
```

	Expected	Got	
✓	<pre>product_id original_price discount_percentage discount_amount ----- 101 50.0 0.1 5.0 102 75.0 0.15 11.25 103 100.0 0.2 20.0</pre>	<pre>product_id original_price discount_percentage discount_amount ----- 101 50.0 0.1 5.0 102 75.0 0.15 11.25 103 100.0 0.2 20.0</pre>	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **17**

Incorrect

Mark 0.00 out of 1.00

Write a SQL query that displays order number, purchase amount, and the achieved and unachieved percentage (%) of target for those orders that exceed 50% of the target value of 6000.

Sample table: orders

ord_no	purch_amt	ord_date	customer_id	salesman_id
-----	-----	-----	-----	-----
70001	150.5	2012-10-05	3005	5002
70009	270.65	2012-09-10	3001	5005
70002	65.26	2012-10-05	3002	5001

For example:

Result			
ord_no	purch_amt	Achieved %	Unachieved %
-----	-----	-----	-----
70008	5760.0	96.0	4.0
70013	3045.6	50.76	49.24

Answer: (penalty regime: 0 %)

```

1 | SELECT ord_no,purch_amt,ROUND((purch_amt*100.0)/6000,2) AS Achieved,ROUND((100)-(purch_amt*100.0)/6000),2 AS U
2 | FROM orders
3 | WHERE purch_amt>3000

```

	Expected	Got	
✖	ord_no purch_amt Achieved % Unachieved % ----- ----- ----- ----- 70008 5760.0 96.0 4.0 70013 3045.6 50.76 49.24	***Run error*** Error: near line 5: near ")": syntax error Traceback (most recent call last): File "__tester__.python3", line 35, in <module> output = subprocess.check_output(['sqlite3', db_working], input=text_input, File "/usr/lib/python3.8/subprocess.py", line 415, in check_output return run(*popenargs, stdout=PIPE, timeout=timeout, check=True, File "/usr/lib/python3.8/subprocess.py", line 516, in run raise CalledProcessError(retcode, process.args, subprocess.CalledProcessError: Command '['sqlite3', 'Inventory']' returned non-zero exit status 1. During handling of the above exception, another exception occurred: Traceback (most recent call last): File "__tester__.python3", line 39, in <module> raise Exception("sqlite3 error: " + str(e)) Exception: sqlite3 error: Command '['sqlite3', 'Inventory']' returned non- zero exit status 1.	✖

Testing was aborted due to error.
Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/1.00.

Question 18

Correct

Mark 1.00 out of 1.00

Write a SQL query to find all employees who were hired on a weekend (Saturday or Sunday) from the emp table

emp table

cid	name	type
0	empno	INT
1	ename	VARCHAR(100)
2	job	VARCHAR(50)
3	mgr	INT
4	hiredate	DATE
5	sal	DECIMAL(10,2)
6	comm	DECIMAL(10,2)
7	deptno	INT

For example:

Result		
ename	hiredate	day_of_week
SMITH	2024-06-02	0
WARD	1981-02-22	0
MILLER	1982-01-23	6

Answer: (penalty regime: 0 %)

```
1 | SELECT ename,hiredate,STRFTIME("%w",hiredate) AS day_of_week
2 | FROM emp
3 | WHERE STRFTIME("%w",hiredate) IN ('0','6');
```

	Expected			Got			
✓	ename	hiredate	day_of_week	ename	hiredate	day_of_week	✓
	SMITH	2024-06-02	0	SMITH	2024-06-02	0	
	WARD	1981-02-22	0	WARD	1981-02-22	0	
	MILLER	1982-01-23	6	MILLER	1982-01-23	6	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 19

Correct

Mark 1.00 out of 1.00

Write a SQL query to calculate the number of days between the `hiredate` and a specified date ('2024-12-31') for each employee using the `JULIANDAY` function from the emp table.

emp table

cid	name	type
0	empno	INT
1	ename	VARCHAR(100)
2	job	VARCHAR(50)
3	mgr	INT
4	hiredate	DATE
5	sal	DECIMAL(10,2)
6	comm	DECIMAL(10,2)
7	deptno	INT

For example:

Result		
ename	hiredate	days_worked
SMITH	2024-06-02	212.0
ALLEN	2024-07-20	164.0
WARD	2024-11-02	59.0

Answer: (penalty regime: 0 %)

```
1 SELECT ename, hiredate, JULIANDAY('2024-12-31') - JULIANDAY(hiredate) AS days_worked
2 FROM emp
```

	Expected			Got			
✓	ename	hiredate	days_worked	ename	hiredate	days_worked	✓
	SMITH	2024-06-02	212.0	SMITH	2024-06-02	212.0	
	ALLEN	2024-07-20	164.0	ALLEN	2024-07-20	164.0	
	WARD	2024-11-02	59.0	WARD	2024-11-02	59.0	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **20**

Correct

Mark 1.00 out of 1.00

Write a SQL query to Concatenate the first three characters of the employee's name with the last three characters of their job title.

Table name: emp

name	type
-----	-----
empno	INT
ename	VARCHAR(100)
job	VARCHAR(50)
mgr	INT
hiredate	DATE
sal	DECIMAL(10,2)
comm	DECIMAL(10,2)
deptno	INT

For example:

Result		
ename	job	ConcatenatedString
-----	-----	-----
KING	PRESIDENT	KINENT
SCOTT	ANALYST	SCOYST
FORD	ANALYST	FORYST
JAMES	CLERK	JAMERK
MILLER	CLERK	MILERK

Answer: (penalty regime: 0 %)

```
1 | SELECT ename,job,SUBSTR(ename,1,3)||SUBSTR(job,-3) AS ConcatenatedString
2 | FROM emp
```

	Expected			Got			
✓	ename	job	ConcatenatedString	ename	job	ConcatenatedString	✓
	-----	-----	-----	-----	-----	-----	
	KING	PRESIDENT	KINENT	KING	PRESIDENT	KINENT	
	SCOTT	ANALYST	SCOYST	SCOTT	ANALYST	SCOYST	
	FORD	ANALYST	FORYST	FORD	ANALYST	FORYST	
	JAMES	CLERK	JAMERK	JAMES	CLERK	JAMERK	
	MILLER	CLERK	MILERK	MILLER	CLERK	MILERK	
✓	ename	job	ConcatenatedString	ename	job	ConcatenatedString	✓
	-----	-----	-----	-----	-----	-----	
	KING	PRESIDENT	KINENT	KING	PRESIDENT	KINENT	
	JONES	MANAGER	JONGER	JONES	MANAGER	JONGER	
	BLAKE	MANAGER	BLAGER	BLAKE	MANAGER	BLAGER	
	CLARK	MANAGER	CLAGER	CLARK	MANAGER	CLAGER	
	SCOTT	ANALYST	SCOYST	SCOTT	ANALYST	SCOYST	
	FORD	ANALYST	FORYST	FORD	ANALYST	FORYST	
	JAMES	CLERK	JAMERK	JAMES	CLERK	JAMERK	
	MARTIN	SALESMAN	MARMAN	MARTIN	SALESMAN	MARMAN	
	ALLEN	SALESMAN	ALLMAN	ALLEN	SALESMAN	ALLMAN	
	MILLER	CLERK	MILERK	MILLER	CLERK	MILERK	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

QUIZ

☒	M2-Select,Update,Delete (SEB) May'25	-	✓ 80.00	0-100	80.00 %
-------------------------------------	---	---	---------	-------	---------
