

Started on	Friday, 4 September 2026, 1:14 PM
State	Finished
Completed on	Friday, 4 September 2026, 1:32 PM
Time taken	17 mins 32 secs
Grade	10.00 out of 10.00 (100%)

Question 1

Correct

Mark 1.00 out of 1.00

How many medical records are there for each patient?

Sample table:MedicalRecords Table

RecordID	PatientID	DoctorID	Date	Diagnosis	Treatment	Medications
1	1	1	2024-01-10	High blood pres...	Prescribed med...	Lisinopril
2	2	2	2023-12-20	Childhood vacci...	Administered v...	MMR, DPT
3	3	3	2024-01-05	Fractured femur	Performed surg...	Ibuprofen, Calcium s...

For example:

Result	
PatientID	TotalRecords
-----	-----
4	4
5	1
6	1
7	1
8	1
10	2

Answer: (penalty regime: 0 %)

```
1 SELECT PatientID, COUNT(*) AS
2 TotalRecords
3 FROM MedicalRecords
4 GROUP BY PatientID
5
```

	Expected		Got		
✓	PatientID	TotalRecords	PatientID	TotalRecords	✓
	-----	-----	-----	-----	
	4	4	4	4	
	5	1	5	1	
	6	1	6	1	
	7	1	7	1	
	8	1	8	1	
	10	2	10	2	

	Expected		Got		
✓	PatientID	TotalRecords	PatientID	TotalRecords	✓
	-----	-----	-----	-----	
	1	1	1	1	
	2	1	2	1	
	3	1	3	1	
	4	1	4	1	
	5	1	5	1	
	6	1	6	1	
	7	1	7	1	
	8	1	8	1	
	9	1	9	1	
	10	1	10	1	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

How many appointments are scheduled for each patient?

Sample table: **Appointments Table**

name	type
-----	-----
AppointmentID	INTEGER
PatientID	INTEGER
DoctorID	INTEGER
AppointmentDateTime	DATETIME
Purpose	TEXT
Status	TEXT

For example:

Result	
PatientID	TotalAppointments
-----	-----
3	3
5	2
6	1
7	1
10	3

Answer: (penalty regime: 0 %)

```
1 | SELECT PatientID, COUNT(*) AS
2 | TotalAppointments
3 | FROM Appointments
4 | GROUP BY PatientID;
```

	Expected		Got		
✓	PatientID	TotalAppointments	PatientID	TotalAppointments	✓
	-----	-----	-----	-----	
	3	3	3	3	
	5	2	5	2	
	6	1	6	1	
	7	1	7	1	
	10	3	10	3	

	Expected		Got		
✓	PatientID	TotalAppointments	PatientID	TotalAppointments	✓
	-----	-----	-----	-----	
	1	1	1	1	
	2	1	2	1	
	3	1	3	1	
	4	1	4	1	
	5	1	5	1	
	6	1	6	1	
	7	1	7	1	
	8	1	8	1	
	9	1	9	1	
	10	1	10	1	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

What is the total number of appointments scheduled by each doctor?

Sample table:**Appointments Table**

AppointmentID	PatientID	DoctorID	AppointmentDat...	Purpose	Status
1	1	1	2024-02-15 09:00:00	Routine checkup	Confirmed
2	2	2	2024-02-16 10:30:00	Vaccination	Confirmed
3	3	3	2024-02-17 11:00:00	Follow-up on surgery	Confirmed

For example:

Result	
DoctorID	TotalAppointments

1	1
2	3
5	3
9	2
10	1

Answer: (penalty regime: 0 %)

1 `SELECT DoctorID, COUNT(*) AS`

2 `TotalAppointments`

3 `FROM Appointments`

4 `GROUP BY DoctorID`

	Expected		Got		
✓	DoctorID	TotalAppointments	DoctorID	TotalAppointments	✓
	-----		-----		
	1	1	1	1	
	2	3	2	3	
	5	3	5	3	
	9	2	9	2	
	10	1	10	1	

	Expected		Got		
✓	DoctorID	TotalAppointments	DoctorID	TotalAppointments	✓
	-----	-----	-----	-----	
	1	1	1	1	
	2	1	2	1	
	3	1	3	1	
	4	1	4	1	
	5	1	5	1	
	6	1	6	1	
	7	1	7	1	
	8	1	8	1	
	9	1	9	1	
	10	1	10	1	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 4

Correct

Mark 1.00 out of 1.00

Write a SQL query to find the difference between the maximum and minimum price of fruits?

Table: fruits

name	type
-----	-----
id	INTEGER
name	TEXT
unit	TEXT
inventory	INTEGER
price	REAL

For example:

Result
price_diff

4.65

Answer: (penalty regime: 0 %)

```
1 SELECT MAX(price) - MIN(price) AS
2 price_diff
3 FROM fruits;
```

	Expected	Got	
✓	price_diff ----- 4.65	price_diff ----- 4.65	✓
✓	price_diff ----- 249.65	price_diff ----- 249.65	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Write a SQL query to Calculate the average income of the employees with names starting with 'A':

Table: employee

name	type
-----	-----
id	INTEGER
name	TEXT
age	INTEGER
city	TEXT
income	INTEGER

For example:

Result
avg_income

5000000.0

Answer: (penalty regime: 0 %)

```
1 | SELECT AVG(income) AS
2 | avg_income
3 | FROM employee
4 | WHERE name LIKE 'A%';
```

	Expected	Got	
✓	avg_income	avg_income	✓
	-----	-----	
	5000000.0	5000000.0	
✓	avg_income	avg_income	✓
	-----	-----	
	2525500.0	2525500.0	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **6**

Correct

Mark 1.00 out of 1.00

Write a SQL query to count the number of customers. Return number of customers.

Sample table: customer

customer_id	cust_name	city	grade	salesman_id
3002	Nick Rimando	New York	100	5001
3007	Brad Davis	New York	200	5001
3005	Graham Zusi	California	200	5002

For example:

Result
COUNT

8

Answer: (penalty regime: 0 %)

```
1 | SELECT COUNT(*) AS COUNT
2 | FROM customer
```

	Expected	Got	
✓	COUNT ----- 8	COUNT ----- 8	✓
✓	COUNT ----- 10	COUNT ----- 10	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

Write a SQL query that counts the number of unique salespeople. Return number of salespeople.

Sample table: orders

ord_no	purch_amt	ord_date	customer_id	salesman_id
70001	150.5	2012-10-05	3005	5002
70009	270.65	2012-09-10	3001	5005
70002	65.26	2012-10-05	3002	5001

For example:

Result
COUNT ----- 6

Answer: (penalty regime: 0 %)

```
1 | SELECT COUNT(DISTINCT salesman_id) AS  
2 | COUNT  
3 | FROM orders
```

	Expected	Got	
✓	COUNT ----- 6	COUNT ----- 6	✓
✓	COUNT ----- 8	COUNT ----- 8	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **8**

Correct

Mark 1.00 out of 1.00

Write the SQL query that performs grouping by age groups and displays the maximum salary for each group, excluding groups where the maximum salary is not greater than 8000.

Note: Calculate the age group as multiples of 5.

Eg., 20,22,23 comes in age group 20.

25,27,29 comes in age group 25.

Sample table: customer1

id	name	age	address	salary
1	Ramesh	32	Ahmedabad	2000
2	Khilan	25	Delhi	1500
3	Kaushik	23	Kota	2000

For example:

Result	
age_group	MAX(salary)
20	10000
25	8500

Answer: (penalty regime: 0 %)

```

1 SELECT (age/5)*5 AS age_group,
2 MAX(salary) AS "MAX(salary)"
3 FROM customer1
4 GROUP BY age_group
5 HAVING MAX(salary) > 8000

```

	Expected		Got		
✓	age_group	MAX(salary)	age_group	MAX(salary)	✓
	-----	-----	-----	-----	
	20	10000	20	10000	
	25	8500	25	8500	

	Expected		Got		
✓	age_group	MAX(salary)	age_group	MAX(salary)	✓
	-----	-----	-----	-----	
	20	15000	20	15000	
	25	8500	25	8500	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 9

Correct

Mark 1.00 out of 1.00

Write the SQL query that accomplishes the selection of total cost of all products in each category from the "products" table and includes only those products where the total cost is greater than 50.

Sample table: products

product_name	category_id	price
Product A	1	10
Product B	2	20
Product C	1	15.5
Product D	3	8.99

For example:

Result	
category_id	Total_Cost
-----	-----
2	63

Answer: (penalty regime: 0 %)

```
1 | SELECT category_id ,SUM(price) AS
2 | Total_Cost
3 | FROM products
4 | GROUP BY category_id
5 | HAVING SUM(price)>50
```

	Expected		Got		
✓	category_id	Total_Cost	category_id	Total_Cost	✓
	-----	-----	-----	-----	
	2	63	2	63	
✓	category_id	Total_Cost	category_id	Total_Cost	✓
	-----	-----	-----	-----	
	2	63	2	63	
	4	70	4	70	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 10

Correct

Mark 1.00 out of 1.00

Write the SQL query that achieves the grouping of data by age intervals using the expression $(age/5)5$, calculates the total salary sum for each group, and excludes groups where the total salary sum is not greater than 5000.

Sample table: customer1

id	name	age	address	salary
1	Ramesh	32	Ahmedabad	2000
2	Khilan	25	Delhi	1500
3	Kaushik	23	Kota	2000

For example:

Result	
age_group	SUM(salary)
-----	-----
20	16500
25	16500

Answer: (penalty regime: 0 %)

```
1 SELECT (age/5)*5 AS age_group,
2 SUM(salary)
3 FROM customer1
4 GROUP BY age_group
5 HAVING SUM(salary)>5000
```

	Expected		Got		
✓	age_group	SUM(salary)	age_group	SUM(salary)	✓
	-----	-----	-----	-----	
	20	16500	20	16500	
	25	16500	25	16500	
✓	age_group	SUM(salary)	age_group	SUM(salary)	✓
	-----	-----	-----	-----	
	20	36500	20	36500	
	25	16500	25	16500	

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

QUIZ

☒	M3-Aggregate, Group by, Having Clause (HC)	-	✓ 10.00	0-10	100.00 %
-------------------------------------	---	---	---------	------	----------