A

SEMINAR REPORT

On

FEDERATED LEARNING FOR PRIVACY-PRESERVING HEALTHCARE

Submitted to the Faculty of Engineering and Technology

B. Tech - V Semester

By

KALAKOTLA PRAVALIKA

B24CS119

Under the Guidance of

Smt. R. RADHIKA

Assistant Professor



Department of Computer Science and Engineering

Kakatiya Institute of Technology & Science

(An Autonomous Institute under Kakatiya University)

Warangal – Telangana

2026-2027

NAAC - 'A' Grade Institute (CGPA : 3.21) ISO 9001:2015 NIRF - 2020 Rank Band : 201-250

KAKATIYA INSTITUTE OF TECHNOLOGY & SCIENCE

Opp : Yerragattu Gutta, Hasanparthy (Mandal), WARANGAL - 506 015, Telangana, INDIA.

काकतीय प्रैद्योगिकी एवं विज्ञान संस्थान, वरंगल - ५०६ ०१५ तेलंगाना, भारत

కాకతీయ సాంకేతిక విజ్ఞాన శాస్త్ర విద్యాలయం, వరంగల్ - ౫౦౬ ౦౧౫ తెలంగాణ, భారతదేశము

Estd-1980 KITSW

(An Autonomous Institute under Kakatiya University, Warangal)

(Approved by AICTE, New Delhi; Recognised by UGC under 2(f) & 12(B); Sponsored by EKASILA EDUCATION SOCIETY)

website: www.kitsw.ac.in E-mail: principal@kitsw.ac.in ✆ : +91 9392055211, +91 7382564888

C E R T I F I C A T E

This is to certify that **KALAKOTLA PRAVALIKA** bearing Roll No. **B24CS119** of the V Semester B.Tech. Computer Science and Engineering has satisfactorily completed the Seminar dissertation work entitled, **"FEDERATED LEARNING FOR PRIVACY-PRESERVING HEALTHCARE",** in partial fulfillment of the requirements of B. Tech Degree during this academic year 2025-2026.

Coordinator
Smt. R. RADHIKA
Assistant Professor

Supervisor
Sri. B. SAI KALYAN
Assistant Professor

Head of the Department
Prof. P. NIRANJAN REDDY

ACKNOWLEDGEMENT

I extend my sincere and heartfelt thanks to our esteemed counselor **Sri. B. SAI KALYAN, Assistant Professor** for his exemplary guidance, monitoring and consistent encouragement throughout the course at crucial junctures and for showing us the right way.

It is a great privilege for me to here by deep sense of gratitude towards Seminars Coordinator **Smt. R. RADHIKA, Assistant Professor** who guided and permitting me in successful completion of my work on time.

I would like to extend thanks to **Prof. P. NIRANJAN REDDY, Head, Department of CSE** for allowing me to use the facilities available.

I express my immense delight to **Prof. B. RAMA DEVI, Dean, Research & Development** for his kind cooperation and elderly suggestions through out of this Seminar work. I am very much thankful for issuing similarity report through Turnitin Anti Plagiarism Software.

I take this opportunity to express my sincere and heartfelt gratitude to honorable Principal **Prof. K. ASHOKA REDDY** of our institute for granting me permission to do this Seminar Report.

I am very happy in expressing my sincere thanks to faculty & staff, department of Computer Science and Engineering, friends and family for the support and encouragement that they have given us during the Seminar work.

KALAKOTLA PRAVALIKA

B24CS119

ABSTRACT

Healthcare institutions generate sensitive data, including medical records, images, and laboratory results. Traditional machine learning often requires collecting data in a central location, raising privacy and security concerns. Federated Learning (FL) addresses this challenge by enabling multiple hospitals to collaboratively train a shared AI model without directly sharing their original patient data.

In FL, each hospital trains a model locally and sends model updates to a central server. The server combines these updates using techniques such as Federated Averaging (FedAvg) and returns an improved global model. This approach has potential applications in disease prediction, medical image analysis, patient monitoring, and personalized healthcare.

This seminar explores the methodology, applications, and privacy-enhancing techniques of Federated Learning, including secure aggregation, differential privacy, and encryption. It also discusses challenges such as communication costs, differences in medical data, and security risks. Overall, Federated Learning offers a promising approach to privacy-conscious healthcare AI, although further research and clinical validation are needed for reliable real-world adoption.

Furthermore, Federated Learning encourages collaboration between healthcare institutions by enabling them to benefit from diverse patient data while keeping records within their respective organizations. This can support the development of more generalizable AI models for different healthcare environments.

The study highlights the importance of balancing model performance, patient privacy, and computational efficiency. With continued improvements in privacy protection and training methods, Federated Learning can contribute to the future development of secure, reliable, and intelligent healthcare systems.

TABLE OF CONTENTS

			Page No.
ABSTRACT			4
TABLE OF CONTENTS			5-7
LIST OF FIGURES			8
CHAPTER 1	INTRODUCTIO TO FEDERATED LEARNING		9
	1.1	BACKGROUND OF FEDERATED LEARNING	9
	1.2	NEED FOR FEDERATED LEARNING IN HEALTHCARE	9-10
	1.3	TRADITIONAL MACHINE LEARNING VS FEDERATED LEARNING	10-11
	1.4	OBJECTIVES OF FEDERATED LEARNING	11-12
CHAPTER 2	LITERATURE SURVEY		
	2.1	FEDERATED OPTIMIZATION	13
	2.2	FEDERATED AVERAGING (FEDAVG)	13-14
	2.3	FEDERATED LEARNING IN MEDICAL IMAGING	15
	2.4	FEDHEALTH FOR WEARABLE HEALTHCARE	15-16
	2.5	PRIVACY-FIRST HEALTH RESEARCH	16
CHAPTER 3	PROBLEM STATEMENT AND PROPOSED METHODOLOGY		17
	3.1	PROBLEM STATEMENT	17
	3.2	PROPOSED FEDERATED LEARNING ARCHITECTURE	17-18
	3.3	LOCAL MODEL TRAINING	18
	3.4	MODEL UPDATE SHARING	19
	3.5	FEDERTAED AVERAGING	19
	3.6	GLOBAL MODEL GENERAION	19-20
	3.7	ITERATIVE TRAINING PROCESS	20

CHAPTER 4	APPLICATIONS OF FEDERATED LEARNING IN HEALTHCARE		21
	4.1	DISEASE PREDICTION	21
	4.2	MEDICAL IMAGING	21
	4.3	PATIENT MONITORING	21-22
	4.4	PERSONALIZED HEALTHCARE	22
	4.5	ELECTRONIC HEALTH RECORDS	22
CHAPTER 5		MODELS AND TECHNOLOGIES USED WITH FEDERATED LEARNING	23
	5.1	MACHINE LEARNING MODELS	23
	5.2	CONVOLUTIONAL NEURAL NETWORKS (CNN)	23
	5.3	U-NET FOR MEDICAL IMAGE SEGMENTATION	24
	5.4	TRANSFER LEARNING	24
	5.5	WEARABLE AND IOT DEVICES	24-25
CHAPTER 6	FUNDAMENTAL ENABLING TECHNOLOGIES		26
	6.1	ARTIFICIAL INTELLIGENCE IN 6G NETWORKS	26
	6.2	TERAHERTZ & OPTICAL WIRELESS COMMUNICATION	26
	6.3	MASSIVE MIMO, IRS & ADVANCED ANTENNA SYSTEMS	26-27
	6.4	ENCRYPTION	27
	6.5	SECURE MULTY-PARTY COMPUTATION	27
	6.6	HOMOMORPHIC ENCRYPTION	28
CHAPTER 7		STANDARDIZATION AND RESEARCH ACTIVITIES	29
	7.1	GLOBAL 6G STANDARDIZATION (ITU IMT-2030)	29
	7.2	FINLAND'S 6G FLAGSHIP PROGRAM	29
	7.3	INDUSTRY INITIATIVES (SAMSUNG, NTT DOCOMO)	30
	7.4	ACADEMIC RESEARCH & 6G WIRELESS SUMMITS	30-31
	7.5	OVERALL DISCUSSION	31

CHAPTER 8		CHALLENGES AND FUTURE RESEARCH DIRECTIONS	32
	8.1	THE PROPAGATION & CHANNEL MODELING CHALLENGES	32
	8.2	RESOURCE MANAGEMENT IN 3D AND ULTRA-DENSE NETWORKS	32
	8.3	SECURITY, PRIVACY & PHYSICAL-LAYER PROTECTION	32
	8.4	DEVICE, HARDWARE & ECONOMIC CONSTRAINTS	33
	8.5	PERSONALIZED HEALTHCARE AI	33
	8.6	IOT, WEARABLES AND EDGE AI	33-34
	8.7	REAL-WORLD CLINICAL DEPLOYMENT	34
CHAPTER 9		CONCLUSION	35
	9.1	SUMMARY OF 6G VISION	35
	9.2	IMPORTANCE OF KEY TECHNOLOGIES	35
	9.3	EXPECTED FUTURE IMPACT	36
	9.4	LONG-TERM RESEARCH ROADMAP	36
CHAPTER 10		REFERENCES	37

LIST OF FIGURES

Fig. No.	Title	Page No.
1	FEDERATED LEARNING WORKFLOW IN HEALTHCARE	10
2	TRADITIONAL MACHINE LEARNING & FEDERATED LEARNING COMPARISON	11
3	FEDERATED AVERAGING (FedAvg) PROCESS	15
4	PROPOSED FEDERATED LEARNING ARCHITECTURE FOR HEALTHCARE	19
5	PRIVACY AND SECURITY TECHNIQUES IN FEDERATED LEARNING	30
6	CHALLENGES AND FUTURE SCOPE OF FEDERATED LEARNING	36

CHAPTER 1
INTRODUCTION TO FEDERATED LEARNING

1.1 BACKGROUND OF FEDERATED LEARNING

Artificial Intelligence and Machine Learning are increasingly being used in healthcare for disease prediction, medical image analysis, patient monitoring, and other clinical applications. These systems require large amounts of data, but healthcare data is highly sensitive and cannot always be freely shared between hospitals.

Traditional machine learning generally collects data from different sources and stores it at a central location for training. This can create privacy, security, and data-sharing concerns. Federated Learning (FL) provides an alternative approach by allowing different institutions to train a common model without directly sharing their raw data.

In Federated Learning, each hospital keeps its patient data locally and trains the model using its own data. Instead of sending patient records to a central server, the hospital sends only model updates. The server combines these updates to create an improved global model and sends it back to the participating hospitals.
Therefore, Federated Learning enables **collaborative AI model training while keeping sensitive healthcare data within its original institution**.

1.2 NEED FOR FEDERTAED LEARNING IN HEALTHCARE

Healthcare institutions generate large amounts of sensitive information, including patient records, medical images, laboratory results, and health measurements. This information is valuable for developing Artificial Intelligence models, but directly sharing it between hospitals can create privacy and security concerns.

Different hospitals may also have different types of patients and healthcare data. For example, one hospital may have more diabetes-related records, while another may have a larger collection of medical images. Combining knowledge from multiple institutions can help develop models that learn from a wider range of data.

Federated Learning provides a solution by allowing hospitals to **train a common AI model without directly sharing their raw patient data**. Each hospital keeps its data locally, trains the model using its own data, and sends only the resulting model updates to a central server. The server

combines these updates and creates an improved global model, which is then sent back to the participating hospitals.

The main reasons for using Federated Learning in healthcare are:

- **Patient privacy:** Raw patient data remains within the hospital.
- **Collaborative learning:** Multiple hospitals can contribute to a common AI model.
- **Reduced data sharing:** There is less need to transfer sensitive records to a central location.
- **Better use of distributed data:** Models can learn from different patient populations.
- **Support for healthcare applications:** FL can be applied to disease prediction, medical imaging, patient monitoring, and wearable healthcare systems.

Thus, Federated Learning provides a way for healthcare institutions to **learn collaboratively while maintaining greater control over their sensitive data**.




Fig 1: FEDERATED LEARNING WORKFLOW IN HEALTHCARE

1.3 TRADITIONAL MACHINE LEARNING VS FEDERATED LEARNING

Traditional Machine Learning generally uses a centralized approach in which data from different sources is collected and transferred to a central location for model training. In healthcare, this can be difficult because patient information is sensitive and cannot always be freely shared.

Federated Learning follows a distributed approach. Instead of transferring patient data to a central server, the model is sent to participating hospitals. Each hospital trains the model locally using its own data and sends only the model updates to the server. The server then combines the updates to create an improved global model.




Fig. 2: TRADITIONAL MACHINE LEARNING & FEDERATED LEARNING COMPARISON

FEATURE	TRADITIONAL MACHINE LEARNING	FEDERATED LEARNING
Data Location	Centralized	Local hospitals
Raw data sharing	Required	Not directly required
Training	Central server	Local institutions
Collaboration	Through shared data	Through model updates
Privacy	Greater data exposure	Reduced direct exposure
Healthcare suitability	Limited by data-sharing concerns	Suitable for distributed healthcare data

1.4 OBJECTIVES OF FEDERATED LEARNING

The main objective of Federated Learning in healthcare is to enable different institutions to collaboratively develop useful AI models while keeping their sensitive patient data within their respective locations.

The major objectives are:

1. **To protect patient privacy** by keeping sensitive healthcare data at the local institution.
2. **To enable collaboration** between multiple hospitals and healthcare organizations.
3. **To reduce centralized data collection** and the risks associated with transferring patient records.
4. **To develop effective AI models** using knowledge from distributed healthcare datasets.
5. **To support healthcare applications** such as disease prediction, medical imaging, and patient monitoring.

6. **To improve privacy and security** by combining FL with techniques such as secure aggregation and differential privacy.
7. **To support wearable and IoT-based healthcare systems** where data is naturally generated at different locations.

Overall, the objective is to allow healthcare institutions to **learn from distributed data without requiring them to directly exchange their raw patient information**.

CHAPTER 2

LITERATURE SURVEY

2.1 FEDERATED OPTIMIZATION

Federated optimization is an approach to training machine learning models when the training data is stored in different locations instead of being collected in one central database. It provides the foundation for Federated Learning, where multiple devices or institutions can contribute to model training while keeping their original data locally.

In healthcare, different hospitals may maintain their own patient records because of privacy requirements and institutional policies. Federated optimization allows these hospitals to train a shared model using their individual datasets. Each hospital performs training locally and sends model updates to a central server. The server combines the updates to improve the shared model.

One important research contribution in this area was made by Konečný and colleagues, who explored communication-efficient methods for learning from decentralized data. Later, McMahan and colleagues introduced the Federated Averaging algorithm, commonly known as FedAvg, which became an important method for combining local model training with centralized coordination.

For example, consider three hospitals that want to develop a model for predicting diabetes. Each hospital trains the model using its own patient records. Instead of transferring these records to a common database, the hospitals contribute model updates to a central server. The server combines the updates and distributes an improved model for the next training round.

Federated optimization is therefore important because it provides a way to learn from distributed datasets while reducing the need to transfer sensitive information. However, local data and model updates must still be handled carefully to maintain privacy and security.

2.2 FEDERATED AVERAGING (FedAvg)

Federated Averaging, commonly called FedAvg, is one of the important algorithms used in Federated Learning. It was introduced by McMahan and colleagues in 2017 to support model training when data is distributed across different devices or locations. The method allows local models to learn from separate datasets and combines their updates to produce a shared global model.

The process begins when a central server sends an initial model to participating hospitals. Each hospital trains the model using its own patient data and sends the updated model parameters back to the server. The server then calculates an average of the local model parameters, generally giving more weight to hospitals that used more training examples. This produces an updated global model, which is sent back to the hospitals for the next round of training.

For example, suppose three hospitals are training a model to predict diabetes. Each hospital may learn different patterns from patient information such as age, body mass index (BMI), blood sugar level, and blood pressure. FedAvg combines their model updates so that the global model can benefit from learning across all three hospitals.

The main steps involved in FedAvg are:

1. The central server sends the current global model to participating hospitals.
2. Each hospital trains the model locally using its own dataset.
3. Hospitals send their model updates to the central server.
4. The server calculates a weighted average of the local model parameters.
5. The updated global model is sent back to the hospitals.
6. The process repeats until the model reaches a suitable level of performance.

FedAvg helps reduce the need to transfer raw data and can make distributed training more communication-efficient. However, its performance depends on factors such as differences between local datasets, the number of training rounds, and the quality of the local data. The original research demonstrated that its approach could substantially reduce communication rounds compared with synchronized stochastic gradient descent in the experiments studied.




Fig 3: FEDERATED AVERAGING (FedAvg) Process

2.3 FEDERATED LEARNING IN MEDICAL IMAGING

Medical imaging plays an important role in identifying and understanding diseases. Doctors use images such as MRI scans and CT scans to examine internal organs, detect abnormalities, and support diagnosis. Artificial Intelligence models can assist in analyzing these images, but training reliable models often requires data from many patients and healthcare institutions.

In 2020, Sheller and colleagues published a study titled Federated Learning in Medicine: Facilitating Multi-Institutional Collaborations Without Sharing Patient Data. Their research investigated how multiple institutions could collaboratively train medical imaging models without directly exchanging patient data. The study demonstrated that federated training across ten institutions could achieve model quality close to that of centralized training in the experiments conducted.

One application of this approach is brain tumor segmentation. In this task, an AI model identifies and marks the region of a tumor in a brain MRI image. Convolutional Neural Networks (CNNs) and architectures such as U-Net can be used for image analysis and segmentation.

Under Federated Learning, each hospital trains the model using its own medical images. The model updates are then combined by a central server, allowing the shared model to learn from multiple institutions without requiring their original images to be collected in one place.

This research highlights the potential of Federated Learning in medical imaging, particularly when institutions want to collaborate but face restrictions on sharing patient data. It also shows why testing models across different hospitals is important, because differences in imaging equipment and patient populations can affect model performance.

2.4 FEDHEALTH FOR WEARABLE HEALTHCARE

Wearable devices such as smartwatches and fitness bands can collect information about a person's daily activities, movement, sleep, and other health-related measurements. These devices can support healthcare applications by helping identify activity patterns and changes in a person's condition. However, collecting and combining information from many users can create privacy concerns. Models trained for one group of users may also perform differently for another group.

To address these challenges, Chen and colleagues proposed FedHealth: A Federated Transfer Learning Framework for Wearable Healthcare. The framework combines Federated Learning with transfer learning. Federated Learning enables collaboration across distributed data sources, while transfer learning helps adapt a trained model to the characteristics of individual users or groups.

For example, wearable devices may collect movement data that helps an AI model recognize whether a person is walking, running, sitting, or performing another activity. Instead of collecting all users' raw sensor data in one central location, a federated approach allows local training and the sharing of model updates.

The FedHealth study reported a 5.3% improvement in wearable activity recognition accuracy compared with the traditional methods used in its experiments. It also explored an application related to Parkinson's disease assistance, demonstrating the potential of combining federated and personalized learning.

This research shows that Federated Learning can support wearable healthcare by enabling collaboration while reducing the need to centralize personal sensor data. It also highlights the value of personalization, since healthcare models may need to adapt to differences between individuals.

2.5 PRIVACY-FIRST HEALTH RESEARCH

Healthcare research uses sensitive patient information, making privacy an important concern. Traditional methods often collect data from different hospitals in one central location, which can increase privacy and security risks.

In 2021, Sadilek and colleagues published Privacy-First Health Research with Federated Learning in npj Digital Medicine. Their research explored how Federated Learning could support health studies related to diabetes, heart disease, and mortality prediction without directly sharing raw patient data.

The study demonstrated the potential of federated models to achieve results comparable to centralized approaches in the experiments conducted. It also explored differential privacy, which provides additional protection against revealing information about individual patients.

This research shows that Federated Learning can support collaborative healthcare research while protecting sensitive data. However, additional privacy techniques are important to strengthen data protection.

Another important aspect of this research is that hospitals can contribute to a common AI model while maintaining control over their own patient records. This can encourage collaboration between healthcare institutions and support research using diverse patient populations. Combining Federated Learning with suitable privacy techniques can help make healthcare research more secure and responsible.

CHAPTER 3

PROBLEM STATEMENT AND PROPOSED METHODOLOGY

3.1 PROBLEM STATEMENT

Healthcare institutions collect large amounts of patient data that can help develop effective Artificial Intelligence models. However, sharing this information between hospitals can create privacy and security concerns. As a result, valuable data often remains separated across different institutions, making collaborative model development difficult.

The main problem is: How can multiple healthcare institutions collaboratively train an effective AI model while keeping sensitive patient data private?

Federated Learning addresses this challenge by allowing hospitals to train a shared model locally and exchange model updates instead of raw patient records. This approach supports collaboration while reducing the need for centralized healthcare data collection.

3.2 PROPOSED FEDERATED LEARNING ARCHITECTURE

The proposed architecture consists of multiple hospitals connected to a central server. Each hospital stores its own patient data and uses it to train a local AI model. The central server coordinates the training process by distributing the global model and collecting updates from participating hospitals.

For example, Hospital A, Hospital B, and Hospital C can train a diabetes prediction model using their respective patient records. The central server combines their model updates to create an improved global model and sends it back to the hospitals.

The main components of this architecture are:

- Participating hospitals: Store patient data and train local models.
- Local AI models: Learn patterns from each hospital's data.
- Central server: Collects and combines model updates.
- Global model: Represents the shared model improved through collaborative training.




Fig 4: PROPOSED FEDERATED LEARNING ARCHITECTURE FOR HEALTHCARE

3.3 LOCAL MODEL TRAINING

In Federated Learning, each hospital trains the AI model using its own patient data. The data remains within the hospital, so there is no need to transfer complete patient records to the central server.

For diabetes prediction, hospitals may use features such as age, body mass index (BMI), blood sugar level, and blood pressure. These features help the model identify patterns associated with diabetes. Each hospital trains the model locally, allowing it to learn from its own patient population.

Since hospitals may have different numbers of patients and different data characteristics, their trained models may produce different updates. These updates are sent to the central server for aggregation.

Local model training is an important step because it allows hospitals to contribute to collaborative AI development while retaining their original datasets.

3.4 MODEL UPDATE SHARING

After completing local training, each hospital sends its model updates to the central server. These updates contain changes to the model parameters learned during training. The original patient records, such as names, medical histories, and laboratory results, are not directly sent to the server.

For example, Hospital A may learn patterns from its diabetes records that differ from those learned by Hospitals B and C. Each hospital sends its model updates, allowing the server to combine the learning contributions from all participating institutions.

However, model updates are not guaranteed to be completely private. Additional protection, such as secure aggregation or differential privacy, may be needed to reduce the risk of sensitive information being exposed.

3.5 FEDERATED AVERAGING (FedAvg)

Federated Averaging, or FedAvg, is the method used to combine the model updates received from participating hospitals. Instead of selecting the model from only one hospital, the central server calculates a weighted average of the local model parameters.

For example, suppose three hospitals train a diabetes prediction model using their own datasets. Each hospital produces an updated version of the model. The central server combines these updates to create a shared model that benefits from learning across the participating hospitals.

The main steps of FedAvg are:

1. The server distributes the current global model to the hospitals.
2. Each hospital trains the model locally.
3. The hospitals send their model updates to the server.
4. The server calculates a weighted average of the local model parameters.
5. The updated global model is sent back to the hospitals.

This process helps the model learn from different datasets without requiring the hospitals to directly exchange their raw patient records.

3.6 GLOBAL MODEL GENERATION

After receiving updates from the participating hospitals, the central server combines them to generate an improved global model. This model incorporates learning from the different local datasets and can be shared with all participating hospitals.

In the diabetes prediction example, the global model may learn patterns from patient data available across Hospitals A, B, and C. Each hospital can then use the updated model for further local training or evaluation.

The quality of the global model depends on factors such as the quality of local data, differences between patient populations, and the training process. Therefore, the model should be evaluated carefully before it is used to support real clinical decisions.

3.7 ITERATIVE TRAINING PROCESS

Federated Learning follows a repeated training process in which the global model is gradually improved through contributions from multiple hospitals. The process begins when the central server distributes an initial model to all participating hospitals. Each hospital trains the model locally using its own patient data and sends the resulting model updates back to the server.

The central server combines these updates using Federated Averaging (FedAvg) to generate an improved global model. This updated model is then distributed to the hospitals for the next round of training. Each hospital continues learning from its local dataset, and the server combines the new updates to further improve the shared model.

For example, in diabetes prediction, Hospital A may learn patterns related to blood sugar levels, while Hospitals B and C may contribute other useful patterns from their patient records.
By repeating the training and aggregation process, the global model can benefit from the learning performed across all participating hospitals.

These rounds continue until the model reaches a satisfactory level of performance or a predefined stopping condition is met. Throughout the process, the original patient records remain within their respective hospitals, reducing the need for direct data sharing.

Thus, iterative training enables continuous collaboration between healthcare institutions and helps develop a more useful global model while supporting patient privacy.

In conclusion, Federated Learning enables hospitals to train AI models collaboratively while keeping patient data private.

CHAPTER 4

APPLICATIONS OF FEDERATED LEARNING IN HEALTHCARE

4.1 DISEASE PREDICTION

Federated Learning can support the development of AI models for predicting diseases such as diabetes and heart disease. These models learn from patient information, including age, blood pressure, blood sugar levels, BMI, and medical history.

For example, multiple hospitals can train a diabetes prediction model using their own patient records. Each hospital trains the model locally and shares only its model updates with the central server. The server combines these updates to develop a global model that learns from different patient populations.

This approach can help healthcare institutions develop collaborative prediction systems without directly transferring their patient databases. However, the model must be properly tested before being used to support clinical decisions.

4.2 MEDICAL IMAGING

Medical imaging is an important application of Artificial Intelligence in healthcare. Doctors use MRI scans, CT scans, and X-rays to identify abnormalities and diagnose diseases. AI models can help analyze these images and identify regions that may require further examination.

Federated Learning allows multiple hospitals to train medical image analysis models using their own image datasets. For example, hospitals can collaboratively train a model to identify and segment brain tumors in MRI scans without directly sharing the original images.

Convolutional Neural Networks (CNNs) and U-Net architectures can be used for image analysis and segmentation. By combining local training across hospitals, Federated Learning can support the development of medical imaging models that learn from diverse datasets.

4.3 PATIENT MONITORING

Patient monitoring involves continuously or periodically observing health measurements to understand a person's condition. Common measurements include heart rate, blood pressure, body temperature, oxygen saturation, and physical activity.

AI models can analyze these measurements to identify unusual patterns and support early detection of possible health problems. Federated Learning enables hospitals and connected healthcare devices to contribute to model training without requiring all the collected data to be transferred to a central database.

For example, different hospitals can train a model using their locally collected patient monitoring data. The model updates are then combined to improve the shared model. This can support the development of privacy-aware monitoring systems for hospitals and remote healthcare environments.

4.4 PERSONALIZED HEALTHCARE

Personalized healthcare aims to provide care that considers an individual's health condition, medical history, and specific needs. AI models can help identify patterns in patient information and support healthcare professionals in making more informed decisions.

Federated Learning enables models to learn from different patient populations while keeping the original data at its source. Transfer learning and other personalization methods can then help adapt a shared model to the characteristics of a particular hospital or patient group.

For example, a general health prediction model trained across several hospitals may be adapted to better suit the patient population of a specific hospital. This can support more relevant predictions while reducing the need to centralize sensitive patient records.

4.5 ELECTRONIC HEALTH RECORDS

Electronic Health Records (EHRs) contain important information about patients, including medical history, diagnoses, medications, laboratory results, and previous treatments. Analyzing these records can help identify health trends and support disease prediction.

However, EHR data is sensitive, and hospitals may face restrictions when sharing it with other institutions. Federated Learning provides a way for different hospitals to collaboratively train AI models using their own electronic records.

Each hospital processes its records locally and shares model updates with the central server. The server combines these updates to create a global model that can learn from information across multiple institutions without directly collecting their complete EHR datasets.

This application demonstrates how Federated Learning can support collaborative medical research and data-driven healthcare while reducing the need for direct exchange of sensitive records.

CHAPTER 5

MODELS AND TECHNOLOGIES USED WITH FEDERATED LEARNING

5.1 MACHINE LEARNING MODELS

Machine Learning models identify patterns in data and use them to make predictions. In healthcare, these models can assist in predicting diseases, analyzing patient records, and identifying changes in health conditions.

Common models include Logistic Regression, Decision Trees, Random Forests, and Neural Networks. Logistic Regression can be used for predicting outcomes such as whether a patient may have a particular disease. Decision Trees and Random Forests can identify relationships between different patient characteristics, while Neural Networks can learn more complex patterns.

With Federated Learning, these models can be trained locally at different hospitals. The hospitals share model updates with a central server, which combines them to create an improved global model.

The choice of model depends on the application, the available data, and the computational resources of the participating institutions.

5.2 CONVOLUTIONAL NEURAL NETWORKS (CNN)

A Convolutional Neural Network (CNN) is a type of Deep Learning model commonly used for image processing and recognition. It automatically learns important visual features, such as edges, shapes, textures, and patterns, from images.

In healthcare, CNNs can be used to analyze medical images such as X-rays, CT scans, and MRI scans. They can help identify patterns associated with abnormalities and support tasks such as disease classification.

When combined with Federated Learning, CNN models can be trained using medical images stored at different hospitals. Each hospital trains the model locally and sends its updates to the central server. The server combines these updates to improve the shared model without directly collecting the original images.

Thus, CNNs provide image-analysis capabilities, while Federated Learning provides a method for collaborative training across institutions.

5.3 U-NET FOR MEDICAL IMAGE SEGMENTATION

U-Net is a deep learning architecture commonly used for medical image segmentation. Image segmentation means identifying and marking specific regions within an image rather than simply classifying the entire image.

The architecture has two main parts: an encoder, which learns important features from the input image, and a decoder, which uses these features to produce a detailed segmentation map. Its structure helps the model locate and outline regions of interest.

In healthcare, U-Net can be used to identify regions such as tumors in brain MRI scans. When combined with Federated Learning, hospitals can train a shared segmentation model using their own medical images without directly exchanging the original patient scans.

Research by Sheller and colleagues demonstrated the use of Federated Learning for multi-institutional medical image analysis, including brain tumor segmentation. This illustrates how distributed hospitals can collaborate on complex image-analysis tasks.

5.4 TRANSFER LEARNING

Transfer Learning is a Machine Learning technique in which knowledge learned by a model on one task or dataset is reused to help with another related task. Instead of training a model entirely from the beginning, a previously trained model can be adapted to a new application.

In healthcare, Transfer Learning can be useful when a hospital has a limited amount of labeled data. For example, a model trained on a large collection of medical images may be adapted to analyze images from a particular hospital.

Transfer Learning can also be combined with Federated Learning to support personalization. A shared model can learn from several institutions, while local adaptation helps it better suit the needs of a particular hospital or group of patients.

The FedHealth framework is an example of combining Federated Learning with Transfer Learning for wearable healthcare and activity recognition.

5.5 WEARABLE AND IOT DEVICES

Wearable and Internet of Things (IoT) devices are increasingly used to collect health-related information. Examples include smartwatches, fitness bands, heart-rate monitors, and connected medical sensors. These devices can measure information such as heart rate, physical activity, sleep patterns, and other physiological signals.

The collected data can support patient monitoring and healthcare applications. However, sending all this information to a central server may raise privacy concerns and increase communication requirements.

Federated Learning can allow compatible devices or local healthcare systems to train models using locally available data and share model updates with a coordinating server. The server combines the updates and distributes an improved model.

For example, wearable devices may collect activity data that helps a model recognize whether a person is walking, running, or resting. Federated Learning can help train such models across multiple users or devices without requiring all raw sensor data to be collected in one central location.

Overall, combining Federated Learning with wearable and IoT technologies creates opportunities for privacy-aware remote monitoring and personalized healthcare.

CHAPTER 6

PRIVACY AND SECURITY TECHNIQUES

6.1 SECURE AGGREGATION

Secure aggregation is a technique that protects individual model updates during the Federated Learning process. Normally, participating hospitals send their model updates to a central server, which combines them to create an improved global model. If the updates are visible individually, they may reveal information about the local training data under certain conditions.

With secure aggregation, the server can obtain the combined result without directly viewing each hospital's individual update. For example, three hospitals can contribute their updates to a diabetes prediction model, and the server receives the combined update rather than examining each contribution separately.

This technique adds an extra layer of privacy while allowing collaborative training to continue. It is especially useful in healthcare, where institutions must handle patient information carefully.

6.2 DIFFERENTIAL PRIVACY

Differential privacy is a privacy protection technique that limits how much information an analysis or model output can reveal about an individual record. It commonly achieves this by adding carefully controlled statistical noise to data, model updates, or results.

In healthcare Federated Learning, differential privacy can be applied to model updates before they are shared with the server. This makes it more difficult to determine whether a particular patient's information influenced the training process.

For example, when hospitals train a model to predict diabetes, differential privacy can help reduce the risk of revealing information about a specific patient through the resulting model. However, adding too much noise may reduce model usefulness, so an appropriate balance between privacy and accuracy is important.

6.3 DATA ANONYMIZATION

Data anonymization involves removing or modifying identifying information so that individuals cannot easily be identified from a dataset. In healthcare, this may involve removing names, phone numbers, addresses, and other direct identifiers from patient records.

For example, before using a dataset for analysis, a hospital may remove patients' names and replace their identities with randomly generated codes. This can reduce the exposure of personal information during certain research activities.

However, removing direct identifiers does not always guarantee complete anonymity. A person may sometimes be identified by combining remaining details with information from other sources. Therefore, anonymization should be used carefully and combined with appropriate access controls and privacy measures.

In Federated Learning, anonymization can provide an additional layer of protection when preparing local healthcare datasets, although FL itself does not require hospitals to send their raw datasets to the central server.

6.4 ENCRYPTION

Encryption protects information by converting readable data into a coded form that can only be accessed using the appropriate decryption key. It is widely used to protect sensitive information during storage and communication.

In a healthcare Federated Learning system, encryption can protect communications between hospitals and the central server. This helps prevent unauthorized parties from reading model updates while they are being transmitted over a network.

For example, when a hospital sends a model update to the server, an encrypted communication channel can help protect that update from interception. Encryption is therefore an important part of securing communication between participating institutions.

However, ordinary communication encryption does not by itself prevent a server from inspecting updates after they have been decrypted. Other techniques, such as secure aggregation, may be needed to provide additional protection.

6.5 SECURE MULTI-PARTY COMPUTATION

Secure Multi-Party Computation (SMPC) is a cryptographic technique that allows multiple participants to calculate a result together without revealing their individual private inputs to one another.

In healthcare Federated Learning, different hospitals may use SMPC-based methods to contribute to a combined model update while protecting their individual contributions. The participants can obtain the required combined result without each hospital having to disclose its private information directly to the others.

For example, several hospitals may want to combine information from their locally trained models to improve a shared disease prediction system. Secure multi-party computation can help protect individual contributions during this collaborative process.

Although SMPC can provide strong privacy protection, it may introduce additional communication and computational requirements. Its practical use depends on the number of participants, system design, and available resources.

6.6 HOMOMORPHIC ENCRYPTION

Homomorphic encryption is a cryptographic technique that allows certain computations to be performed directly on encrypted data. The result remains encrypted and can be decrypted by an authorized party later.

In Federated Learning, homomorphic encryption may be used to protect model updates or other information while calculations are performed. For example, a central server could combine encrypted contributions from different hospitals without first accessing their values in readable form.

This approach can provide an additional layer of confidentiality for collaborative healthcare AI. However, homomorphic encryption can require substantial computational resources, which may increase training time and system complexity.

Therefore, it is generally considered a specialized privacy-enhancing option whose suitability depends on the security requirements and performance limitations of the healthcare system.




Fig 5: PRIVACY AND SECURITY TECHNIQUES IN FEDERATED LEARNING

CHAPTER 7

EXPERIMENTAL RESULTS AND DISCUSSION

7.1 FEDAVG RESULTS

McMahan and colleagues introduced Federated Averaging (FedAvg) in 2017 as a method for training machine learning models using decentralized data. In this approach, individual participants train a model locally, and a central server combines their model parameters to create an improved global model.

Their experiments showed that FedAvg could substantially reduce the number of communication rounds required compared with synchronized stochastic gradient descent in the settings they evaluated. The paper reported reductions of approximately 10–100 times in communication rounds across its experiments.

This is important because transferring model updates between participants can consume network resources and increase training time. By performing multiple local training steps before communication, FedAvg can reduce the frequency of communication with the central server.

In healthcare, this approach can allow hospitals to contribute to a shared AI model while retaining their original patient records locally. However, the communication savings reported in the original paper should not be interpreted as a guarantee that every healthcare application will achieve the same improvement.

7.2 FEDHEALTH RESULTS

FedHealth is a Federated Learning framework designed for wearable healthcare applications. It combines Federated Learning with transfer learning to support activity recognition and adaptation to differences between users.

Wearable devices collect sensor information that can help identify activities such as walking, running, and sitting. Training a common model using data from multiple users may improve its usefulness, but transferring all raw sensor data to a central server can raise privacy concerns.

The FedHealth research reported a 5.3% improvement in activity recognition accuracy compared with the traditional methods used in its experiments. This finding suggests that combining federated and transfer learning can improve performance in the evaluated wearable healthcare setting.

The result is relevant to applications involving fitness trackers, smartwatches, and remote patient monitoring. However, the reported improvement applies to the study's experimental setup and should not be assumed for every wearable device or healthcare dataset.

7.3 BRAIN TUMOR SEGMENTATION RESULTS

Sheller and colleagues investigated Federated Learning for brain tumor segmentation using medical images from multiple institutions. Brain tumor segmentation involves identifying and outlining the tumor region in an MRI scan, helping researchers and clinicians examine its location and extent.

In this study, the researchers explored collaborative model training without requiring participating institutions to share their original medical images. Their results showed that federated training could achieve performance comparable to centralized training in the experiments conducted.

This finding is significant because medical images are sensitive and may be subject to institutional data-sharing restrictions. Federated Learning offers a way for hospitals to contribute to a common model while maintaining local control over their image datasets.

The study demonstrates the potential of FL in medical imaging, although actual performance can depend on the image quality, patient population, model architecture, and differences between participating hospitals.

7.4 COLLABORATIVE HEALTHCARE PREDICTION

Federated Learning can also be applied to healthcare prediction using information stored in Electronic Health Records (EHRs). These records may contain patient history, laboratory results, diagnoses, medications, and other clinical information.

When hospitals train models independently, each model learns from the data available at that institution. Federated Learning allows the hospitals to combine their learning through model updates, helping develop a shared prediction model without directly pooling all their patient records.

For example, hospitals may collaboratively train a model to estimate the risk of a disease using locally available patient information. Each institution trains the model on its own records, and the central server aggregates the updates to improve the shared model.

This approach can support research involving disease risk prediction and clinical decision support. However, its effectiveness depends on factors such as data quality, differences in patient populations, and the suitability of the model for the prediction task.

Furthermore, Federated Learning can help healthcare institutions identify patterns that may not be clearly visible when examining data from a single hospital. For example, a hospital may observe certain disease patterns among its patients, while another hospital may have information about different risk factors. By combining their model updates, these institutions can contribute to a shared prediction model that learns from a broader range of patient information. This can support more informed healthcare research while allowing each hospital to retain its original patient

records locally. However, the usefulness of the resulting model depends on the quality and diversity of the data available at each institution.

7.5 OVERALL DISCUSSION

The studies discussed in this chapter demonstrate the potential of Federated Learning across different healthcare applications. FedAvg focuses on efficient model training, FedHealth explores wearable healthcare, and medical imaging research demonstrates collaboration across institutions without directly sharing original images.

The findings indicate that Federated Learning can provide useful model performance while reducing the need for centralized collection of sensitive data. However, it also introduces challenges involving communication costs, differences between local datasets, model performance, and privacy protection for shared updates.

Therefore, Federated Learning should be viewed as a promising approach to collaborative healthcare AI rather than a complete solution to every privacy or performance challenge. Additional techniques, such as secure aggregation and differential privacy, may be needed depending on the application and its security requirements.

CHAPTER 8

CHALLENGES AND FUTURE SCOPE

8.1 PRIVACY AND SECURITY CHALLENGES

Although Federated Learning keeps raw patient data within individual hospitals, it does not guarantee complete privacy. Model updates exchanged during training may reveal sensitive information under certain conditions. Malicious participants may also attempt to send incorrect updates or manipulate the learning process.

These risks are important in healthcare because patient information must be handled carefully. Techniques such as secure aggregation, differential privacy, and encryption can provide additional protection. Future research should focus on strengthening these techniques while maintaining the usefulness and accuracy of healthcare models.

8.2 COMMUNICATION AND COMPUTATION CHALLENGES

Federated Learning requires participating hospitals to communicate with a central server during multiple training rounds. Sending model updates repeatedly can consume network bandwidth and increase training time, especially when the model is large or the connection is slow.

Local training also requires computing resources, which may be limited in smaller hospitals or wearable devices. Researchers can address these problems through model compression, efficient update-sharing methods, and reduced communication frequency. These improvements could make Federated Learning more practical for healthcare institutions with different levels of technical resources.

8.3 DATA HETEROGENEITY

Data heterogeneity refers to differences between datasets stored at participating institutions. Hospitals may serve different patient populations, use different medical equipment, and follow different procedures for recording clinical information. As a result, their datasets may contain different patterns and distributions.

For example, one hospital may treat more elderly patients, while another may have a larger number of younger patients. A model trained collaboratively may perform well at one hospital but less effectively at another.

Future research should develop methods that handle these differences and improve model performance across institutions. Personalized Federated Learning and suitable data-balancing strategies may help address this challenge.

8.4 SCALABILITY

Scalability refers to the ability of a system to continue working efficiently as the number of participating hospitals, devices, or datasets increases. A Federated Learning system involving only a few hospitals may be easier to manage than one involving hundreds of institutions and thousands of devices. As participation grows, coordinating training, managing communication, handling unavailable participants, and protecting model updates become more complex. These issues can affect the efficiency of the entire system.

Future FL systems should be designed to support larger networks of healthcare institutions while maintaining reliable performance and appropriate security. More efficient aggregation methods and flexible system architectures can help achieve this goal.

8.5 PERSONALIZED HEALTHCARE AI

Personalized healthcare aims to provide predictions and recommendations that better match an individual's needs. However, patients differ in age, medical history, lifestyle, and response to treatment. A single global model may not provide equally useful results for every patient or hospital. Federated Learning can be combined with personalization methods to adapt a shared model to local patient populations. For example, a global disease prediction model could be adjusted using a hospital's local data without transferring those records to other institutions.

In the future, personalized Federated Learning may support more suitable disease-risk predictions and patient monitoring. Such systems will still require careful clinical evaluation before being used to support real medical decisions.

8.6 IoT, WEARABLES AND EDGE AI

Wearable devices and Internet of Things (IoT) systems can collect health information such as heart rate, physical activity, and other physiological measurements. Federated Learning can help these devices or connected healthcare systems contribute to model training without routinely sending all their raw data to a central location. Edge AI can further support this approach by performing computation close to where data is generated, such as on a wearable device, a local gateway, or a hospital computer. This can reduce the need to transmit large amounts of raw information and may support faster responses in some applications.

In the future, combining Federated Learning with IoT, wearables, and Edge AI could improve remote patient monitoring and health-related activity recognition. However, limited battery life, processing power, network connectivity, and device security must be considered.

8.7 REAL-WORLD CLINICAL DEPLOYMENT

Moving Federated Learning from research experiments into real hospitals is another important challenge. A model that performs well in a research study may not automatically work equally well in different clinical environments. Hospitals may use different software systems, data formats, medical equipment, and patient-recording procedures. Before deployment, models must be tested carefully to evaluate their reliability, safety, and performance across different patient groups. Healthcare institutions must also establish clear responsibilities for data governance, system maintenance, security, and clinical oversight.

Future research should focus on real-world trials, interoperability between hospital systems, and appropriate clinical validation. These steps can help determine whether Federated Learning models are reliable enough for practical healthcare use.




Fig 6: CHALLENGES AND FUTURE SCOPE OF FEDERATED LEARNING

CHAPTER 9

CONCLUSION

9.1 SUMMARY OF FEDERATED LEARNING

Federated Learning is a machine learning approach that allows multiple healthcare institutions to work together to develop a shared AI model without directly sharing their original patient data. In traditional machine learning, data from different sources may need to be collected in one central location. However, Federated Learning allows each hospital to keep its patient records locally and train the model using its own data.

During the learning process, hospitals send model updates to a central server, which combines them using techniques such as Federated Averaging (FedAvg). The updated global model is then shared with the participating hospitals for further training. This process allows the model to learn from different patient populations while reducing the need to transfer sensitive medical information.

Federated Learning has potential applications in disease prediction, medical image analysis, patient monitoring, and personalized healthcare. It provides a useful approach to collaborative healthcare research while helping institutions maintain control over their patient data.

9.2 IMPORTANCE OF KEY TECHNOLOGIES

The success of Federated Learning in healthcare depends on several machine learning and privacy-enhancing technologies. Federated Averaging helps combine model updates received from different hospitals to create a shared model. Machine learning models and deep learning techniques, including Convolutional Neural Networks (CNNs) and U-Net, can support tasks such as disease prediction and medical image segmentation.

Privacy-enhancing techniques are also important. Secure aggregation helps protect individual model updates, while differential privacy adds protection against attempts to infer information about individual patients. Encryption can help protect information during storage and transmission.

Together, these technologies support collaborative model development while addressing important privacy and security concerns. However, Federated Learning alone does not guarantee complete privacy, so appropriate safeguards are necessary.

9.3 EXPECTED FUTURE IMPACT

Federated Learning is expected to contribute to the development of more collaborative and privacy-conscious healthcare systems. Hospitals and research institutions may be able to develop AI models using knowledge from a wider range of patients without directly exchanging their original medical records.

In the future, Federated Learning could support earlier disease detection, improved medical image analysis, continuous patient monitoring, and more personalized treatment recommendations. It may also be useful with wearable devices and Internet of Things (IoT) technologies, where health information can be processed closer to the source.

These developments could improve the use of AI in healthcare research and decision-making. However, their actual impact will depend on model reliability, data quality, clinical validation, security, and responsible implementation.

9.4 FUTURE RESEARCH DIRECTIONS

Further research is needed to make Federated Learning more secure, efficient, and suitable for real-world healthcare environments. One important direction is improving privacy protection so that sensitive information cannot easily be inferred from shared model updates. Researchers can also explore efficient communication methods to reduce the time and bandwidth required for repeated model updates.

Another direction is addressing differences between hospitals. Medical data can vary because of patient populations, medical equipment, and data collection practices. Developing methods that handle these differences can improve the usefulness of shared models across institutions.

Future research may also focus on combining Federated Learning with Edge AI, wearable healthcare devices, and personalized learning techniques. Finally, extensive clinical testing and evaluation are required before these systems can be adopted widely in healthcare. These improvements can help make Federated Learning a more practical and trustworthy approach to privacy-preserving healthcare.

REFERENCES

[1] Konečný, J., McMahan, H. B., Ramage, D., and Richtárik, P. (2016). Federated Optimization: Distributed Machine Learning for On-Device Intelligence. arXiv:1610.02527.

[2] McMahan, B., Moore, E., Ramage, D., Hampson, S., and Agüera y Arcas, B. (2017). Communication-Efficient Learning of Deep Networks from Decentralized Data. Proceedings of the 20th International Conference on Artificial Intelligence and Statistics, 54, 1273–1282.

[3] Sheller, M. J., Edwards, B., Reina, G. A., et al. (2020). Federated Learning in Medicine: Facilitating Multi-Institutional Collaborations Without Sharing Patient Data. Scientific Reports, 10, Article 12598.

[4] Chen, Y., et al. (2020). FedHealth: A Federated Transfer Learning Framework for Wearable Healthcare. IEEE Intelligent Systems, 35(4), 83–93.

[**5**] Sadilek, A., Liu, L., Nguyen, D., et al. (2021). Privacy-First Health Research with Federated Learning. npj Digital Medicine, 4, Article 132.