JAVA PROJECT PRESENTATION

Student Council Election Tally System

A simple, reliable workflow for recording votes and announcing results.

TEAM MEMBERS

K. Pravalika [2620030186]

Y. Devi Harshini [2620030512]



THE NEED

Why an election tally system is needed

A clear digital process makes every vote easier to organize, check, and explain.

Manual counting

Manual counting can be slow and difficult to verify.

Digital tally

A digital tally system organizes votes and reduces calculation errors.

Java in practice

The project demonstrates how Java can support a simple election workflow.

PROJECT OBJECTIVES

Turn each vote into a clear result

01 Record votes for student council candidates.

02 Validate voter and candidate inputs.

03 Calculate totals automatically.

04 Display the winner and final results clearly.



WORKFLOW

How the system works

The tally follows one repeatable path from setup to result.

01

Set up

Set up candidate details.

02

Validate

Accept and validate each vote.

03

Update

Update the tally immediately.

04

Announce

Compare totals and announce the result.

FUNCTIONALITY

Key features

Each feature supports a small part of the election journey.



Register

Candidate registration and vote selection.



Validate

Input validation for valid choices.



Count live

Live vote counting as choices are processed.



Summarize

Result summary with candidate totals.



Guide

Simple menu-driven interaction.

JAVA FOUNDATION

Java concepts used

The system connects familiar programming structures to real election tasks.

Classes and objects

For candidates and election data.

Arrays or collections

Store candidates and vote totals.

Loops and conditional statements

Process votes.


Methods

For validation, counting, and result display.

ARCHITECTURE

System design

Four focused modules keep the election logic easy to follow.



RELIABILITY CHECKS

Validation and reliability



Reject invalid input

Reject invalid candidate numbers or menu choices.



Protect updates

Prevent accidental tally updates from incomplete input.



Stay consistent

Keep vote processing consistent for every voter.



Handle ties

Handle ties or display a tie message when totals match.

DEMONSTRATION

Example result flow

A sample election moves from candidate totals to a final decision.

Candidate	Votes
Candidate A	[enter value]
Candidate B	[enter value]
Candidate C	[enter value]

Total votes are calculated from the entered candidate values.

FINAL CHECK

The winner is the candidate with the highest total.

If two or more candidates have matching highest totals, the system displays a tie message for review.

TAKEAWAY

Conclusion and future scope

The Java system makes vote tallying faster, clearer, and easier to verify.

Today

Simple Java structures model a complete election process.

Next

Future versions could add login security, a graphical interface, database storage, and downloadable reports.



Thank You!

Student Council Election Tally System

Questions?