

EXPERIMENT 2

```
mysql> show databases;
```

Database
csa050
csa0508
dbms
exp1
information_schema
mysql
performance_schema
sys

```
8 rows in set (0.01 sec)
```

```
mysql> use exp1;
```

```
Database changed
```

```
mysql> desc employee;
```

Field	Type	Null	Key	Default	Extra
E_no	int	YES		NULL	
E_name	varchar(30)	YES		NULL	
E_address	varchar(100)	YES		NULL	
E_ph_no	varchar(50)	YES		NULL	
dept_no	int	YES		NULL	
dept_name	varchar(30)	YES		NULL	
job_id	varchar(10)	YES		NULL	
salary	int	YES		NULL	
hiredate	date	YES		NULL	

```
9 rows in set (0.01 sec)
```

```
mysql> INSERT INTO employee
```

```
-> VALUES
```

```
-> (10,'abi','chennai','9876543289',10,'sales','s001',10000000,'2007-05-15'),
```

```
->
```

```
-> (11,'james','mumbai','9876543290',20,'mech','m001',45000,'2004-10-30'),
```

```
-> (12,'rahul','delhi','9876543291',10,'sales','s002',38000,'2008-09-23'),
```

```
->
```

```
(13,'keerthi','vellore','9876545432',34,'bioinfo','b001',123456,'2007-10-30'),
```

```
->
```

```
(13,'keerthi','vellore','9876545432',34,'bioinfo','b001',123456,'2007-10-23');
```

```
Query OK, 5 rows affected (0.03 sec)
```

```
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM employee;
```

```
+-----+-----+-----+-----+-----+-----+
```

```

+-----+
| E_no | E_name | E_address | E_ph_no | dept_no | dept_name | job_id | salary |
| hiredate |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
| 10 | abi | chennai | 9876543289 | 10 | sales | s001 | 10000000 |
| 2007-05-15 |
| 11 | james | mumbai | 9876543290 | 20 | mech | m001 | 45000 |
| 2004-10-30 |
| 12 | rahul | delhi | 9876543291 | 10 | sales | s002 | 38000 |
| 2008-09-23 |
| 13 | keerthi | vellore | 9876545432 | 34 | bioinfo | b001 | 123456 |
| 2007-10-30 |
| 13 | keerthi | vellore | 9876545432 | 34 | bioinfo | b001 | 123456 |
| 2007-10-23 |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
5 rows in set (0.00 sec)

```

mysql> select * from employee where dept_no = 10;

```

+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
| E_no | E_name | E_address | E_ph_no | dept_no | dept_name | job_id | salary |
| hiredate |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
| 10 | abi | chennai | 9876543289 | 10 | sales | s001 | 10000000 |
| 2007-05-15 |
| 12 | rahul | delhi | 9876543291 | 10 | sales | s002 | 38000 |
| 2008-09-23 |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
2 rows in set (0.01 sec)

```

mysql> update employee set E_address = 'nagpur' where E_no = 12;

Query OK, 1 row affected (0.02 sec)

Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from employee;

```

+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
| E_no | E_name | E_address | E_ph_no | dept_no | dept_name | job_id | salary |
| hiredate |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
| 10 | abi | chennai | 9876543289 | 10 | sales | s001 | 10000000 |
| 2007-05-15 |
| 11 | james | mumbai | 9876543290 | 20 | mech | m001 | 45000 |
| 2004-10-30 |
| 12 | rahul | nagpur | 9876543291 | 10 | sales | s002 | 38000 |

```

```

| 2008-09-23 |
| 13 | keerthi | vellore | 9876545432 | 34 | bioinfo | b001 | 123456
| 2007-10-30 |
| 13 | keerthi | vellore | 9876545432 | 34 | bioinfo | b001 | 123456
| 2007-10-23 |
+-----+-----+-----+-----+-----+-----+-----+-----+
-+-----+
mysql> select * from employee where dept_name = 'mech';

```

```

+-----+-----+-----+-----+-----+-----+-----+-----+
| E_no | E_name | E_address | E_ph_no | dept_no | dept_name | job_id | salary |
hiredate |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 11 | james | mumbai | 9876543290 | 20 | mech | m001 | 45000 |
2004-10-30 |
+-----+-----+-----+-----+-----+-----+-----+-----+
-+-----+
1 row in set (0.00 sec)

```

```

mysql> alter table employee add email_id varchar(30);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc employee;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| E_no | int | YES | | NULL | |
| E_name | varchar(30) | YES | | NULL | |
| E_address | varchar(100) | YES | | NULL | |
| E_ph_no | varchar(50) | YES | | NULL | |
| dept_no | int | YES | | NULL | |
| dept_name | varchar(30) | YES | | NULL | |
| job_id | varchar(10) | YES | | NULL | |
| salary | int | YES | | NULL | |
| hiredate | date | YES | | NULL | |
| email_id | varchar(30) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
10 rows in set (0.02 sec)

```

```

mysql> update employee set email_id = 'abi@gmail.com' where E_no = 10;
Query OK, 1 row affected (0.02 sec)
Rows matched: 1 Changed: 1 Warnings: 0

```

```

mysql> update employee set email_id = 'james@gmail.com' where E_no = 11;
Query OK, 1 row affected (0.02 sec)
Rows matched: 1 Changed: 1 Warnings: 0

```

```
mysql> update employee set email_id = 'rahul@gmail.com' where E_no = 12;
Query OK, 1 row affected (0.02 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> update employee set email_id = 'keerthi@gmail.com' where E_no = 13;
Query OK, 2 rows affected (0.02 sec)
Rows matched: 2  Changed: 2  Warnings: 0
```

```
mysql> update employee set email_id = 'keerthi@gmail.com' where E_no = 14;
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0  Changed: 0  Warnings: 0
```

```
mysql> select * from employee;
```

E_no	E_name	E_address	E_ph_no	dept_no	dept_name	job_id	salary
10	abi	chennai	9876543289	10	sales	s001	10000000
2007-05-15	abi@gmail.com						
11	james	mumbai	9876543290	20	mech	m001	45000
2004-10-30	james@gmail.com						
12	rahul	nagpur	9876543291	10	sales	s002	38000
2008-09-23	rahul@gmail.com						
13	keerthi	vellore	9876545432	34	bioinfo	b001	123456
2007-10-30	keerthi@gmail.com						
13	keerthi	vellore	9876545432	34	bioinfo	b001	123456
2007-10-23	keerthi@gmail.com						

5 rows in set (0.00 sec)

```
mysql> update employee set email_id = NULL where E_name = 'james';
Query OK, 1 row affected (0.02 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> select * from employee;
```

E_no	E_name	E_address	E_ph_no	dept_no	dept_name	job_id	salary
10	abi	chennai	9876543289	10	sales	s001	10000000
2007-05-15	abi@gmail.com						
11	james	mumbai	9876543290	20	mech	m001	45000
2004-10-30	NULL						
12	rahul	nagpur	9876543291	10	sales	s002	38000

2008-09-23	rahul@gmail.com						
13	keerthi	vellore	9876545432	34	bioinfo	b001	123456
2007-10-30	keerthi@gmail.com						
13	keerthi	vellore	9876545432	34	bioinfo	b001	123456
2007-10-23	keerthi@gmail.com						

```

+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+

```

5 rows in set (0.00 sec)

mysql> select * from employee where dept_name = 'sales';

```

+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+
| E_no | E_name | E_address | E_ph_no | dept_no | dept_name | job_id | salary |
| hiredate | email_id | | | | | | |
+-----+-----+-----+-----+-----+-----+-----+-----+

```

10	abi	chennai	9876543289	10	sales	s001	10000000
2007-05-15	abi@gmail.com						
12	rahul	nagpur	9876543291	10	sales	s002	38000
2008-09-23	rahul@gmail.com						

```

+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+

```

2 rows in set (0.00 sec)