

**Aim:**

Write a program to implement queue using **arrays**.

**Source Code:**QueueUsingArray.c

```
#include <conio.h>
#include <stdio.h>
#include "QueueOperations.c"
int main() {
    int op, x;
    while(1) {
        printf("1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit\n");
        printf("Enter your option : ");
        scanf("%d",&op);
        switch(op) {
            case 1:
                printf("Enter element : ");
                scanf("%d",&x);
                enqueue(x);
                break;
            case 2:
                dequeue();
                break;
            case 3:
                display();
                break;
            case 4:
                isEmpty();
                break;
            case 5:
                size();
                break;
            case 6: exit(0);
        }
    }
}
```

QueueOperations.c

```
#include<stdio.h>
#define MAX 100
int queue[MAX];
int rear=-1,front=-1;
int count=0;
int enqueue(int x)
{
    if(front== -1 && rear== -1)
    {
```

```

        front++,rear++;
        count++;
        queue[rear]=x;
    }
    else if(rear==MAX-1)
    {
        printf("Queue is overflow\n");
    }
    else
    {
        rear++;
        count++;
        queue[rear]=x;
    }
    printf("Successfully inserted.\n");
}
int dequeue()
{
    int x;
    if(front== -1 && rear== -1)
    {
        printf("Queue is underflow.\n");
    }
    else if(front==rear)
    {
        printf("Deleted element = %d\n",queue[rear]);
        front=rear=-1;
        count--;
    }
    else
    {
        printf("Deleted element = %d\n",queue[front]);
        front++;
        count--;
    }
    return x;
}
int display()
{
    if(front== -1 && rear== -1)
    {
        printf("Queue is empty.\n");
    }
    else
    {
        printf("Elements in the queue : ");
        for(int i=front;i<=rear;i++)
        {
            printf("%d ",queue[i]);
        }
        printf("\n");
    }
}
int isEmpty()
{
    if(front== -1 && rear== -1)

```

```

{
    printf("Queue is empty.\n");
}
else
{
    printf("Queue is not empty.\n");
}
}
int size()
{
    printf("Queue size : %d\n",count);
}

```

### Execution Results - All test cases have succeeded!

Test Case - 1
User Output
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 2
Enter your option : 2
Queue is underflow. 3
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 3
Enter your option : 3
Queue is empty. 4
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 4
Enter your option : 4
Queue is empty. 5
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 5
Enter your option : 5
Queue size : 0 1
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 14
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 78
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 53
Successfully inserted. 3
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 3
Enter your option : 3
Elements in the queue : 14 78 53 5
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 5
Enter your option : 5
Queue size : 3 6
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 6
Enter your option : 6

Test Case - 2
User Output
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 25
Successfully inserted. 2
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 2
Enter your option : 2
Deleted element = 25 2
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 2
Enter your option : 2
Queue is underflow. 3
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 3
Enter your option : 3
Queue is empty. 1
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 65
Successfully inserted. 3
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 3
Enter your option : 3
Elements in the queue : 65 4
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 4
Enter your option : 4
Queue is not empty. 2
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 2
Enter your option : 2
Deleted element = 65 4
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 4
Enter your option : 4
Queue is empty. 5
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 5
Enter your option : 5
Queue size : 0 1
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 63
Successfully inserted. 5
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 5
Enter your option : 5
Queue size : 1 6
1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit 6
Enter your option : 6