

Aim:

Write a Program to evaluate given Postfix expression.

Constraint: The entered expression must be a valid postfix expression, according to the test scenarios.

Source Code:**PostfixEvaluation.c**

```
#include<stdio.h>
#include<ctype.h>
int stack[20];
int top=-1;
void push(int x);
int pop();
void push(int x)
{
    top++;
    stack[top]=x;
}
int pop()
{
    int r;
    r=stack[top];

    top--;
    return r;
}
void main()
{
    char exp[30];
    int i,v,n1,n2;
    printf("Enter the postfix expression ::");
    gets(exp);
    for(i=0;exp[i]!='\0';i++)
    {
        if(isalpha(exp[i]))
        {
            printf("Enter the value of %c:",exp[i]);
            scanf("%d",&v);
            push(v);
        }
        else if(isdigit(exp[i]))
        {
            push(exp[i]-'0');
        }

        else
        {
            n2=pop();
            n1=pop();
            switch(exp[i])
```

```

{
    case '+':
    {
        push(n1+n2);
        break;
    }
    case '-':
    {
        push(n1-n2);
        break;
    }
    case '*':
    {
        push(n1*n2);
        break;
    }
    case '/':
    {
        push(n1/n2);
        break;
    }
    case '%':
    {
        push(n1%n2);
        break;
    }
    case '^':
    {
        push(n1^n2);
        break;
    }
    default:
        printf("Enter valid option\n");
}
}

}
printf("The result of expression %s = %d\n",exp,stack[top]);
}

```

Execution Results - All test cases have succeeded!

Test Case - 1
User Output
Enter the postfix expression :: ab+cd-*
Enter the value of a: 2
Enter the value of b: 3
Enter the value of c: 2
Enter the value of d: 4
The result of expression ab+cd-* = -10

Test Case - 2
User Output

Enter the postfix expression :: $a*b*c$
Enter the value of a: 1
Enter the value of b: 2
Enter the value of c: 3
The result of expression $a*b*c = 3$