

**Aim:**

Write code to calculate **roots** of a **quadratic equation**.

Write a class `QuadraticRoots` with `main` method. The method receives three arguments, write code to parse them into `double` type.

For example:

if the values **2, 5, 3** are passed as arguments, then the output should be **First root is : -1.0 Second root is : -1.5**

If the values **3, 2, 1** are passed then the output should be **Roots are imaginary**

Similarly, if the values **2, 4, 2** are passed then the output should be **Roots are equal and value is : -1.0**

**Note:** Make sure to use the `print()` and not the `println()` method.

**Note:** Please don't change the package name.

**Source Code:**

`q10851/QuadraticRoots.java`

```
package q10851;
class QuadraticRoots{
    public static void main(String args[]){
        Double a=new Double(args[0]);
        Double b=new Double(args[1]);
        Double c=new Double(args[2]);
        double r1=0,r2=0;
        double d=(b*b)-(4*a*c);
        if(d>0)
        {
            r1=(-b+Math.sqrt(d))/(2*a);
            r2=(-b-Math.sqrt(d))/(2*a);
            System.out.println("First root is : "+r1+" Second root is : "+r2);
        }
        else if(d==0)
        {
            r1=r2=-b/(2*a);
            System.out.println("Roots are equal and value is : "+r1);
        }
        else
        {
            System.out.println("Roots are imaginary");
        }
    }
}
```

**Execution Results** - All test cases have succeeded!

Test Case - 1

User Output
First root is : -0.6047152924789525 Second root is : -1.3952847075210475

Test Case - 2
User Output
Roots are equal and value is : -1.0

Test Case - 3
User Output
Roots are imaginary