
## **Cucumber Report**



Feature	Feature			nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login an account in Demo.opencart	3.408 s	1	0	1	0	5	0	1	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login an account in Demo.opencart	Login with valid credentials

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login an account in Demo.opencart	1	0	1	0	3.408 s

SCENARIOS SUMMARY -- 6 --




	# Feature Name	Scenario Name	T	P	F	S	Duration
-	Login an account in Demo.opencart	Login with valid credentials	5	0	1	4	3.404 s

DETAILED SECTION -- 7 --

## **Login an account in Demo.opencart**

FAILED	DURATION - 3.408 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 3:13:03.511 PM // 3	3:13:06.919 PM /	Pass - 0	1	Pass - 0	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given User landed at demo.opencart HomePage	FAILED	0.030 s
	Given User landed at demo.opencart HomePage  io.cucumber.core.exception.CucumberException: Failed to instantiate class praveen.assesment.loginWebShop at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:45) at io.cucumber.java.AbstractGlueDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestStep.run(TestCase.java:84) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runner.Runner.sunpickle(Runner.java:75) at io.cucumber.core.runtime.Runners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)	FAILED	0.030 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	45 more Caused by: java.lang.NullPointerException: Cannot invoke "Object.hashCode()" because "key" is null		
	at java.base/java.util.concurrent.ConcurrentHashMap.get(ConcurrentHashMap.java:936)		
	at java.base/java.util.Properties.getProperty(Properties.java:1102)		
	at praveen.assesment.dataProperties.data(dataProperties.java:33)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at praveen.assesment.dataProperties. <init>(dataProperties.java:17) at praveen.assesment.loginWebShop.<init>(loginWebShop.java:11)</init></init>		
2	When User clicks login link	SKIPPED	0.001 s
3	And User enter the username and password	SKIPPED	0.000 s
4	And User clicks login button	SKIPPED	0.000 s
5	Then User see the login succesfull message	SKIPPED	0.000 s
	AFTER - praveen.assesment.HookClass.close(io.cucumber.java.Scenario)	PASSED	0.594 s
	Login with valid credentials		