


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Entering the Employee details	37.423 s	1	1	0	0	10	10	0	0	
Adding the leave reason	1 m 15.042 s	1	0	1	0	7	6	1	0	
Login an account in user website	1 m 9.790 s	4	4	0	0	19	19	0	0	
Trying to add new organization structure to orangeHRM	28.337 s	1	1	0	0	11	11	0	0	
Acessing the new user	17.366 s	1	0	1	0	7	5	1	1	
Login an account in user website	19.206 s	1	1	0	0	9	9	0	0	
Login an account in user website	18.783 s	1	0	1	0	9	8	1	0	
Login an account in user website	16.219 s	1	1	0	0	7	7	0	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Adding the leave reason	Adding the leave details to the category
2	Acessing the new user	Adding new user in PIM
3	Login an account in user website	Adding new customer to project info


TAG	Scenario				Fea	ture		
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	1	0	0
@InvalidCredentials	3	3	0	0	1	1	0	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	Entering the Employee details	1	1	0	0	37.423 s
2	Adding the leave reason	1	0	1	0	1 m 15.042 s
3	Login an account in user website	4	4	0	0	1 m 9.790 s
4	Trying to add new organization structure to orangeHRM	1	1	0	0	28.337 s
5	Acessing the new user	1	0	1	0	17.366 s
6	Login an account in user website	1	1	0	0	19.206 s
7	Login an account in user website	1	0	1	0	18.783 s
8	Login an account in user website	1	1	0	0	16.219 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Entering the Employee details	Adding Employee Status	10	10	0	0	37.418 s
2	Adding the leave reason	Adding the leave details to the category	7	6	1	0	1 m 15.040 s
3	Login an account in user website	Login with valid credentials	4	4	0	0	18.223 s
4		Login with invalid credentials	5	5	0	0	21.320 s
5		Login with invalid credentials	5	5	0	0	13.929 s
6		Login with invalid credentials	5	5	0	0	16.287 s
7	Trying to add new organization structure to orangeHRM	Adding new Organaization Structure	11	11	0	0	28.337 s
8	Acessing the new user	Adding new user in PIM	7	5	1	1	17.366 s
9	Login an account in user website	Adding new skill	9	9	0	0	19.206 s
10		Adding new customer to project info	9	8	1	0	18.783 s

SCENARIOS SUMMARY -- 7




#	-	Scenario Name	T	P	F	S	Duration
1.	Login an account in user website	Checking User Status is Enabled or not	7	7	0	0	16.219 s

DETAILED SECTION -- 8 --

Entering the Employee details


PASSED	DURATION - 37.423 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 5:59:58.728 PN	M // 6:00:36.151 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	10
		Skip - 0		Skip - 0	

Adding Employee Status




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.982 s
2	When User enters the valid username and password	PASSED	3.152 s
3	And User clicks the login button	PASSED	1.346 s
4	And User clicks admin feature	PASSED	2.308 s
5	And User selects Job	PASSED	0.597 s
6	And User selects Employee Status	PASSED	0.742 s
7	And User Clicks on Add button	PASSED	0.971 s
8	And User Enters the Employee Status	PASSED	0.404 s
9	And User Clicks on Save button	PASSED	0.325 s
10	Then User Recevices Successfully Saved message	PASSED	0.000 s

Adding the leave reason



Adding the leave details to the category



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.391 s
2	When User enters the valid username and password	PASSED	0.660 s
3	And User clicks the login button	PASSED	1.859 s
4	And User clicks the leave feature	PASSED	1.912 s
5	And user cliks to the configure to the field	PASSED	2.595 s
6	And user Creates new leave type using sheetname "sheet1" and rownumber 0	PASSED	5.130 s
7	Then user sees the adding the leave page switching	FAILED	45.802 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[text()='Already exists']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at actions.LeaveActions.getalreadyexists(LeaveActions.java:51) at stepDefinition.StepDefinitionOfWebsite.user_sees_the_adding_the_leave_page_switching(StepDefinitionOfWebsite.java:275) at ?.user sees the adding the leave page switching(file:///C:/Team2/Team2/Venture_Vultures/src/test/resources/Feature/Leave.feature:10) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Already exists']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [00e42b72be1b23b87b462405ce1f68ed, findElement {using=xpath, value=//span[text()='Already		

#	Step / Hook Details	Status	Duration
	exists']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\PMANOH~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54768}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54768/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 00e42b72be1b23b87b462405ce1f68ed		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy39.isDisplayed(Unknown Source)		
	at org.openga.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at actions.LeaveActions.getalreadyexists(LeaveActions.java:51)		
	at stepDefinition.StepDefinitionOfWebsite.user_sees_the_adding_the_leave_page_switching(StepDefinitionOfWebsite.java:275)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		


DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	6.736 s
	Adding the leave details to the category		
	5		
	December 1 December 2 December 3 Dec		
	A to the state of		
	Total		
	Text 12 12 12 12 12 12 12 1		

Login an account in user website

Scenarios		Steps	
Total - 4		Total - 19	
Pass - 4	4	Pass - 19	19
Fail - 0		Fail - 0	10
Skip - 0		Skip - 0	
	Total - 4 Pass - 4 Fall - 0	Total - 4 Pass - 4 Fall - 0	Total - 4 Pass - 4 Fail - 0 Total - 19 Pass - 19 Fail - 0


Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.214 s
2	When User enters the valid username and password	PASSED	0.990 s
3	And User clicks the login button	PASSED	1.358 s
4	Then User sees the login successful message	PASSED	0.892 s


Login with invalid credentials

DETAILED SECTION -- 13 --




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	12.130 s
2	When User enters the invalid username "Admin1"	PASSED	0.904 s
3	And User enters the invalid password "admin1"	PASSED	0.079 s
4	And User clicks the login button	PASSED	1.214 s
5	Then Login is unsuccessful with error messages	PASSED	0.905 s

Login with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	7.335 s
2	When User enters the invalid username "admin123"	PASSED	0.610 s
3	And User enters the invalid password "admin"	PASSED	0.076 s
4	And User clicks the login button	PASSED	1.360 s
5	Then Login is unsuccessful with error messages	PASSED	0.341 s

Login with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	7.400 s
2	When User enters the invalid username "Aaddm"	PASSED	2.192 s
3	And User enters the invalid password "min123"	PASSED	0.072 s
4	And User clicks the login button	PASSED	1.059 s
5	Then Login is unsuccessful with error messages	PASSED	1.618 s

Trying to add new organization structure to orangeHRM

PASSED	DURATION - 28.337 s	Scenarios Total - 1		Steps Total - 11	
/ 6:03:01.053 PI	M // 6:03:29.390 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Adding new Organaization Structure




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	9.958 s
2	When User enters the valid username and password	PASSED	1.000 s
3	And User clicks the login button	PASSED	5.409 s
4	And User clicks admin feature	PASSED	3.534 s
5	And user selects Organization category	PASSED	0.660 s
6	And User selects Structure in organaization category	PASSED	0.444 s
7	And User enables Edit function	PASSED	0.810 s
8	And User clicks Add button	PASSED	0.064 s
9	And User enters unit identification using sheetname "sheet1" and rownumber 0	PASSED	0.241 s
10	And user clicks save	PASSED	0.128 s
11	Then User should be able to see structure added successfully	PASSED	0.029 s

Acessing the new user

FAILED	DURATION - 17.366 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 6:03:29.396 PM	1 // 6:03:46.762 PM /	Pass - 0	1	Pass - 5	7
		Fail - 1		Fail - 1	🐔 ' 📕
		Skip - 0		Skip - 1	

Adding new user in PIM



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.414 s
2	When User enters the valid username and password	PASSED	0.827 s


DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
3	And User clicks the login button	PASSED	0.022 s
4	And User select the pim feature	PASSED	3.502 s
5	And Select the add employee category	PASSED	2.929 s
6	And User fills the add employee details using sheetname "sheet1" and rownumber 0	FAILED	1.523 s
	java.io.FileNotFoundException: C:\Team2\Praveen_pilot_project\Venture_Vultures\src\test\resources\Data.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:302) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:277) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255) at stepDefinition.ExternalFileReader.getWorkBook(ExternalFileReader.java:35) at stepDefinition.ExternalFileReader.getSheetByName(ExternalFileReader.java:35) at stepDefinition.ExternalFileReader.getData(ExternalFileReader.java:24) at actions.PimActions.excelsheetreads(PimActions.java:88) at stepDefinition.StepDefinitionOfWebsite. user_fills_the_add_employee_details_using_sheetname_and_rownumber(StepDefinitionOfWebsite.java:294) at ?.User fills the add employee details using sheetname "sheet1" and rownumber 0(file:///C:/Team2/Team2/Venture_Vultures/src/test/resources/Feature/PIM.feature:9) * Not displayable characters are replaced by '?'.		
7	Then User is able to see the new employee added details	SKIPPED	0.000 s
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario) Adding new user in PIM	PASSED	1.470 s

Login an account in user website




DETAILED SECTION -- 17 --




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.517 s
2	When User enters the valid username and password	PASSED	0.809 s
3	And User clicks the login button	PASSED	0.024 s
4	And User clicks admin feature	PASSED	3.392 s
5	And user select the qualification category	PASSED	0.592 s
6	And user select the add skills category	PASSED	1.777 s
7	And user enter the details using sheetname "sheet1" and rownumber 0	PASSED	0.643 s
8	And user click save button	PASSED	0.203 s
9	Then user is able to see the added skilled details	PASSED	4.388 s

Login an account in user website



Adding new customer to project info

DETAILED SECTION -- 18 --




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.969 s
2	When User enters the valid username and password	PASSED	0.670 s
3	And User clicks the login button	PASSED	1.343 s
4	When user selects the time feature	PASSED	1.489 s
5	When user selects the projectinfo category	PASSED	0.391 s
6	When user selects the customer option	PASSED	0.517 s
7	When user clicks the add button	PASSED	1.050 s
8	When user adds the addcustomer name, description, and clicks the save button	PASSED	0.546 s
9	Then user sees the added customer details	FAILED	5.255 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepDefinition.StepDefinitionOfWebsite.user_sees_the_added_customer_details(StepDefinitionOfWebsite.java:114) at ?.user sees the added customer details(file:///C:/Team2/Team2/Venture_Vultures/src/test/resources/Feature/Time.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario) Adding new customer to project info	PASSED	0.847 s
	Facility Tew Customer to project mo		

Login an account in user website

PASSED	DURATION - 16.219 s	Scenarios				Steps			
/ 0:04:04 770 PM // 0	04.40.005.014./	Total - 1			A I	Total - 7	. /		
/ 6:04:24.776 PM // 6.	:04:40.995 PM /	Pass - 1		1		Pass - 7		7	
		Fail - 0			, ,				
		Skip - 0	•		<u> </u>	Skip - 0	\		

Checking User Status is Enabled or not



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.126 s
2	When User enters the valid username and password	PASSED	0.829 s
3	And User clicks the login button	PASSED	1.609 s
4	And User clicks admin feature	PASSED	3.284 s
5	And User the enters the username to Search	PASSED	1.009 s
6	And User the Clciks the savebutton	PASSED	0.052 s
7	Then User is Checking the Status of user is Enabled or not	PASSED	0.360 s