

Cucumber Report

25-Nov-2023, 12:03:50 am

Start : Nov 25, 12:03:17.120 am

End : Nov 25, 12:03:47.968 am

Duration : 30.848 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login an account in user website</u>	30.848 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	<u>Login an account in user website</u>	<u>Login with valid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login an account in user website	1	0	1	0	30.848 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login an account in user website	Login with valid credentials	4	3	1	0	30.838 s

Login an account in user website

FAILED	DURATION - 30.848 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:03:17.120 am // 12:03:47.968 am /					

Login with valid credentials

FAILED	DURATION - 30.838 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:03:17.130 am // 12:03:47.968 am /				
Login an account in user website				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	9.160 s
2	When User enters the valid username and password	PASSED	1.413 s
3	And User clicks the login button	PASSED	1.690 s
4	Then User sees the login successful message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@class='oxd-button oxd-button--medium oxd-button--main orangehrm-login-button']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6569127101b520183d298723e3d80fdc, findElement {using=xpath, value="//button[@class='oxd-button oxd-button--medium oxd-button--main orangehrm-login-button']"}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:54375}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54375/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6569127101b520183d298723e3d80fdc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	10.648 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source) at actions.LoginActions.clickLoginButton(LoginActions.java:22) at stepDefinition.StepDefinitionOfWebsite.user_sees_the_login_successful_message(StepDefinitionOfWebsite.java:39) at ?.User sees the login successful message(file:///D:/Praveen%20Expleo/Venture_Vultures/src/test/resources/Feature/Login.feature:10) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.179 s
	Login with valid credentials		
	