

Cucumber Report

Nov 27, 2023, 11:19:17 AM

Start : Nov 27, 11:13:37.933 AM

End : Nov 27, 11:19:04.125 AM

Duration : 5 m 26.192 s

Features



Scenarios

Steps

PASSED - 4
FAILED - 5
SKIPPED - 0

PASSED - 7
FAILED - 5
SKIPPED - 0


PASSED - 79
FAILED - 5
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Entering the Employee details</u>	39.263 s	1	1	0	0	10	10	0	0
<u>Adding the leave reason</u>	33.401 s	1	0	1	0	7	6	1	0
<u>Login an account in user website</u>	1 m 0.438 s	4	4	0	0	19	19	0	0
<u>Accessingmyinfodeatils</u>	16.668 s	1	0	1	0	10	4	1	5
<u>Trying to add new organization structure to orangeHRM</u>	14.850 s	1	1	0	0	11	11	0	0
<u>Acessing the new user</u>	22.854 s	1	0	1	0	7	6	1	0
<u>Login an account in user website</u>	1 m 2.277 s	1	0	1	0	9	8	1	0
<u>Login an account in user website</u>	46.733 s	1	0	1	0	9	8	1	0
<u>Login an account in user website</u>	29.501 s	1	1	0	0	7	7	0	0

#	Feature Name	Scenario Name
1	<u>Adding the leave reason</u>	<u>Adding the leave details to the category</u>
2	<u>Accessingmyinfodeatils</u>	<u>Editing the myinfo data</u>
3	<u>Acessing the new user</u>	<u>Adding new user in PIM</u>
4	<u>Login an account in user website</u>	<u>Adding new skill</u>
5		<u>Adding new customer to project info</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@ValidCredentials	1	1	0	0	1	1	0	0
@InvalidCredentials	3	3	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Entering the Employee details</u>	1	1	0	0	39.263 s
2	<u>Adding the leave reason</u>	1	0	1	0	33.401 s
3	<u>Login an account in user website</u>	4	4	0	0	1 m 0.438 s
4	<u>Accessingmyinfodeatils</u>	1	0	1	0	16.668 s
5	<u>Trying to add new organization structure to orangeHRM</u>	1	1	0	0	14.850 s
6	<u>Acessing the new user</u>	1	0	1	0	22.854 s
7	<u>Login an account in user website</u>	1	0	1	0	1 m 2.277 s
8	<u>Login an account in user website</u>	1	0	1	0	46.733 s
9	<u>Login an account in user website</u>	1	1	0	0	29.501 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Entering the Employee details</u>	<u>Adding Employee Status</u>	10	10	0	0	39.257 s
2	<u>Adding the leave reason</u>	<u>Adding the leave details to the category</u>	7	6	1	0	33.398 s
3	<u>Login an account in user website</u>	<u>Login with valid credentials</u>	4	4	0	0	14.878 s
4		<u>Login with invalid credentials</u>	5	5	0	0	19.337 s
5		<u>Login with invalid credentials</u>	5	5	0	0	11.078 s
6		<u>Login with invalid credentials</u>	5	5	0	0	15.121 s
7	<u>Accessingmyinfodeatils</u>	<u>Editing the myinfo data</u>	10	4	1	5	16.668 s
8	<u>Trying to add new organization structure to orangeHRM</u>	<u>Adding new Organaization Structure</u>	11	11	0	0	14.850 s
9	<u>Acessing the new user</u>	<u>Adding new user in PIM</u>	7	6	1	0	22.854 s
10	<u>Login an account in user website</u>	<u>Adding new skill</u>	9	8	1	0	1 m 2.277 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Login an account in user website</u>	<u>Adding new customer to project info</u>	9	8	1	0	46.733 s
12		<u>Checking User Status is Enabled or not</u>	7	7	0	0	29.501 s

Entering the Employee details



PASSED	DURATION - 39.263 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 11:13:37.933 AM // 11:14:17.196 AM /					

Adding Employee Status



<div><div>PASSED</div><div>DURATION - 39.257 s</div></div>		<div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>Steps</div><div>Total - 10</div><div>Pass - 10</div><div>Fail - 0</div><div>Skip - 0</div></div><div><div></div><div>10</div><div></div></div></div>
/ 11:13:37.939 AM // 11:14:17.196 AM /		
Entering the Employee details		

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.482 s
2	When User enters the valid username and password	PASSED	1.533 s
3	And User clicks the login button	PASSED	1.891 s
4	And User clicks admin feature	PASSED	3.869 s
5	And User selects Job	PASSED	3.525 s
6	And User selects Employee Status	PASSED	0.627 s
7	And User Clicks on Add button	PASSED	1.221 s
8	And User Enters the Employee Status	PASSED	0.682 s
9	And User Clicks on Save button	PASSED	0.500 s
10	Then User Receives Successfully Saved message	PASSED	0.001 s


Adding the leave reason

FAILED	DURATION - 33.401 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 11:14:17.223 AM // 11:14:50.624 AM /					



Adding the leave details to the category

<div><div>FAILED</div><div>DURATION - 33.398 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:14:17.226 AM // 11:14:50.624 AM /				
Adding the leave reason				



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.878 s
2	When User enters the valid username and password	PASSED	0.870 s
3	And User clicks the login button	PASSED	1.707 s
4	And User clicks the leave feature	PASSED	2.416 s
5	And user clicks to the configure to the field	PASSED	3.019 s
6	And user Creates new leave type using sheetname "sheet1" and rownumber 0	PASSED	6.259 s
7	Then user sees the adding the leave page switching	FAILED	5.359 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepDefinition.StepDefinitionOfWebsite.user_sees_the_adding_the_leave_page_switching(StepDefinitionOfWebsite.java:263) at ?.user sees the adding the leave page switching(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Leave.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.747 s
	Adding the leave details to the category		

#	Step / Hook Details	Status	Duration
			

Login an account in user website


PASSED	DURATION - 1 m 0.438 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 19 Pass - 19 Fail - 0 Skip - 0	
/ 11:14:50.763 AM // 11:15:51.201 AM /					

Login with valid credentials

<div><div>PASSED</div><div>DURATION - 14.878 s</div></div>		<div></div>	<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div>	<div></div>
/ 11:14:50.763 AM // 11:15:05.641 AM /				
Login an account in user website				
@ValidCredentials				


#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.639 s
2	When User enters the valid username and password	PASSED	0.707 s
3	And User clicks the login button	PASSED	0.066 s
4	Then User sees the login successful message	PASSED	1.985 s

Login with invalid credentials





#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	10.744 s
2	When User enters the invalid username "Admin1"	PASSED	0.739 s
3	And User enters the invalid password "admin1"	PASSED	0.084 s
4	And User clicks the login button	PASSED	1.528 s
5	Then Login is unsuccessful with error messages	PASSED	1.147 s

Login with invalid credentials





#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.939 s
2	When User enters the invalid username "admin123"	PASSED	0.571 s
3	And User enters the invalid password "admin"	PASSED	0.080 s
4	And User clicks the login button	PASSED	0.057 s
5	Then Login is unsuccessful with error messages	PASSED	1.597 s

Login with invalid credentials



<div>PASSED</div>	<div>DURATION - 15.121 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:15:36.080 AM // 11:15:51.201 AM /</div>				
<div>Login an account in user website</div>				
<div>@InvalidCredentials</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	7.113 s
2	When User enters the invalid username "Aaddm"	PASSED	0.574 s
3	And User enters the invalid password "min123"	PASSED	0.069 s
4	And User clicks the login button	PASSED	2.349 s
5	Then Login is unsuccessful with error messages	PASSED	0.666 s

Accessingmyinfodeatils

<div>FAILED</div> <div>DURATION - 16.668 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 11:15:51.207 AM // 11:16:07.875 AM /					


Editing the myinfo data

<div>FAILED</div> <div>DURATION - 16.668 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 11:15:51.207 AM // 11:16:07.875 AM /				
Accessingmyinfodeatils				



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.920 s
2	When User enters the valid username and password	PASSED	0.675 s
3	And User clicks the login button	PASSED	1.305 s
4	And user clicks the Myinfo category	PASSED	2.176 s
5	And user enters the firstname, lastname, and nickname using sheetname "sheet1" and rownumber 0	FAILED	2.142 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input class="oxd-input oxd-input--active orangehrm-firstname" name="firstName" placeholder="First Name" data-v-1f99f73c=""> is not clickable at point (766, 271). Other element would receive the click: <div class="oxd-form-loader" data-v-d5bfe35b="">...</div> (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [95a682783646f05a1e03d88cef02b9c4, clickElement {id=D1121F1D91C9234DB90FF68BAC5FE83E_element_40}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\Local\Temp\chrome-win-1029-1\chrome-win\chrome\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:57036}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57036/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (95a682783646f05a1e03d88cef02b9c4)] -> xpath: (/label[text()='Employee Full Name']/following::input)[1]] Session ID: 95a682783646f05a1e03d88cef02b9c4



at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
atjdk.internal.reflect.GeneratedMethodAccessor57.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:568)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
atjdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source)
at actions.MyinfoActions.setmyfirstname(MyinfoActions.java:44)
at actions.MyinfoActions.myinfoname(MyinfoActions.java:109)
at actions.MyinfoActions.excelsheetread(MyinfoActions.java:125)

#	Step / Hook Details	Status	Duration
	at stepDefinition.StepDefinitionOfWebsite. user_enters_the_firstname_lastname_and_nickname_using_sheetname_and_rownumber(StepDefinitionOfWebsite.java:297) at ?.user enters the firstname, lastname, and nickname using sheetname "sheet1" and rownumber 0(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Myinfo.feature:8) * Not displayable characters are replaced by '?'.		
6	And And User edit the myinfo details using sheetname "sheet1" and rownumber 0	SKIPPED	0.000 s
7	And user enters the select the value of Nationality, Marital Status,and dateofbrith using sheetname "sheet1" and rownumber 0	SKIPPED	0.000 s
8	And user clicks the save button	SKIPPED	0.000 s
9	And user selects the blood group	SKIPPED	0.000 s
10	Then user is able to see the edited details	SKIPPED	0.000 s
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.800 s
	Editing the myinfo data		
			

Trying to add new organization structure to orangeHRM



PASSED	DURATION - 14.850 s	Scenarios		Steps	
/ 11:16:07.883 AM // 11:16:22.733 AM /		Total - 1		Total - 11	
		Pass - 1		Pass - 11	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Adding new Organaization Structure



PASSED	DURATION - 14.850 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 11:16:07.883 AM // 11:16:22.733 AM /				
Trying to add new organization structure to orangeHRM				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.052 s
2	When User enters the valid username and password	PASSED	1.148 s
3	And User clicks the login button	PASSED	0.054 s
4	And User clicks admin feature	PASSED	3.104 s
5	And user selects Organization category	PASSED	0.636 s
6	And User selects Structure in organaization category	PASSED	0.461 s
7	And User enables Edit function	PASSED	0.777 s
8	And User clicks Add button	PASSED	0.096 s
9	And User enters unit identification using sheetname "sheet1" and rownumber 0	PASSED	0.226 s
10	And user clicks save	PASSED	0.483 s
11	Then User should be able to see structure added sucessfully	PASSED	0.028 s


Accessing the new user

FAILED	DURATION - 22.854 s	Scenarios		Steps	
/ 11:16:22.742 AM // 11:16:45.596 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 7 Pass - 6 Fail - 1 Skip - 0	7



Adding new user in PIM

FAILED	DURATION - 22.854 s				Steps	
/ 11:16:22.742 AM // 11:16:45.596 AM /					Total - 7 Pass - 6 Fail - 1 Skip - 0	7
Accessing the new user						


#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	7.579 s
2	When User enters the valid username and password	PASSED	0.813 s

#	Step / Hook Details	Status	Duration
3	And User clicks the login button	PASSED	1.356 s
4	And User select the pim feature	PASSED	1.678 s
5	And Select the add employee category	PASSED	1.496 s
6	And User fills the add employee details using sheetname "sheet1" and rownumber 0	PASSED	2.059 s
7	Then User is able to see the new employee added details	FAILED	4.980 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_new_employee_added_details(StepDefinitionOfWebsite.java:286) at ?.User is able to see the new employee added details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/PIM.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.542 s
	Adding new user in PIM		
			

Login an account in user website

FAILED	DURATION - 1 m 2.277 s	Scenarios		Steps	
/ 11:16:45.604 AM // 11:17:47.881 AM /		Total - 1		Total - 9	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Adding new skill





#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.862 s
2	When User enters the valid username and password	PASSED	1.169 s
3	And User clicks the login button	PASSED	1.270 s
4	And User clicks admin feature	PASSED	1.938 s
5	And user select the qualification category	PASSED	0.514 s
6	And user select the add skills category	PASSED	3.777 s
7	And user enter the details using sheetname "sheet1" and rownumber 0	PASSED	1.607 s
8	And user click save button	PASSED	0.528 s
9	Then user is able to see the added skilled details	FAILED	40.073 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']' (tried for 20 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at actions.SkillActions.getVerifyTextskill(SkillActions.java:66)</p> <p>at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_added_skilled_details(StepDefinitionOfWebsite.java:223)</p> <p>at ?.user is able to see the added skilled details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Skill.feature:12)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{ "method": "xpath", "selector": "//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']" } (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2bc5055dab4f9dd5ba203949b8433856, findElement {using=xpath, value="//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\IPMANOH~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57120}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57120/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:</p>		

#	Step / Hook Details	Status	Duration
	<p>2bc5055dab4f9dd5ba203949b8433856</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at actions.SkillActions.getVerifyTextskill(SkillActions.java:66) at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_added_skilled_details(StepDefinitionOfWebsite.java:223) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) </pre>		



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	3.037 s
	Adding new skill		

#	Step / Hook Details	Status	Duration
			

Login an account in user website


FAILED	DURATION - 46.733 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 11:17:47.887 AM // 11:18:34.620 AM /					

Adding new customer to project info



FAILED	DURATION - 46.733 s		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 11:17:47.887 AM // 11:18:34.620 AM /				
Login an account in user website				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.620 s
2	When User enters the valid username and password	PASSED	2.242 s
3	And User clicks the login button	PASSED	3.875 s
4	When user selects the time feature	PASSED	2.652 s
5	When user selects the projectinfo category	PASSED	0.496 s
6	When user selects the customer option	PASSED	0.512 s
7	When user clicks the add button	PASSED	1.021 s
8	When user adds the addcustomer name, description, and clicks the save button	PASSED	0.544 s
9	Then user sees the added customer details	FAILED	20.030 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='oxd-table-cell oxd-padding-cell']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ac76f16cd5903cdbc5582a7119c66fc9, findElement {using=xpath, value="//div[@class='oxd-table-cell oxd-padding-cell']"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57161}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57161/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ac76f16cd5903cdbc5582a7119c66fc9</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at actions.TimeActions.getVerifydiscription(TimeActions.java:36) at stepDefinition.StepDefinitionOfWebsite.user_sees_the_added_customer_details(StepDefinitionOfWebsite.java:109) at ?.user sees the added customer details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Time.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	3.876 s
	Adding new customer to project info		

#	Step / Hook Details	Status	Duration
			

Login an account in user website

PASSED	DURATION - 29.501 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 11:18:34.624 AM // 11:19:04.125 AM /					

Checking User Status is Enabled or not

PASSED	DURATION - 29.501 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 11:18:34.624 AM // 11:19:04.125 AM /				
Login an account in user website				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.890 s
2	When User enters the valid username and password	PASSED	1.324 s
3	And User clicks the login button	PASSED	2.472 s
4	And User clicks admin feature	PASSED	3.806 s
5	And User the enters the username to Search	PASSED	2.733 s
6	And User the Clciks the savebutton	PASSED	3.370 s
7	Then User is Checking the Status of user is Enabled or not	PASSED	0.492 s