Cucumber Report

| Start : Nov 27, 12:28:45.196 PM	End : Nov 27, 12:33:48.139 PM	Duration : 5 m 2.943 s
Features	Scenarios	Steps
PASSED - 5 FAILED - 4 SKIPPED - 0	PASSED - 8 FAILED - 4 SKIPPED - 0	PASSED - 85 FAILED - 4 SKIPPED - 0

Features: 9

Scenarios: 12

Steps: 89

Pass %: 55 %

Pass %: 66 %

Pass %: 95 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Entering the Employee details	32.243 s	1	1	0	0	10	10	0	0
Adding the leave reason	20.068 s	1	0	1	0	7	6	1	0
Login an account in user website	42.756 s	4	4	0	0	19	19	0	0
Accessingmyinfodeatils	17.571 s	1	1	0	0	10	10	0	0
Trying to add new organization structure to orangeHRM	15.077 s	1	1	0	0	11	11	0	0
Acessing the new user	56.168 s	1	0	1	0	7	6	1	0
Login an account in user website	1 m 7.328 s	1	0	1	0	9	8	1	0
Login an account in user website	37.343 s	1	0	1	0	9	8	1	0
Login an account in user website	14.245 s	1	1	0	0	7	7	0	0

#	Feature Name	Scenario Name
1	*Adding the leave reason*	*Adding the leave details to the category*
2	*Acessing the new user*	*Adding new user in PIM*
3	*Login an account in user website*	*Adding new skill*
4		*Adding new customer to project info*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	1	0	0
@InvalidCredentials	3	3	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Entering the Employee details	1	1	0	0	32.243 s
2	Adding the leave reason	1	0	1	0	20.068 s
3	Login an account in user website	4	4	0	0	42.756 s
4	Accessingmyinfodeatils	1	1	0	0	17.571 s
5	Trying to add new organization structure to orangeHRM	1	1	0	0	15.077 s
6	Acessing the new user	1	0	1	0	56.168 s
7	Login an account in user website	1	0	1	0	1 m 7.328 s
8	Login an account in user website	1	0	1	0	37.343 s
9	Login an account in user website	1	1	0	0	14.245 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Entering the Employee details	Adding Employee Status	10	10	0	0	32.238 s
2	Adding the leave reason	Adding the leave details to the category	7	6	1	0	20.053 s
3	Login an account in user website	Login with valid credentials	4	4	0	0	13.967 s
4		Login with invalid credentials	5	5	0	0	9.110 s
5		Login with invalid credentials	5	5	0	0	10.226 s
6		Login with invalid credentials	5	5	0	0	9.436 s
7	Accessingmyinfodeatils	Editing the myinfo data	10	10	0	0	17.571 s
8	Trying to add new organization structure to orangeHRM	Adding new Organaization Structure	11	11	0	0	15.076 s
9	Acessing the new user	Adding new user in PIM	7	6	1	0	56.168 s
10	Login an account in user website	Adding new skill	9	8	1	0	1 m 7.328 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Login an account in user website	Adding new customer to project info	9	8	1	0	37.342 s
12		Checking User Status is Enabled or not	7	7	0	0	14.245 s

Entering the Employee details

PASSED	DURATION - 32.243 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 12:28:45.196 PM // 12:29:17.439 PM /			1		10

Adding Employee Status

PASSED	DURATION - 32.238 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 12:28:45.200 PM // 12:29:17.438 PM / *Entering the Employee details*				10

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	3.843 s
2	When User enters the valid username and password	PASSED	2.342 s
3	And User clicks the login button	PASSED	1.434 s
4	And User clicks admin feature	PASSED	1.811 s
5	And User selects Job	PASSED	0.770 s
6	And User selects Employee Status	PASSED	0.453 s
7	And User Clicks on Add button	PASSED	1.182 s
8	And User Enters the Employee Status	PASSED	0.593 s
9	And User Clicks on Save button	PASSED	0.321 s
10	Then User Recevices Successfully Saved message	PASSED	0.000 s

Adding the leave reason

FAILED	DURATION - 20.068 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 12:29:17.514 PM // 12:29:37.582 PM /		Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Adding the leave details to the category

FAILED	DURATION - 20.053 s		Steps	
			Total - 7	
/ 12:29:17.529 PM // 12:29:37.582 PM /			Pass - 6	7
Adding the leave reason			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.462 s
2	When User enters the valid username and password	PASSED	0.696 s
3	And User clicks the login button	PASSED	1.201 s
4	And User clicks the leave feature	PASSED	1.523 s
5	And user cliks to the configure to the field	PASSED	2.082 s
6	And user Creates new leave type using sheetname "sheet1" and rownumber 0	PASSED	1.967 s
7	Then user sees the adding the leave page switching	FAILED	5.219 s

	java.lang.AssertionError
	    at org.junit.Assert.fail(Assert.java:87)
	    at org.junit.Assert.assertTrue(Assert.java:42)
	    at org.junit.Assert.assertTrue(Assert.java:53)
	    at stepDefinition.StepDefinitionOfWebsite.user_sees_the_adding_the_leave_page_switching(StepDefinitionOfWebsite.java:263)
	    at ?.user sees the adding the leave page switching(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Leave.feature:10)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.546 s
	Adding the leave details to the category		

#	Step / Hook Details	Status	Duration

Login an account in user website

PASSED	DURATION - 42.756 s	Scenarios		Steps	
/ 12:29:37.597 PM // 12:30:20.353 PM /		Total - 4 Pass - 4 Fail - 0 Skip - 0	4	Total - 19 Pass - 19 Fail - 0 Skip - 0	19

Login with valid credentials

PASSED	DURATION - 13.967 s		Steps	
/ 12:29:37.597 PM // 12:29:51.564 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Login an account in user website				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	8.744 s
2	When User enters the valid username and password	PASSED	0.945 s
3	And User clicks the login button	PASSED	1.358 s
4	Then User sees the login successful message	PASSED	0.410 s

Login with invalid credentials

PASSED	DURATION - 9.110 s

/ 12:29:51.571 PM // 12:30:00.681 PM /

Login an account in user website

@InvalidCredentials

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.653 s
2	When User enters the invalid username "Admin1"	PASSED	0.735 s
3	And User enters the invalid password "admin1"	PASSED	0.075 s
4	And User clicks the login button	PASSED	0.061 s
5	Then Login is unsuccessful with error messages	PASSED	1.281 s

Login with invalid credentials

PASSED	DURATION - 10.226 s

/ 12:30:00.686 PM // 12:30:10.912 PM /

Login an account in user website

@InvalidCredentials

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.268 s
2	When User enters the invalid username "admin123"	PASSED	0.632 s
3	And User enters the invalid password "admin"	PASSED	0.071 s
4	And User clicks the login button	PASSED	1.262 s
5	Then Login is unsuccessful with error messages	PASSED	0.671 s

Login with invalid credentials

PASSED	DURATION - 9.436 s
/ 12:30:10.917 PM // 12:30:20.353 PM /	
Login an account in user website	
@InvalidCredentials	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.362 s
2	When User enters the invalid username "Aaddm"	PASSED	0.594 s
3	And User enters the invalid password "min123"	PASSED	0.072 s
4	And User clicks the login button	PASSED	0.927 s
5	Then Login is unsuccessful with error messages	PASSED	0.358 s

Accessingmyinfodeatils

PASSED	DURATION - 17.571 s
/ 12:30:20.360 PM // 12:30:37.931 PM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

Editing the myinfo data

PASSED	DURATION - 17.571 s
/ 12:30:20.360 PM // 12:30:37.931 PM /	
Accessingmyinfodeatils	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.722 s
2	When User enters the valid username and password	PASSED	0.669 s
3	And User clicks the login button	PASSED	1.227 s
4	And user clicks the Myinfo category	PASSED	1.843 s
5	And user enters the firstname, lastname, and nickname using sheetname "sheet1" and rownumber 0	PASSED	2.487 s
6	And And User edit the myinfo details using sheetname "sheet1" and rownumber 0	PASSED	0.456 s
7	And user enters the select the value of Nationality, Marital Status,and dateofbrith using sheetname "sheet1" and rownumber 0	PASSED	0.656 s
8	And user clicks the save button	PASSED	0.903 s
9	And user selects the blood group	PASSED	1.301 s
10	Then user is able to see the edited details	PASSED	0.035 s

Trying to add new organization structure to orangeHRM

PASSED	DURATION - 15.077 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	11
/ 12:30:37.947 PM // 12:30:53.024 PM /					

Adding new Organaization Structure

PASSED	DURATION - 15.076 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	11
/ 12:30:37.948 PM // 12:30:53.024 PM /				
Trying to add new organization structure to orangeHRM				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.472 s
2	When User enters the valid username and password	PASSED	0.813 s
3	And User clicks the login button	PASSED	1.170 s

#	Step / Hook Details	Status	Duration
4	And User clicks admin feature	PASSED	1.727 s
5	And user selects Organization category	PASSED	0.526 s
6	And User selects Structure in organaization category	PASSED	0.449 s
7	And User enables Edit function	PASSED	0.822 s
8	And User clicks Add button	PASSED	0.084 s
9	And User enters unit identification using sheetname "sheet1" and rownumber 0	PASSED	0.239 s
10	And user clicks save	PASSED	0.140 s
11	Then User should be able to see structure added sucessfully	PASSED	0.032 s

Acessing the new user

FAILED	DURATION - 56.168 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 12:30:53.036 PM // 12:31:49.204 PM /		Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Adding new user in PIM

FAILED	DURATION - 56.168 s		Steps	
			Total - 7	
/ 12:30:53.036 PM // 12:31:49.204 PM /			Pass - 6	7
Acessing the new user			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.749 s
2	When User enters the valid username and password	PASSED	0.736 s
3	And User clicks the login button	PASSED	1.496 s
4	And User select the pim feature	PASSED	1.608 s
5	And Select the add employee category	PASSED	1.027 s

#	Step / Hook Details	Status	Duration
6	And User fills the add employee details using sheetname "sheet1" and rownumber 0	PASSED	1.734 s
7	Then User is able to see the new employee added details	FAILED	40.673 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h6[@class='oxd-text oxd-text--h6 --strong']' (tried for 20 second(s) with 500 milliseconds interval)
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)
	   at actions.PimActions.pimverify(PimActions.java:103)
	   at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_new_employee_added_details(StepDefinitionOfWebsite.java:286)
	   at ?.User is able to see the new employee added details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/ PIM.feature:10)
	
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[@class='oxd-text oxd-text--h6 --strong']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [4f66fcbc51de372495d72c73169db16c, findElement {using=xpath, value=//h6[@class='oxd-text oxd-text--h6 --strong']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58908}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58908/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4f66fcbc51de372495d72c73169db16c
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at actions.PimActions.pimverify(PimActions.java:103)		
	at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_new_employee_added_details(StepDefinitionOfWebsite.java:286)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario) Adding new user in PIM 	PASSED	1.646 s

Login an account in user website

FAILED	DURATION - 1 m 7.328 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 12:31:49.211 PM // 12:32:56.539 PM /					

Adding new skill

FAILED	DURATION - 1 m 7.328 s

/ 12:31:49.211 PM // 12:32:56.539 PM /

Login an account in user website

Steps
Total - 9
Pass - 8
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	7.078 s
2	When User enters the valid username and password	PASSED	0.788 s
3	And User clicks the login button	PASSED	1.408 s
4	And User clicks admin feature	PASSED	1.805 s
5	And user select the qualification category	PASSED	0.432 s
6	And user select the add skills category	PASSED	1.697 s
7	And user enter the details using sheetname "sheet1" and rownumber 0	PASSED	0.530 s
8	And user click save button	PASSED	0.396 s
9	Then user is able to see the added skilled details	FAILED	40.075 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']' (tried for 20 second(s) with 500 milliseconds interval)
   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)
   at actions.SkillActions.getVerifyTextskill(SkillActions.java:66)
   at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_added_skilled_details(StepDefinitionOfWebsite.java:223)
   at ?.user is able to see the added skilled details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Skill.feature:12)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']"}   (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4666b689167409402c09c24033e960ad, findElement {using=xpath, value=//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58939/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:

| #	Step / Hook Details	Status	Duration
	4666b689167409402c09c24033e960ad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at actions.SkillActions.getVerifyTextskill(SkillActions.java:66) at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_added_skilled_details(StepDefinitionOfWebsite.java:223) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.824 s
	Adding new skill		

#	Step / Hook Details	Status	Duration

Login an account in user website

FAILED	DURATION - 37.343 s	Scenarios	Steps	
/ 12:32:56.546 PM // 12:33:33.889 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	Total - 9 Pass - 8 Fail - 1 Skip - 0	

Adding new customer to project info

FAILED	DURATION - 37.342 s		Steps	
/ 12:32:56.547 PM // 12:33:33.889 PM /			Total - 9 Pass - 8 Fail - 1 Skip - 0	
Login an account in user website				

| #	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.275 s
2	When User enters the valid username and password	PASSED	0.805 s
3	And User clicks the login button	PASSED	1.320 s
4	When user selects the time feature	PASSED	1.802 s
5	When user selects the projectinfo category	PASSED	0.565 s
6	When user selects the customer option	PASSED	0.488 s
7	When user clicks the add button	PASSED	0.885 s
8	When user adds the addcustomer name, description, and clicks the save button	PASSED	0.568 s
9	Then user sees the added customer details	FAILED	20.024 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='oxd-table-cell oxd-padding-cell'][3]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium. dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de5330949931d105e6bd15257fecd117, findElement {using=xpath, value=//div[@class='oxd-table-cell oxd-padding-cell'][3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58966}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58966/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: de5330949931d105e6bd15257fecd117
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)
	    at actions.TimeActions.getVerifydiscription(TimeActions.java:36)
	    at stepDefinition.StepDefinitionOfWebsite.user_sees_the_added_customer_details(StepDefinitionOfWebsite.java:109)
	    at ?.user sees the added customer details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Time. feature:12)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario) Adding new customer to project info	PASSED	0.757 s

#	Step / Hook Details	Status	Duration

Login an account in user website

PASSED	DURATION - 14.245 s	Scenarios		Steps	
/ 12:33:33.894 PM // 12:33:48.139 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 7 Pass - 7 Fail - 0 Skip - 0	7

Checking User Status is Enabled or not

PASSED	DURATION - 14.245 s		Steps	
/ 12:33:33.894 PM // 12:33:48.139 PM /			Total - 7 Pass - 7 Fail - 0 Skip - 0	7
Login an account in user website				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.402 s
2	When User enters the valid username and password	PASSED	1.028 s
3	And User clicks the login button	PASSED	1.300 s
4	And User clicks admin feature	PASSED	2.224 s
5	And User the enters the username to Search	PASSED	0.551 s
6	And User the Clciks the savebutton	PASSED	0.105 s
7	Then User is Checking the Status of user is Enabled or not	PASSED	0.298 s