

Cucumber Report

Nov 27, 2023, 2:33:15 PM

Start : Nov 27, 2:28:18.418 PM

End : Nov 27, 2:33:13.069 PM

Duration : 4 m 54.651 s

Features



Scenarios

Steps

PASSED - 5
FAILED - 4
SKIPPED - 0

PASSED - 8
FAILED - 4
SKIPPED - 0


PASSED - 85
FAILED - 4
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Entering the Employee details</u>	38.986 s	1	1	0	0	10	10	0	0
<u>Adding the leave reason</u>	23.674 s	1	0	1	0	7	6	1	0
<u>Login an account in user website</u>	44.199 s	4	4	0	0	19	19	0	0
<u>Accessingmyinfodeatils</u>	19.846 s	1	1	0	0	10	10	0	0
<u>Trying to add new organization structure to orangeHRM</u>	15.225 s	1	1	0	0	11	11	0	0
<u>Acessing the new user</u>	53.892 s	1	0	1	0	7	6	1	0
<u>Login an account in user website</u>	53.848 s	1	0	1	0	9	8	1	0
<u>Login an account in user website</u>	34.018 s	1	0	1	0	9	8	1	0
<u>Login an account in user website</u>	10.764 s	1	1	0	0	7	7	0	0

#	Feature Name	Scenario Name
1	<u>Adding the leave reason</u>	<u>Adding the leave details to the category</u>
2	<u>Acessing the new user</u>	<u>Adding new user in PIM</u>
3	<u>Login an account in user website</u>	<u>Adding new skill</u>
4		<u>Adding new customer to project info</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@ValidCredentials	1	1	0	0	1	1	0	0
@InvalidCredentials	3	3	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Entering the Employee details</u>	1	1	0	0	38.986 s
2	<u>Adding the leave reason</u>	1	0	1	0	23.674 s
3	<u>Login an account in user website</u>	4	4	0	0	44.199 s
4	<u>Accessingmyinfodeatils</u>	1	1	0	0	19.846 s
5	<u>Trying to add new organization structure to orangeHRM</u>	1	1	0	0	15.225 s
6	<u>Acessing the new user</u>	1	0	1	0	53.892 s
7	<u>Login an account in user website</u>	1	0	1	0	53.848 s
8	<u>Login an account in user website</u>	1	0	1	0	34.018 s
9	<u>Login an account in user website</u>	1	1	0	0	10.764 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Entering the Employee details</u>	<u>Adding Employee Status</u>	10	10	0	0	38.983 s
2	<u>Adding the leave reason</u>	<u>Adding the leave details to the category</u>	7	6	1	0	23.658 s
3	<u>Login an account in user website</u>	<u>Login with valid credentials</u>	4	4	0	0	10.694 s
4		<u>Login with invalid credentials</u>	5	5	0	0	10.973 s
5		<u>Login with invalid credentials</u>	5	5	0	0	11.677 s
6		<u>Login with invalid credentials</u>	5	5	0	0	10.836 s
7	<u>Accessingmyinfodeatils</u>	<u>Editing the myinfo data</u>	10	10	0	0	19.846 s
8	<u>Trying to add new organization structure to orangeHRM</u>	<u>Adding new Organaization Structure</u>	11	11	0	0	15.225 s
9	<u>Acessing the new user</u>	<u>Adding new user in PIM</u>	7	6	1	0	53.892 s
10	<u>Login an account in user website</u>	<u>Adding new skill</u>	9	8	1	0	53.848 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Login an account in user website</u>	<u>Adding new customer to project info</u>	9	8	1	0	34.018 s
12		<u>Checking User Status is Enabled or not</u>	7	7	0	0	10.764 s

Entering the Employee details



PASSED	DURATION - 38.986 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 2:28:18.418 PM // 2:28:57.404 PM /					

Adding Employee Status



<div>PASSED</div>	<div>DURATION - 38.983 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:28:18.421 PM // 2:28:57.404 PM /</div>				
<div>Entering the Employee details</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.065 s
2	When User enters the valid username and password	PASSED	2.786 s
3	And User clicks the login button	PASSED	1.769 s
4	And User clicks admin feature	PASSED	2.836 s
5	And User selects Job	PASSED	0.815 s
6	And User selects Employee Status	PASSED	0.724 s
7	And User Clicks on Add button	PASSED	0.980 s
8	And User Enters the Employee Status	PASSED	0.432 s
9	And User Clicks on Save button	PASSED	0.420 s
10	Then User Receives Successfully Saved message	PASSED	0.000 s

Adding the leave reason

FAILED	DURATION - 23.674 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 2:28:57.489 PM // 2:29:21.163 PM /					



Adding the leave details to the category

<div><div>FAILED</div><div>DURATION - 23.658 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 2:28:57.505 PM // 2:29:21.163 PM /				
Adding the leave reason				



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.356 s
2	When User enters the valid username and password	PASSED	0.708 s
3	And User clicks the login button	PASSED	1.207 s
4	And User clicks the leave feature	PASSED	1.725 s
5	And user clicks to the configure to the field	PASSED	2.333 s
6	And user Creates new leave type using sheetname "sheet1" and rownumber 0	PASSED	2.143 s
7	Then user sees the adding the leave page switching	FAILED	5.226 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepDefinition.StepDefinitionOfWebsite.user_sees_the_adding_the_leave_page_switching(StepDefinitionOfWebsite.java:263) at ?.user sees the adding the leave page switching(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Leave.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.613 s
	Adding the leave details to the category		

#	Step / Hook Details	Status	Duration
			

Login an account in user website


PASSED	DURATION - 44.199 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 19 Pass - 19 Fail - 0 Skip - 0	
/ 2:29:21.188 PM // 2:30:05.387 PM /					

Login with valid credentials

PASSED	DURATION - 10.694 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:29:21.188 PM // 2:29:31.882 PM /				
Login an account in user website				
@ValidCredentials				


#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.289 s
2	When User enters the valid username and password	PASSED	0.715 s
3	And User clicks the login button	PASSED	1.416 s
4	Then User sees the login successful message	PASSED	0.510 s

Login with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.115 s
2	When User enters the invalid username "Admin1"	PASSED	0.588 s
3	And User enters the invalid password "admin1"	PASSED	0.075 s
4	And User clicks the login button	PASSED	0.058 s
5	Then Login is unsuccessful with error messages	PASSED	1.259 s

Login with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.100 s
2	When User enters the invalid username "admin123"	PASSED	0.583 s
3	And User enters the invalid password "admin"	PASSED	0.074 s
4	And User clicks the login button	PASSED	1.186 s
5	Then Login is unsuccessful with error messages	PASSED	0.595 s

Login with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.304 s
2	When User enters the invalid username "Aaddm"	PASSED	0.590 s
3	And User enters the invalid password "min123"	PASSED	0.075 s
4	And User clicks the login button	PASSED	0.843 s
5	Then Login is unsuccessful with error messages	PASSED	0.363 s

Accessingmyinfodeatils





Editing the myinfo data





#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	6.558 s
2	When User enters the valid username and password	PASSED	0.753 s
3	And User clicks the login button	PASSED	0.060 s
4	And user clicks the Myinfo category	PASSED	3.199 s
5	And user enters the firstname, lastname, and nickname using sheetname "sheet1" and rownumber 0	PASSED	2.880 s
6	And And User edit the myinfo details using sheetname "sheet1" and rownumber 0	PASSED	0.470 s
7	And user enters the select the value of Nationality, Marital Status,and dateofbrith using sheetname "sheet1" and rownumber 0	PASSED	0.648 s
8	And user clicks the save button	PASSED	1.264 s
9	And user selects the blood group	PASSED	1.601 s
10	Then user is able to see the edited details	PASSED	0.034 s

Trying to add new organization structure to orangeHRM

PASSED	DURATION - 15.225 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 2:30:25.259 PM // 2:30:40.484 PM /					



Adding new Organaization Structure

PASSED		DURATION - 15.225 s			Steps		
/ 2:30:25.259 PM // 2:30:40.484 PM /		Total - 11	Pass - 11		Fail - 0		Skip - 0
Trying to add new organization structure to orangeHRM							



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.619 s
2	When User enters the valid username and password	PASSED	1.228 s
3	And User clicks the login button	PASSED	0.060 s

#	Step / Hook Details	Status	Duration
4	And User clicks admin feature	PASSED	3.253 s
5	And user selects Organization category	PASSED	0.545 s
6	And User selects Structure in organaization category	PASSED	0.467 s
7	And User enables Edit function	PASSED	0.832 s
8	And User clicks Add button	PASSED	0.066 s
9	And User enters unit identification using sheetname "sheet1" and rownumber 0	PASSED	0.220 s
10	And user clicks save	PASSED	0.163 s
11	Then User should be able to see structure added sucessfully	PASSED	0.029 s

Accessing the new user

FAILED	DURATION - 53.892 s	Scenarios		Steps	
/ 2:30:40.503 PM // 2:31:34.395 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


Adding new user in PIM

FAILED	DURATION - 53.892 s		Steps	
/ 2:30:40.503 PM // 2:31:34.395 PM /				
Accessing the new user				



#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	5.200 s
2	When User enters the valid username and password	PASSED	0.660 s
3	And User clicks the login button	PASSED	1.184 s
4	And User select the pim feature	PASSED	1.475 s
5	And Select the add employee category	PASSED	1.184 s

#	Step / Hook Details	Status	Duration
6	And User fills the add employee details using sheetname "sheet1" and rownumber 0	PASSED	1.836 s
7	<p>Then User is able to see the new employee added details</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h6[@class='oxd-text oxd-text--h6 --strong']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at actions.PimActions.pimverify(PimActions.java:103) at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_new_employee_added_details(StepDefinitionOfWebsite.java:286) at ?.User is able to see the new employee added details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/PIM.feature:10) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[@class='oxd-text oxd-text--h6 --strong']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c11a6a46f9c495854fe67559add49366, findElement {using=xpath, value=//h6[@class='oxd-text oxd-text--h6 --strong']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\Local\Temp\scoped_dir11405735_11405735.90}, goog:chromeOptions: {debuggerAddress: localhost:60438}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60438/devtools/page/11405735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c11a6a46f9c495854fe67559add49366 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy39.isDisplayed(Unknown Source) </pre>	FAILED	40.289 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at actions.PimActions.pimverify(PimActions.java:103) at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_new_employee_added_details(StepDefinitionOfWebsite.java:286) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.429 s
	Adding new user in PIM		
			

Login an account in user website

FAILED	DURATION - 53.848 s	Scenarios		Steps	
/ 2:31:34.415 PM // 2:32:28.263 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Adding new skill





#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.377 s
2	When User enters the valid username and password	PASSED	0.814 s
3	And User clicks the login button	PASSED	0.057 s
4	And User clicks admin feature	PASSED	3.021 s
5	And user select the qualification category	PASSED	0.528 s
6	And user select the add skills category	PASSED	1.596 s
7	And user enter the details using sheetname "sheet1" and rownumber 0	PASSED	0.521 s
8	And user click save button	PASSED	0.216 s
9	Then user is able to see the added skilled details	FAILED	40.149 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at actions.SkillActions.getVerifyTextskill(SkillActions.java:66) at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_added_skilled_details(StepDefinitionOfWebsite.java:223) at ?.user is able to see the added skilled details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Skill.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bcb807c47aeed0a55b1d8c25bc39286b, findElement {using=xpath, value=//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-level']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60466}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60466/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	<p>bcb807c47aeed0a55b1d8c25bc39286b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy39.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</p> <p>at actions.SkillActions.getVerifyTextskill(SkillActions.java:66)</p> <p>at stepDefinition.StepDefinitionOfWebsite.user_is_able_to_see_the_added_skilled_details(StepDefinitionOfWebsite.java:223)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p>		



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.428 s
	Adding new skill		

#	Step / Hook Details	Status	Duration
			

Login an account in user website


FAILED	DURATION - 34.018 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 2:32:28.282 PM // 2:33:02.300 PM /					

Adding new customer to project info



FAILED	DURATION - 34.018 s		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 2:32:28.282 PM // 2:33:02.300 PM /				
Login an account in user website				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.504 s
2	When User enters the valid username and password	PASSED	0.721 s
3	And User clicks the login button	PASSED	2.010 s
4	When user selects the time feature	PASSED	1.639 s
5	When user selects the projectinfo category	PASSED	0.487 s
6	When user selects the customer option	PASSED	0.460 s
7	When user clicks the add button	PASSED	0.894 s
8	When user adds the addcustomer name, description, and clicks the save button	PASSED	0.533 s
9	Then user sees the added customer details	FAILED	20.062 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='oxd-table-cell oxd-padding-cell']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [84d07e88c7d15cc738bf29cf028bfc53, findElement {using=xpath, value=//div[@class='oxd-table-cell oxd-padding-cell']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60490}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:60490/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 84d07e88c7d15cc738bf29cf028bfc53</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy39.getText(Unknown Source) at actions.TimeActions.getVerifydiscription(TimeActions.java:36) at stepDefinition.StepDefinitionOfWebsite.user_sees_the_added_customer_details(StepDefinitionOfWebsite.java:109) at ?.user sees the added customer details(file:///C:/Team2/Praveen_pilot_project/Venture_Vultures/src/test/resources/Feature/Time.feature:12) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - stepDefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.883 s
	Adding new customer to project info		

#	Step / Hook Details	Status	Duration
			

Login an account in user website

PASSED	DURATION - 10.764 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:33:02.305 PM // 2:33:13.069 PM /					

Checking User Status is Enabled or not

PASSED	DURATION - 10.764 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:33:02.305 PM // 2:33:13.069 PM /				
Login an account in user website				

#	Step / Hook Details	Status	Duration
1	Given User is on the Website homepage	PASSED	4.596 s
2	When User enters the valid username and password	PASSED	0.659 s
3	And User clicks the login button	PASSED	1.256 s
4	And User clicks admin feature	PASSED	1.472 s
5	And User the enters the username to Search	PASSED	0.497 s
6	And User the Clciks the savebutton	PASSED	0.053 s
7	Then User is Checking the Status of user is Enabled or not	PASSED	0.255 s