



# An Introduction to FLAML

# TRAIN YOUR ML

# WITH

# 7

# LINES OF CODE



[in/azambukhari](https://www.linkedin.com/company/azambukhari)



[@AzamBukhari1](https://twitter.com/AzamBukhari1)



**FLAML is a Python library that automatically finds accurate machine learning models in an efficient and economical manner, freeing users from the burdens of selecting learners and hyperparameters for each learner.**



[in/azambukhari](https://www.linkedin.com/company/azambukhari)



[@AzamBukhari1](https://twitter.com/AzamBukhari1)



FLAML is a lightweight Python library that finds accurate machine learning models automatically, efficiently and economically.

# Installation

## 1. Regular Installation

```
pip install flaml
```

## 2. Conda Installation

```
conda install flaml -c conda-forge
```

## 3. Notebook Installation

```
pip install flaml[notebook]
```



[in/azambukhari](https://www.linkedin.com/in/azambukhari)



[@AzamBukhari1](https://twitter.com/AzamBukhari1)



# Setting Up FLAML

```
from flaml import AutoML
```

```
# Initialize an AutoML instance
```

```
automl = AutoML()
```

```
# Specify automl goal and constraint
```

```
automl_settings = {
```

```
    "time_budget": 1, # in seconds
```

```
    "metric": 'r2',
```

```
    "task": 'regression'}
```

You can modify `time_budget` to any number of seconds, set `metric` to `r2` or `accuracy` or anything else., and finally `task` to either `Regression/Classification`



[in/azambukhari](https://www.linkedin.com/in/azambukhari)



[@AzamBukhari1](https://twitter.com/AzamBukhari1)



# Classification Example

Dataset: Iris

```
autoML = AutoML()  
autoML.fit(X_train, y_train, **automl_settings)  
  
print(autoML.model.estimator)  
print(autoML.score(X_test, y_test))
```

**# Output**

**BEST MODEL:** ExtraTreesClassifier  
**ACCURACY\_SCORE:** 0.95



[in/azambukhari](https://www.linkedin.com/in/azambukhari)



[@AzamBukhari1](https://twitter.com/AzamBukhari1)



# Regression Example

Dataset: Taxis

```
autoML = AutoML()  
autoML.fit(X_train, y_train, **automl_settings)  
  
print(autoML.model.estimator)  
print(autoML.score(X_test, y_test))
```

**# Output**

**BEST MODEL:** LGBMRegressor  
**R2\_SCORE:** 0.99



[in/azambukhari](https://www.linkedin.com/company/azambukhari)



[@AzamBukhari1](https://twitter.com/AzamBukhari1)

**Hope You Liked It!!**



**Follow Me For More  
Data Science Content**



[in/azambukhari](https://www.linkedin.com/in/azambukhari)



[@AzamBukhari1](https://twitter.com/AzamBukhari1)