

Export / Import (Groups,Jobs,Connections,Profiles) from the repository to another repository or the same repository.

Reference Oracle Document :- <https://docs.oracle.com/en/middleware/goldengate/veridata/12.2.1.4/gvdatad/using-veridata-import-and-export-utilities.html#GUID-65C89CAC-8AD3-4A46-99F4-2837E8C07A1C>

1.1.1. OverView :

Using the import and export utilities, you can create XML documents that are used to configure Oracle GoldenGate Veridata.

The import utility allows you to configure database connections, comparison groups including compare pairs, comparison jobs, and profiles. It takes an XML document as input then creates comparison objects in Veridata. Typically, the XML document matches the inputs on the configuration pages in the user interface.

The export utility helps you to either selectively or completely export the compare configuration data to an XML file. It can be used to export configurations from your current Veridata configuration or from other Veridata configurations using the -repoUrl option. Additionally, you can use it to export configurations between different Veridata repository types using the import functionality. For example, from a SQL Server configuration to an Oracle configuration.

These utilities provide the following advantages:

- It can reduce the time required to define repetitive tasks
- It allows you to create reusable configurations
- It can ensure that your test configuration mirrors the one you use for production

1.1.2. Export The Configurations (In Example, We are exporting a group with 265 Compare Pairs)

Steps :

Veridata Domain Location Export The Java Home Run the Export Command

```
>> cd /u01/veridata/wls/user_projects/domains/base_domain/veridata/bin/
```

```
>> export JAVA_HOME=/u01/veridata/jdk1.8/jdk1.8.0_131/
```

```
>> export JRE_HOME=/u01/veridata/jdk1.8/jdk1.8.0_131/
```

```
>> export PATH=$JAVA_HOME/bin:$PATH
```

```
>> export PATH=$JRE_HOME/bin:$PATH
```

EXPORT

```
>> ./veridata_export.sh -export /tmp/export_ppd_veridata_group_18APR2023.xml -wuser vdata -groups Remaining_Tables_PSPE2EUW_Range_PPSPHP01_Hash_FULL
```

```
[oracle@ggpsppf501 bin]$ ./veridata_export.sh -export /tmp/export_ppd_veridata_group_18APR2023.xml -wuser vdata -groups Remaining_Tables_PSPE2EUW_Range_PPSPHP01_Hash_FULL
2023-04-18 02:18:17.550 NOTIFICATION Oracle GoldenGate Veridata Scripting - Version 12.2.1.2.0 OGGVDT_12.2.1.2.0_PLATF0RMS_161009.0503 For Testing Purposes Only
[OGGV-50007: Enter WebLogic user password :]
2023-04-18 02:18:37.031 NOTIFICATION OGGV-50001 XML configuration is successful
[oracle@ggpsppf501 bin]$
[oracle@ggpsppf501 bin]$
[oracle@ggpsppf501 bin]$ ls -lrth /tmp/export_ppd_veridata_group_18APR2023.xml
-rw-r----- 1 oracle oinstall 396K Apr 18 02:18 /tmp/export_ppd_veridata_group_18APR2023.xml
[oracle@ggpsppf501 bin]$
```

IMPORT

```
>> ./veridata_import.sh -wuser vdata -create /tmp/export_ppd_veridata_group_18APR2023_copy.xml
```

```
[oracle@ggpsppf501 bin]$ ./veridata_import.sh -wuser vdata -create /tmp/export_ppd_veridata_group_18APR2023_copy.xml
2023-04-18 02:43:29.382 NOTIFICATION Oracle GoldenGate Veridata Scripting - Version 12.2.1.2.0 OGGVDT_12.2.1.2.0_PLATF0RMS_161009.0503 For Testing Purposes Only
[OGGV-50007: Enter WebLogic user password :]
2023-04-18 02:44:16.443 NOTIFICATION OGGV-50001 XML configuration is successful
[oracle@ggpsppf501 bin]$
[oracle@ggpsppf501 bin]$
```

Once the Import is completed Login to Veridata and Check if the New Group is created or Not.

Home

Running Jobs

View By Job

View By Group

View By Compare Pair

Finished Jobs

View By Job

View By Group

View By Compare Pair

Repair Jobs

Configuration

Connection Configuration

Group Configuration

Job Configuration

Profile Configuration

Run / Execute Job

Reports

Options / Settings

User Preferences

Favorites

Group Configuration

Existing Groups

Filters

Select	Name	Description	Source Connection	Target Connection
☒	Delta_PROD_PSP2EUW_Range_TO_PPSHP01_Hash	This Group is created for validating only the delta/incremental data load between newly created database where the range partitions are converted to hash partitions between db PSPEZEUW (Range) and PPSHP01 (Hash)	PDS_MONOLITH_PSP2EUW	PDS_MONOLITH_PPSHP01
☐	hrsjoria_test_range_hash		PDS_MONOLITH_PSP2EUW	PDS_MONOLITH_PPSHP01
☐	ibob_full_comparison	ibob_full_comparison	sys_ibob_12c	sys_ibob_19c
☐	monolith_full_comparison	monolith_full_comparison	sys_monolith_19c	sys_monolith_12c
☐	poc		sys_monolith_19c	sys_monolith_19c
☐	PREPROD_PSP2EUW_Range_TO_PPSHP01_Hash_FULL	This Group is created for validating the data between newly created database where the range partitions are converted to hash partitions between PSPEZEUW (Range) and PPSHP01 (Hash)	PDS_MONOLITH_PSP2EUW	PDS_MONOLITH_PPSHP01
☐	Remaining_Tables_PSP2EUW_Range_PPSHP01_Hash_FULL	Compare Remaining Non-Partition Small tables for pre-prod between PSPEZEUW (Range) and PPSHP01 (Hash)	PDS_MONOLITH_PSP2EUW	PDS_MONOLITH_PPSHP01
☒	TEST_IMPORT_Remaining_Tables_PSP2EUW_PPSHP01_FULL	TEST IMPORT to Compare Remaining Non-Partition Small tables for pre-prod between PSPEZEUW (Range) and PPSHP01 (Hash)	PDS_MONOLITH_PSP2EUW	PDS_MONOLITH_PPSHP01

Show 10 Items per page

New... Edit... Delete

Once the Group Import is Confirmed please validate as the validation for all the compare pairs have to be done manually again.

Group Configuration >> Edit Group TEST_IMPORT_Remaining_Tables_PSP2EUW_PPSHP01_FULL >> Compare Pair Configuration

Compare Pair Configuration

Group Information

Group Name: TEST_IMPORT_Remaining_Tables_PSP2EUW_PPSHP01_FULL

Source Connection: PDS_MONOLITH_PSP2EUW

Target Connection: PDS_MONOLITH_PPSHP01

Existing Compare Pairs

Pattern Mapping Manual Mapping Preview

Enable Delta Processing Disable Delta Processing Validate Column Mapping Delete

Select All Pages

Existing Compare Pairs

Filters

Select	Compare Pair Name	Column Mapping	Source Schema	Target Schema	Row Partition	Profile	Validation Status	Key Mapping Method	Column Mapping Method
☐	PSP_ACCOUNTING_REPORT_FILE=PSP_ACCOUNTING_REPORT_FILE	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ACH_TRANSACTION_CODE=PSP_ACH_TRANSACTION_CODE	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ACHENROLLMENT=PSP_ACHENROLLMENT	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ACHENROLLMENT_DETAIL=PSP_ACHENROLLMENT_DETAIL	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ACHENROLLMENT_FILE=PSP_ACHENROLLMENT_FILE	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ACTION_EVENT=PSP_ACTION_EVENT	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ADDITIONAL_FILING_AMOUNT=PSP_ADDITIONAL_FILING_AMOUNT	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ADDRESS=PSP_ADDRESS	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_ADE_LAW_MAP=PSP_ADE_LAW_MAP	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined
☐	PSP_AGENCY=PSP_AGENCY	Edit...	PSPADM	PSPADM		sort_profile_new	?	User Defined	User Defined

Show 10 Items per page

Enable Delta Processing Disable Delta Processing Validate Column Mapping Delete

Once the Validation is Done then, you are good to create a JOB and select the newly created group and run the job and check if it is executing successfully.

Likewise you can export and import each and every component of Veridata using the Export/Import Utility.

Note - We can even Update/Edit the XML files and rename the Groups,Jobs, edit the Configuration etc.

Replace the Validation status to None in the XML file before import and delete the unwanted configurations like 'CONNECTIONS', 'PROFILES' etc that you don't want to import.

>> <configuration operation="update" validation="required">

to

>> <configuration operation="update" validation="none">

```
[oracle@ggspdpf081 bin]$ diff /tmp/export_ppd_veridata_group_18APR2023.xml /tmp/export_ppd_veridata_group_18APR2023_copy.xml
3,4c3,4
< <configuration operation="update" validation="required">
< <connection name="PDS_MONOLITH_PPSHP01" host="ggspibob1.sbg-psp-ppd.a.intuit.com" port="7852" user="ops_user" use-ssl="false">
< <--
> <configuration operation="update" validation="none">
> <group name="TEST_IMP_Remaining_Tables_PSP2EUM_PPSHP01_FULL" source-conn="PDS_MONOLITH_PSP2EUM" target-conn="PDS_MONOLITH_PPSHP01">
6,16c6
< <![CDATA[PREPROD MONOLITH HASH PARTITIONED TABLES]]>
< </description>
< </connection>
< <connection name="PDS_MONOLITH_PSP2EUM" host="ggspibob1.sbg-psp-ppd.a.intuit.com" port="7851" user="ops_user" use-ssl="false">
< </description>
< <![CDATA[PREPROD PSP2EUM Range Partition Tables Database]]>
< </description>
< </connection>
< <group name="Remaining_Tables_PSP2EUM_Range_PPSHP01_Hash_FULL" source-conn="PDS_MONOLITH_PSP2EUM" target-conn="PDS_MONOLITH_PPSHP01">
< </description>
< <![CDATA[Compare Remaining Non-Partition Small tables for pre-prod between PSP2EUM (Range) and PPSHP01 (Hash)]]>
< <--
> <![CDATA[TEST IMPORT to Compare Remaining Non-Partition Small tables for pre-prod between PSP2EUM (Range) and PPSHP01 (Hash)]]>
3840,384c3838
< <profile name="sort_profile_new">
< </description>
< <![CDATA[sort_profile_new]]>
< </description>
< <sorting-method>
< <param name="sort-method" value="server"/>
< <param name="sort-sic-temp-dir" value="/u01/veridata/veri_sort"/>
< <param name="sort-tar-temp-dir" value="/u01/veridata/veri_sort"/>
< </sorting-method>
< <initial-compare>
< <param name="output-oss-rpt" value="true"/>
< <param name="update-rpt-record" value="20"/>
< <param name="update-rpt-second" value="20"/>
< <param name="max-thread" value="10"/>
< </initial-compare>
< <confirm-out-of-sync>
< <param name="output-oss-rpt" value="true"/>
< <param name="coos-concurrent" value="true"/>
< <param name="coos-enable" value="true"/>
< </confirm-out-of-sync>
< <repair>
< <param name="repair-after-compare" value="false"/>
< </repair>
< </profile>
< </configuration>
\ No newline at end of file
```

Sync Status :

Sync status for the new created using export/import utility.

Home

Running Jobs

View By Job

View By Group

View By Compare Pair

Finished Jobs

View By Job

View By Group

View By Compare Pair

Repair Jobs

Configuration

Connection Configuration

Group Configuration

Job Configuration

Profile Configuration

Run / Execute Job

Reports

Options / Settings

User Preferences

Favorites

Jobs

Shortcuts

All Finished Jobs >> Details For Finished Job TEST_IMPORT_JOB

Run...

Repair

Job Configuration...

Job Name:

TEST_IMPORT_JOB

Description:

TEST the execution after testing the import of group

Start Time:

Apr 18, 2023 9:28:49 PM PDT

End Time:

Apr 18, 2023 9:34:30 PM PDT

Run Duration:

00:05:40

Compare Pair Status For Job TEST_IMPORT_JOB

Total Compare Pairs Processed: 274

In-Sync: 274

Out-Of-Sync: 0

Failed: 0

Canceled: 0

View All Statistics

Linked Groups

Filters

Comparison Status	Repair Status	Group Name	Run Duration	Compare Pairs Processed	Compare Pairs Out-Of-Sync	Compare Pairs Failed	Compare Pairs Canceled	Reports
		TEST_IMP_Remaining_Tables_PSP2EUM_PPSHP01_FULL	00:05:40	274	0	0	0	Report

Show 10 Items per page

IMP Notes :-

1. After Import the Compare pairs has to be manually validated.
2. For all tables with all the columns marked as key mappings Column Mapping is marked as system generated. We have to manually mark as user defined and validate manually.

Good Luck !

