

AWS PSP Production/Non Prod Account - Security ticket and fixes

We do get ticket w.r.t Security ticket and Intuit Policy non-compliance issue for PSP production 8935-4763-7742 and Non Prod 1524-3047-0825Accounts.

	Resource	Issue	Sample Jira	Remedy
1.	AwsRdsDbCluster	All cloud eligible services must use TLS 1.2 or greater	QBWC-163668 - ACP: IS031.1-AwsRdsDbInstance [Due 2023-10-11] Intuit Policy non-compliance issue found for account 8935-4763-7742 - Action Needed (Intuit.payroll.dtpayroll.qbdtpayrollplatformsvcpird) CLOSED QBWC-163279 - ACP: IS031.1-AwsRdsDbInstance [Due 2023-10-05] Intuit Policy non-compliance issue found for account 1524-3047-0825 - Action Needed (Intuit.unknown.qbdtpayrollserviceplatform) CLOSED	Oracle Since we are using NNE in oracle RDS instances, hence we need to raise an exception and set SQLNET.ENCRYPTION_SERVER and SQLNET.ENCRYPTION_CLIENT in DB option group From commandline, <u>Note : We already ran the same for all the existing RDS option groups (12c and 19c) in production account and Non prod Account.</u> NATIVE_NETWORK_ENCRYPTION a. Using the AWS CLI, run the following command to add option: <pre>aws rds add-option-to-option-group --profile sbg-psp-prod --region us-west-2 --option-group-name oracle-ee-19-prod-clusterdb-vpc-3 --options [{"OptionSettings": [{"Name": "SQLNET.ENCRYPTION_SERVER", "Value": "REQUIRED"}, {"Name": "SQLNET.ENCRYPTION_CLIENT", "Value": "REQUIRED"}], "OptionName": "NATIVE_NETWORK_ENCRYPTION"}] --apply-immediately</pre>

Production: We have two optional groups sharing with all Oracle Rds Databases.

- 1. Us-West-2: oracle-ee-19-prod-clusterdb-vpc-2
- 2. Us-east-2: oracle-ee-19-prod-clusterdb-vpc-1

Step 1: Take Backup of optional groups.

- 1. Us-West-2: oracle-ee-19-prod-clusterdb-vpc-2

Name	Persistent	Permanent	Port	Security groups	Version	Settings
Timezone	Yes	Yes	-	-	-	TIME_ZONEUS/Pacific

NATIVE_NETWORK_ENCRYPTION	No	No	-	-	-	<table><tr><td>SQLNET.ALLOW_WEAK_CRYPTO</td><td>true</td></tr><tr><td>SQLNET.ALLOW_WEAK_CRYPTO_CLIENTS</td><td>true</td></tr><tr><td>SQLNET.ENCRYPTION_SERVER</td><td>REQUIRED</td></tr><tr><td>SQLNET.ENCRYPTION_TYPES_SERVER</td><td>RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER</td><td>SHA1, MD5</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_SERVER</td><td>REQUESTED</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT</td><td>SHA256, SHA384, SHA512, SHA1, MD5</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_CLIENT</td><td>REQUESTED</td></tr><tr><td>SQLNET.ENCRYPTION_TYPES_CLIENT</td><td>RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40</td></tr><tr><td>SQLNET.ENCRYPTION_CLIENT</td><td>REQUESTED</td></tr></table>	SQLNET.ALLOW_WEAK_CRYPTO	true	SQLNET.ALLOW_WEAK_CRYPTO_CLIENTS	true	SQLNET.ENCRYPTION_SERVER	REQUIRED	SQLNET.ENCRYPTION_TYPES_SERVER	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40	SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER	SHA1, MD5	SQLNET.CRYPTO_CHECKSUM_SERVER	REQUESTED	SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT	SHA256, SHA384, SHA512, SHA1, MD5	SQLNET.CRYPTO_CHECKSUM_CLIENT	REQUESTED	SQLNET.ENCRYPTION_TYPES_CLIENT	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40	SQLNET.ENCRYPTION_CLIENT	REQUESTED
SQLNET.ALLOW_WEAK_CRYPTO	true																									
SQLNET.ALLOW_WEAK_CRYPTO_CLIENTS	true																									
SQLNET.ENCRYPTION_SERVER	REQUIRED																									
SQLNET.ENCRYPTION_TYPES_SERVER	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40																									
SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER	SHA1, MD5																									
SQLNET.CRYPTO_CHECKSUM_SERVER	REQUESTED																									
SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT	SHA256, SHA384, SHA512, SHA1, MD5																									
SQLNET.CRYPTO_CHECKSUM_CLIENT	REQUESTED																									
SQLNET.ENCRYPTION_TYPES_CLIENT	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40																									
SQLNET.ENCRYPTION_CLIENT	REQUESTED																									

2.Us-east-2: oracle-ee-19-prod-clusterdb-vpc-1

Name	Persistent	Permanent	Port	Security groups	Version	Settings
S3_INTEGRATION	No	No	-	-	1.0	-

NATIVE_NETWORK_ENCRYPTION	No	No	-	-	-	<table><tr><td>SQLNET.ALLOW_WEAK_CRYPTO_CLIENTS</td><td>true</td></tr><tr><td>SQLNET.ALLOW_WEAK_CRYPTO</td><td>true</td></tr><tr><td>SQLNET.ENCRYPTION_CLIENT</td><td>REQUESTED</td></tr><tr><td>SQLNET.ENCRYPTION_TYPE_S_CLIENT</td><td>RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_CLIENT</td><td>REQUESTED</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT</td><td>SHA256, SHA384, SHA512, SHA1, MD5</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_SERVER</td><td>REQUESTED</td></tr><tr><td>SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER</td><td>SHA1, MD5</td></tr><tr><td>SQLNET.ENCRYPTION_TYPE_S_SERVER</td><td>RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40</td></tr><tr><td>SQLNET.ENCRYPTION_SERVER</td><td>REQUIRED</td></tr></table>	SQLNET.ALLOW_WEAK_CRYPTO_CLIENTS	true	SQLNET.ALLOW_WEAK_CRYPTO	true	SQLNET.ENCRYPTION_CLIENT	REQUESTED	SQLNET.ENCRYPTION_TYPE_S_CLIENT	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40	SQLNET.CRYPTO_CHECKSUM_CLIENT	REQUESTED	SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT	SHA256, SHA384, SHA512, SHA1, MD5	SQLNET.CRYPTO_CHECKSUM_SERVER	REQUESTED	SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER	SHA1, MD5	SQLNET.ENCRYPTION_TYPE_S_SERVER	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40	SQLNET.ENCRYPTION_SERVER	REQUIRED
SQLNET.ALLOW_WEAK_CRYPTO_CLIENTS	true																									
SQLNET.ALLOW_WEAK_CRYPTO	true																									
SQLNET.ENCRYPTION_CLIENT	REQUESTED																									
SQLNET.ENCRYPTION_TYPE_S_CLIENT	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40																									
SQLNET.CRYPTO_CHECKSUM_CLIENT	REQUESTED																									
SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT	SHA256, SHA384, SHA512, SHA1, MD5																									
SQLNET.CRYPTO_CHECKSUM_SERVER	REQUESTED																									
SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER	SHA1, MD5																									
SQLNET.ENCRYPTION_TYPE_S_SERVER	RC4_256, AES256, AES192, 3DES168, RC4_128, AES128, 3DES112, RC4_56, DES, RC4_40, DES40																									
SQLNET.ENCRYPTION_SERVER	REQUIRED																									
Timezone	Yes	Yes	-	-	-	<table><tr><td>TIME_ZONE</td><td>US/Pacific</td></tr></table>	TIME_ZONE	US/Pacific																		
TIME_ZONE	US/Pacific																									

Step 2: we need to raise an exception and set SQLNET.ENCRYPTION_SERVER and SQLNET.ENCRYPTION_CLIENT in DB option group From commandline.

As a part Ticket we need to change one value SQLNET.ENCRYPTION_CLIENT REQUESTED to REQUIRED. Run below

```
--create aws temp credentials
eiamCli aws_creds -a 893547637742 -r PowerUser -p sbg-psp-prod

1.Us-West-2: oracle-ee-19-prod-clusterdb-vpc-2

aws rds add-option-to-option-group --profile sbg-psp-prod --region us-west-2 \
--option-group-name oracle-ee-19-qa-clusterdb-vpc-2 \
--options '[{"OptionSettings":[{"Name":"SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT","Value":"SHA256, SHA384, SHA512, SHA1, MD5"}, {"Name":"SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER","Value":"SHA1, MD5"}, {"Name":"SQLNET.ENCRYPTION_CLIENT","Value":"REQUIRED"}, {"Name":"SQLNET.ENCRYPTION_SERVER","Value":"REQUIRED"}], "OptionName":"NATIVE_NETWORK_ENCRYPTION"}]' \
--apply-immediately

2.Us-east-2: oracle-ee-19-prod-clusterdb-vpc-1

aws rds add-option-to-option-group --profile sbg-psp-prod --region us-east-2 \
--option-group-name oracle-ee-19-prod-clusterdb-vpc-1 \
--options '[{"OptionSettings":[{"Name":"SQLNET.CRYPTO_CHECKSUM_TYPES_CLIENT","Value":"SHA256, SHA384, SHA512, SHA1, MD5"}, {"Name":"SQLNET.CRYPTO_CHECKSUM_TYPES_SERVER","Value":"SHA1, MD5"}, {"Name":"SQLNET.ENCRYPTION_CLIENT","Value":"REQUIRED"}, {"Name":"SQLNET.ENCRYPTION_SERVER","Value":"REQUIRED"}], "OptionName":"NATIVE_NETWORK_ENCRYPTION"}]' \
--apply-immediately
```

Step 3: Verify values with Backup, only one value will change.

i.e SQLNET.ENCRYPTION_CLIENT REQUESTED to REQUIRED.

Note: **Please do not close the ticket.** The ticket will auto-close up to 24 hours **AFTER ALL** affected resources in the account are fixed.
If you have deleted the resource it will take up to 72 hours to auto-close.