

PSP-IBOBADM-Schema setup(APG)

Step 1: Create Database in Aurora Postgres

```
create database prodapgib;
```

Step 2: Create schema into the database

schema: ibobadm

```
-- secure public schema from being junkyard
revoke create on schema public from public;

-- secure data for unauthorised access
revoke all on database prodapgib from public;

lc prodapgib

-- create schema into the database
create schema ibobadm;
```

Step 3: create owner user/role with permission to login and grant needful permissions. This will be used for any DB Deployment

```
create role ibobadm_owner with login password *****;

-- grant permission to connect the database
grant connect on database prodapgib to ibobadm_owner;

-- grant permission to the role to perform activity on the schema, mandatory for any permission including
object level permission to work
grant usage, create on schema ibobadm to ibobadm_owner;

-- grant select, DML permission to all the existing tables and views if any to the role
grant select, insert, update, delete on all tables in schema ibobadm to ibobadm_owner;

-- grant select, DML permission on all tables and views at later date to the role
alter default privileges in schema ibobadm grant select, insert, update, delete on tables to ibobadm_owner;

-- grant select, DML permission to all the existing sequences if any to the role
grant usage on all sequences in schema ibobadm to ibobadm_owner;

-- grant select, DML permission to all the sequences created at later date to the role
alter default privileges in schema ibobadm grant usage on sequences to ibobadm_owner;

--set search path for ibobadm_owner
alter user ibobadm_owner set search_path to ibobadm;
```

Step 4: create read-write application user/role with permission to login and grant needful permissions (change user name based on required)

```

create role ibob_prod_pspapp with login password *****;

-- grant permission to connect the database
grant connect on database ibobadmdb to ibob_prod_pspapp;

-- grant permission to the role to perform activity on the schema, mandatory for any permission including
object level permission to work
grant usage on schema ibobadm to ibob_prod_pspapp;

-- connect to owner user and grant access to ibob_prod_pspapp
\c prodapgib ibobadm_owner

-- grant select, DML permission to all the existing tables and views if any to the role
grant select, insert, update, delete on all tables in schema ibobadm to ibob_prod_pspapp;

-- grant select, DML permission on all tables and views at later date to the role
alter default privileges in schema ibobadm grant select, insert, update, delete on tables to ibob_prod_pspapp;

-- grant select, DML permission to all the existing sequences if any to the role
grant usage on all sequences in schema ibobadm to ibob_prod_pspapp;

-- grant select, DML permission to all the sequences created at later date to the role
alter default privileges in schema ibobadm grant usage on sequences to ibob_prod_pspapp;

--set search path for ibob_prod_pspapp
alter user ibob_prod_pspapp set search_path to ibobadm;

```

Step 5: create read-only user/role with permission to login and grant needful permissions

```

create role ibobadm_readonly with login password *****;

-- grant permission to connect the database
grant connect on database prodapgib to ibobadm_readonly;

-- grant permission to the role to perform activity on the schema, mandatory for any permission including
object level permission to work
grant usage on schema ibobadm to ibobadm_readonly;

-- grant access to ibobadm_readonly

-- grant select permission to all the existing tables and views if any to the role
grant select on all tables in schema ibobadm to ibobadm_readonly;

-- grant select permission on all tables and views created at later date to the role
alter default privileges in schema ibobadm grant select on tables to ibobadm_readonly;

--set search path for readonly
alter user ibobadm_readonly set search_path to ibobadm;

```

Step 6: Create tables/other objects

copy scripts from git-hub for IBOBADM schema: <https://github.com/intuit.com/payroll-services-platform/desktop-payroll-database-engineering/tree/master/aurora-postgres-migration/schema/prod/audit>

go through below scripts:

```
ibobadm_tables.sql
ibobadm_part.sql
ibobadm_subpart.sql
ibobadm_pk.sql
ibobadm_fk.sql
ibobadm_index.sql
cr_idx_psp_source_system_transmis_i2_on_sst.sql
cr_idx_psp_source_system_transmis_i4_on_sst.sql
cr_idx_psp_source_system_transmis_i5_on_sst.sql
cr_idx_psp_src_sys_tran_id_on_sst.sql
cr_metadata_idx_psp_source_system_transmis_i2.sql
cr_metadata_idx_psp_source_system_transmis_i4.sql
cr_metadata_idx_psp_source_system_transmis_i5.sql
cr_metadata_idx_psp_src_sys_tran_id.sql
attach_idx_psp_src_sys_tran_id_to_metadata_index.sql
attach_idx_psp_source_system_transmis_i2_to_metadata_index.sql
attach_idx_psp_source_system_transmis_i4_to_metadata_index.sql
attach_idx_psp_source_system_transmis_i5_to_metadata_index.sql
attach_idx_psp_src_sys_tran_id_to_metadata_index_main_table.sql
attach_idx_psp_source_system_transmis_i2_to_metadata_index_main_table.sql
attach_idx_psp_source_system_transmis_i4_to_metadata_index_main_table.sql
attach_idx_psp_source_system_transmis_i5_to_metadata_index_main_table.sql
ibobadm_check_const.sql
cr_CC_C_psp_source_system_transm0_sst.sql
cr_CC_C_psp_source_system_transm1_sst.sql
cr_CC_C_psp_source_system_transm2_sst.sql
```

Step 7: prepare main script in same location. keep all scripts names in the sequence.

ibobadm_schema.sql

```

--ibobadm_tables
\i ibobadm_tables.sql
--ibobadm_part
\i ibobadm_part.sql
--ibobadm_subpart
\i ibobadm_subpart.sql
--ibobadm_pk
\i ibobadm_pk.sql
--ibobadm_fk
\i ibobadm_fk.sql
--ibobadm_index
\i ibobadm_index.sql
--cr_idx_psp_source_system_transmis_i2_on_sst
\i cr_idx_psp_source_system_transmis_i2_on_sst.sql
--cr_idx_psp_source_system_transmis_i4_on_sst
\i cr_idx_psp_source_system_transmis_i4_on_sst.sql
--cr_idx_psp_source_system_transmis_i5_on_sst
\i cr_idx_psp_source_system_transmis_i5_on_sst.sql
--cr_idx_psp_src_sys_tran_id_on_sst
\i cr_idx_psp_src_sys_tran_id_on_sst.sql
--cr_metadata_idx_psp_source_system_transmis_i2
\i cr_metadata_idx_psp_source_system_transmis_i2.sql
--cr_metadata_idx_psp_source_system_transmis_i4
\i cr_metadata_idx_psp_source_system_transmis_i4.sql
--cr_metadata_idx_psp_source_system_transmis_i5
\i cr_metadata_idx_psp_source_system_transmis_i5.sql
--cr_metadata_idx_psp_src_sys_tran_id
\i cr_metadata_idx_psp_src_sys_tran_id.sql
--attach_idx_psp_src_sys_tran_id_to_metadata_index
\i attach_idx_psp_src_sys_tran_id_to_metadata_index.sql
--attach_idx_psp_source_system_transmis_i2_to_metadata_index
\i attach_idx_psp_source_system_transmis_i2_to_metadata_index.sql
--attach_idx_psp_source_system_transmis_i4_to_metadata_index
\i attach_idx_psp_source_system_transmis_i4_to_metadata_index.sql
--attach_idx_psp_source_system_transmis_i5_to_metadata_index
\i attach_idx_psp_source_system_transmis_i5_to_metadata_index.sql
--attach_idx_psp_src_sys_tran_id_to_metadata_index_main_table
\i attach_idx_psp_src_sys_tran_id_to_metadata_index_main_table.sql
--attach_idx_psp_source_system_transmis_i2_to_metadata_index_main_table
\i attach_idx_psp_source_system_transmis_i2_to_metadata_index_main_table.sql
--attach_idx_psp_source_system_transmis_i4_to_metadata_index_main_table
\i attach_idx_psp_source_system_transmis_i4_to_metadata_index_main_table.sql
--attach_idx_psp_source_system_transmis_i5_to_metadata_index_main_table
\i attach_idx_psp_source_system_transmis_i5_to_metadata_index_main_table.sql
--ibobadm_check_const
\i ibobadm_check_const.sql
--cr_CC_C_psp_source_system_transm0_sst
\i cr_CC_C_psp_source_system_transm0_sst.sql
--cr_CC_C_psp_source_system_transm1_sst
\i cr_CC_C_psp_source_system_transm1_sst.sql
--cr_CC_C_psp_source_system_transm2_sst
\i cr_CC_C_psp_source_system_transm2_sst.sql

```

Step 8: connect DB and Run main script

```

\c prodappib

\i ibobadm_schema.sql

```

Once all scripts applied successfully please verify the objects in schema.