

Audit to monolith migration-staging

Table Names

- 1. PSP_QBDT_REQUEST_INFO
- 2. psp_hcm401k_company_policy
- 3. psp_hcm401k_company_qbdt_pitem
- 4. psp_hcm401k_employee_deduction
- 5. psp_hcm401k_policy

Pre - Cutover Steps

Steps	Links	Details	Date	Owner
1	DMS Replication	• monitoring and dashboard for DMS replication. • Ensure Replication lag 0.		Narlagalla, Praveen Goud
2	Data Validation	• validate data on daily basis for last 2 days. • validate data for last 4/6 hours. • check and fix OOS records		Narlagalla, Praveen Goud

Cutover Steps

Steps	Links	Details	Date	Owner
1	Zero Pod deployment for PSP, PAPI	https://build.intuit.com/qbdt-jenkins/job/developer/view/psp-adhoc-automations/job/psp-scale-down-applications/ For PAPI, PSP. Save tag		Bhagat, Suyash
2	DMS Replication lag	Ensure DMS Replication lag 0		Narlagalla, Praveen Goud
3	Ensure there are no active connections on Audit Database.	<pre>SELECT datname,username, coalesce(client_hostname, client_addr::text, 'localhost') as client_hostname,count(*) from pg_stat_activity where pid != pg_backend_pid() group by datname,username, coalesce(client_hostname, client_addr::text, 'localhost') order by username;</pre>		Narlagalla, Praveen Goud

4	Block application for these 5 tables to write in Audit db	Connect Audit DB and revoke write privilege from app user. <pre> revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_qbdt_request_info from ibob_prl_pspapp; revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_company_policy from ibob_prl_pspapp; revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_company_qbdt_pitem from ibob_prl_pspapp; revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_employee_deduction from ibob_prl_pspapp; revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_policy from ibob_prl_pspapp; </pre>	Narlag alla, Pravee n Goud
5	Ensure there are no active connections on Audit Database.	<pre> SELECT datname,username, coalesce(client_hostname, client_addr::text, 'localhost') as client_hostname,count(*) from pg_stat_activity where pid != pg_backend_pid() group by datname,username, coalesce(client_hostname, client_addr::text, 'localhost') order by username; </pre> (Kill Connections if needed) <pre> select pg_terminate_backend(pid) from pg_stat_activity where pid in (select pid FROM pg_stat_activity where username like '% ibob_prl_pspapp%'); </pre>	Narlag alla, Pravee n Goud
6	Check DMS Replication lag and validation .	- wait till audit to monolith DMS replication lag 0. - DMS Validation for HCM and DB solo validation for QRI table. check and fix OOS records .	Narlag alla, Pravee n Goud
7	Stop Audit to monolith DMS Replication and Validation Tasks	- Stop and Delete DMS Replication Tasks from Audit to monolith. - stop and delete DMS Validation Task for HCM tables.	Narlag alla, Pravee n Goud
8	Start the reverse replication from monolith to Audit.	connect Hostname: ggpspadm01.sbg-ppsp-prod.a.intuit.com <pre> cd /u01/staging/hcm-qri-staging --create new CDC tasks from Monolith to Audit for QRI and HCM. ./cr-mon-aud-cdc.sh ---create validation task for HCM. ./cr-mon-aud-val-hcm.sh </pre>	Narlag alla, Pravee n Goud

9	start DMS task & Verify DMS Replication insert Record	- start task having gg_heartbeat table. - verify DMS Replication insert record into gg_heartbeat table. <pre>insert into pspadm.gg_heartbeat values('montoAud-test', current_timestamp); select * from pspadm.gg_heartbeat;</pre>		Narlag alla, Pravee n Goud
10	Start remaining DMS Replication tasks	Start remaining DMS Replication tasks.		
11	Give these 5 tables read /write privileges to roles	<pre>--read/write GRANT SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_qbdt_request_info to pspadm_readwrite_role; GRANT SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_company_policy to pspadm_readwrite_role; GRANT SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_company_qbdt_pitem to pspadm_readwrite_role; GRANT SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_employee_deduction to pspadm_readwrite_role; GRANT SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_policy to pspadm_readwrite_role; --read GRANT SELECT ON pspadm.psp_qbdt_request_info to pspadm_readonly_role; GRANT SELECT ON pspadm.psp_hcm401k_company_policy to pspadm_readonly_role; GRANT SELECT ON pspadm. psp_hcm401k_company_qbdt_pitem to pspadm_readonly_role; GRANT SELECT ON pspadm. psp_hcm401k_employee_deduction to pspadm_readonly_role; GRANT SELECT ON pspadm.psp_hcm401k_policy to pspadm_readonly_role;</pre>		
12	Approve PSP and PAPI Deployment for audit DB to monolith migration changes (this will deploy new image in PSP, PAPI) or Scale up job with new images	Scale up link - https://build.intuit.com/qbdt-jenkins/job/developer/view/psp-adhoc-automations/job/psp-scale-up-applications/build?delay=0sec Parameter - Application Image PSP#feature-hcmTablesToMonolith-cacd4ff PAPI#feature-hcmTablesToMonolith-308186e		Bhagat, Suyash
13	Once deployment is complete, perform sanity tasks	PSP Sanity - https://build.intuit.com/payroll/job/payroll-dtpayroll/job/dt-payroll-svc/job/psp-iks-sanity/ PAPI Sanity - https://build.intuit.com/payroll/job/payroll-dtpayroll/job/desktop-pay-api/job/papi-iks-sanity/		
14	Run sample payroll from Test Company(Prod) Generate traffic in e2e	Run automation suite - https://build.intuit.com/intuit-desktop-payroll/job/payroll-automation-suite-east-e2e/		
15	Data Validation	- Validate data monolith to Audit for HCM tables via DMS - Validate data monolith to Audit for QRI table via DBsolo		Narlag alla, Pravee n Goud
16	Monitoring steps - DbTelemetry (read/write in audit/monolith) Alerts for these 5 Table name queries fired in Audit			

Rollback Steps

Steps	Links	Date	Owner	
1	Zero Pod deployment for PSP, PAPI	Scale down job - https://build.intuit.com/qbdt-jenkins/job/developer/view/psp-adhoc-automations/job/psp-scale-down-applications/		Bhagat, Suyash
2	Check DMS Replication lag	Ensure DMS Replication lag 0		Narlagalla, Praveen Goud
3	Ensure there are no active connections.	<pre>SELECT datname,username, coalesce(client_hostname, client_addr::text, 'localhost') as client_hostname,count(*) from pg_stat_activity where pid != pg_backend_pid() group by datname,username, coalesce(client_hostname, client_addr::text, 'localhost') order by username;</pre> (Kill Connections if needed) <pre>select pg_terminate_backend(pid) from pg_stat_activity where pid in (select pid FROM pg_stat_activity where username like '%ibob_pds_pspapp%');</pre>		Narlagalla, Praveen Goud
4	Check DMS Replication lag and validation .	- wait till audit to monolith DMS replication lag 0. - DMS Validation for HCM and DB solo validation for QRI table. check and fix OOS records .		Narlagalla, Praveen Goud
5	Sop DMS Replication from Mon to Audit	- Stop and Delete DMS Replication Tasks from Mon to Audit. - stop and delete DMS Validation Task for HCM tables.		Narlagalla, Praveen Goud
6	Create Audit to monolith DMS replication and Validations Tasks	connect Hostname: ggpspadm01.sbg-ppsp-prod.a.intuit.com <pre>cd /u01/hcm-qri-migration/dms/ --create new CDC tasks from Monolith to Audit for QRI and HCM. ./cr-aud-mon-cdc.sh ---create validation task for HCM. ./cr-aud-mon-val-hcm.sh</pre>		Narlagalla, Praveen Goud
7	start DMS task & Verify DMS Replication insert Record	- start task having gg_heartbeat table. - verify DMS Replication insert record into gg_heartbeat table. <pre>insert into ibobadm.gg_heartbeat values('montoAud-test', current_timestamp); select * from ibobadm.gg_heartbeat;</pre>		Narlagalla, Praveen Goud
8	Start remaining DMS Replication tasks	Start DMS Replication task and validation task for HCM		Narlagalla, Praveen Goud

9	Grant Read and Write Permission to application user	Connect Audit Database and Grant Read/write privileges to application user <pre>GRANT SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_qbdt_request_info TO ibob_prl_pspapp; GRANT SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_company_policy TO ibob_prl_pspapp; GRANT SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_company_qbdt_pitem TO ibob_prl_pspapp; GRANT SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_employee_deduction TO ibob_prl_pspapp; GRANT SELECT, INSERT, DELETE, UPDATE ON ibobadm. psp_hcm401k_policy TO ibob_prl_pspapp;</pre>		Narlagall a, Praveen Goud
10	Revoke permissions from read /write role	connect monolith DB and Revoke read/write privileges from role, <pre>--Connect pspadm_owner run below revoke SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_qbdt_request_info from pspadm_readwrite_role; revoke SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_company_policy from pspadm_readwrite_role; revoke SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_company_qbdt_pitem from pspadm_readwrite_role; revoke SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_employee_deduction from pspadm_readwrite_role; revoke SELECT, INSERT, DELETE, UPDATE ON pspadm. psp_hcm401k_policy from pspadm_readwrite_role;</pre>		Narlagall a, Praveen Goud
11	Rollback PSP PAPI changes to the last stable branch	Use tag created in 1st step of cutover for scale up - https://build.intuit.com/qbdt-jenkins/job/developer/view/psp-adhoc-automations/job/psp-scale-up-applications/		Bhagat, Suyash
12	Once deployment is complete, perform sanity tasks	PSP Sanity - https://build.intuit.com/payroll/job/payroll-dtpayroll/job/dt-payroll-svc/job/psp-iks-sanity/ PAPI Sanity - https://build.intuit.com/payroll/job/payroll-dtpayroll/job/desktop-pay-api/job/papi-iks-sanity/		
13	Run sample payroll from Test Company.	Run automation suite - https://build.intuit.com/intuit-desktop-payroll/job/payroll-automation-suite-east-e2e/		
14	Data validation	- Validate data Audit to monolith for HCM tables via DMS - Validate data Audit to monolith for QRI table via DBsolo		Narlagall a, Praveen Goud
15	Check the records in Monolith DB West and East Validate replication in audit			

Monitoring links

- Preprod: JIRA: <https://jira.intuit.com/browse/PSP-29948>
- Staging: <https://jira.intuit.com/browse/PSP-29860>