

DB Password change run book -2022

1. Context

As part of Intuit's SOX and internal security policy compliance requirements, all non-human account passwords (i.e. System/Service Accounts) identified on SOX in-scope systems must be refreshed at least once a year. This is a mandatory compliance requirement except where extreme technical constraints and unknowns prevent the password from being reset.

2. Action Items

Pre Prod

	Task	Steps	Status	Owner	Remarks
1	Take Backup of Old credentials via script	Modules: PSP/PAPI/Pubsub/QueryConsole stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSSYS/dataAccess-password --output ./dataAccess-password-bkup --overwrite --utf-8 Module: PSP <u>Secondary DB credentials backup:</u> stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSSYS/dataAccessSecondary-password --output ./psp-dataAccessSecondary-password-backup.txt --overwrite --utf-8 RJF: stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/reportjob-secrets/sysaws/datasource-password --output ./rjf-datasource-password-bkup --overwrite --utf-8 Payroll DM: No QAL Env			
2	Ensure all services have 0 Pods running	☒ PSP ☒ RJF ☒ Pubsub ☒ PayrollDM ☒ PAPI ☒ QueryConsole			
3	change password in PSP database (monolith + IBOB) in US-WEST-2 and US-EAST-2 region			shobhit	users : PSPADM, PSPAPP, PSPREAD_AWS, IBOB_PROD_PSPAPP, IBOB_PROD_PSPREAD, IBOB_PSPREAD_AWS, IBOBADM With this, we also had to change few other users as mentioned below (in Green)
4	manual SQL connectivity verification	Application used below users only. Verification will be done for all users whose password is changed. 1. PSPAPP, PSPREAD_AWS IBOB_PROD_PSPAPP 2. PSPADM, IBOB_PROD_PSPREAD, IBOB_PSPREAD_AWS, IBOBADM		Shobhit	

5	sync IDPS with new password via scripts - PSP + RJF (4 keys need to be updated)	Modules: PSP/PAPI/Pubsub/QueryConsole Insert: <pre>stash put-secret --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --api-key-file-path key_v2-b95a8179f0779.pem --secret-name PSPSecrets/secrets/AWSSYS/dataAccess-password --secret-value dataAccess-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSSYS/dataAccess-password --output . /verify-dataAccess-password --overwrite --utf-8</pre> Module: PSP/Pubsub <u>Secondary DB credentials backup:</u> Insert: <pre>stash put-secret --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --api-key-file-path key_v2-b95a8179f0779.pem --secret-name PSPSecrets/secrets/AWSSYS/dataAccessSecondary-password --secret-value dataAccessSecondary-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSSYS/dataAccessSecondary-password --output . /verify-dataAccessSecondary-password.txt --overwrite --utf-8</pre> RJF: Insert: <pre>stash put-secret --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --api-key-file-path key_v2-b95a8179f0779.pem --secret-name PSPSecrets/reportjob-secrets/sysaws/datasource-password --secret-value rjf-datasource-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/reportjob-secrets/sysaws/datasource-password --output . /verify-rjf-datasource-password --overwrite --utf-8</pre> Payroll DM: (QAL env not available,Only E2E) primary-datasource: Insert: <pre>stash put-secret --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --api-key-file-path key_v2-b95a8179f0779.pem --secret-name PSPSecrets/reportjob-secrets/devaws/datasource-password --secret-value payrolldm-datasource-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/reportjob-secrets/devaws/datasource-password --output . /verify-payrolldm-datasource-password.txt --overwrite --utf-8</pre> secondary-datasource: Insert: <pre>stash put-secret --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --api-key-file-path key_v2-b95a8179f0779.pem --secret-name PSPSecrets/secrets/AWSSYS/dataAccessSecondary-password --secret-value payrolldm-dataAccessSecondary-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-b95a8179f0779.pem --appliance PayrollSvcPlatform-PRE-PRODUCTION-N93C09.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSSYS/dataAccessSecondary-password --output . /verify-payrolldm-dataAccessSecondary-password.txt --overwrite --utf-8</pre>			
6	Deployment - PSP	Verify that the pod count is 1. via ArgoCD and check it is using new DB connection with DB team Once Autoscaling is set to normal,verify all pods have come up and they are in healthy state			
7	Deployment of PubSub				
8	Restart - RJF, PAPI, Query Console, Payroll DM				
9	During deployment ensure existing db connections are gone and starts making new connections.			Shobhit	
10	PSP Sanity	Verify POD count is same as expected. Verify POD health is stable. Verify Build Version			
11	PubSub Sanity				
12	RJF, PAPI, Query Console, Payroll DM Sanity				

Prod

	Task	Steps	Status	Owner	Remarks
1	Send downtime update to stake holders via Email	NA			
2	Create CR's for each service	PAPI: RJF: PSP: Query Console: Payroll DM: Pubsub:			
3	Take Backup of Old credentials via script	Modules: PSP/PAPI/Pubsub/QueryConsole <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq. pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/dataAccess-password --output . /dataAccess-password-bkup --overwrite --utf-8</pre> Module: PSP <u>Secondary DB credentials backup:</u> <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq. pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password -- output ./psp-dataAccessSecondary-password-backup.txt --overwrite --utf-8</pre> RJF: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq. pd.idps.a.intuit.com --secret-name PSPSecrets/reportjob-secrets/prodaws/datasource-password --output ./rjf- datasource-password-bkup --overwrite --utf-8</pre> Payroll DM: primary-datasource: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq. pd.idps.a.intuit.com --secret-name PSPSecrets/reportjob-secrets/prodaws/datasource-password --output . /payrolldm-datasource-password-backup.txt --overwrite --utf-8</pre> secondary-datasource: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq. pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password -- output ./payrolldm-dataAccessSecondary-password-backup.txt --overwrite --utf-8</pre>			
4	Take backup of PSPADM user	<pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq. pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/pspadm-db-password --output ./verify-pspadm-db-password- backup.txt --overwrite --utf-8</pre>			
5	Enable turn away page for PSP	Enable Maintenance page using the TurnAway URL			
6	Ensure all services have 0 Pods running	☒ PAPI ☒ PSP ☒ RJF ☒ Pubsub ☒ PayrollDM ☒ QueryConsole			
7	change password in PSP database (monolith + IBOB) in US-WEST-2 and US-EAST-2 region			Shobhit	users : PSPADM, PSPAPP, PSPREAD_AWS, IBOB_PROD_PSPAPP, IBOB_PROD_PSPREAD, IBOB_PSPREAD_AWS, IBOBADM With this, we also had to change few other users as mentioned below (in Green)
8	manual SQL connectivity verification			Shobhit	

9	sync IDPS with new password via scripts - PSP + RJF (4 keys need to be updated) + PSPADM user	Modules: <u>PSP/PAPI/Pubsub/QueryConsole</u> Insert: <pre>stash put-secret --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --api-key-file-path key_v2-74606e5adecae.pem --secret-name PSPSecrets/secrets/AWSPROD/dataAccess-password --secret-value dataAccess-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/dataAccess-password --output . /verify-dataAccess-password --overwrite --utf-8</pre> Module: PSP <u>Secondary DB credentials backup:</u> Insert: <pre>stash put-secret --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --api-key-file-path key_v2-74606e5adecae.pem --secret-name PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password --secret-value dataAccessSecondary-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password --output . /verify-dataAccessSecondary-password.txt --overwrite --utf-8</pre> Insert PSPADM user: <pre>stash put-secret --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --api-key-file-path key_v2-74606e5adecae.pem --secret-name PSPSecrets/secrets/AWSPROD/pspadm-db-password --secret-value pspadm-db-password.txt --utf-8 --trim</pre> Verify PSPADM user: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/pspadm-db-password --output . /verify-pspadm-db-password.txt --overwrite --utf-8</pre> RJF: Insert: <pre>stash put-secret --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --api-key-file-path key_v2-74606e5adecae.pem --secret-name PSPSecrets/reportjob-secrets/prodaws/datasource-password --secret-value rjf-datasource-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --secret-name PSPSecrets/reportjob-secrets/prodaws/datasource-password --output . /verify-rjf-datasource-password --overwrite --utf-8</pre> Payroll DM: primary-datasource:(same as RJF Primary Datasource) Insert: <pre>stash put-secret --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --api-key-file-path key_v2-74606e5adecae.pem --secret-name PSPSecrets/reportjob-secrets/prodaws/datasource-password --secret-value payrolldm-datasource-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --secret-name PSPSecrets/reportjob-secrets/prodaws/datasource-password --output . /verify-payrolldm-datasource-password.txt --overwrite --utf-8</pre> secondary-datasource: (same as PSP Secondary Datasource) Insert: <pre>stash put-secret --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --api-key-file-path key_v2-74606e5adecae.pem --secret-name PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password --secret-value payrolldm-dataAccessSecondary-password.txt --utf-8 --trim</pre> Verify: <pre>stash get --api-key-file-path key_v2-74606e5adecae.pem --appliance payrollsvcplatform-production-wuoxiq.pd.idps.a.intuit.com --secret-name PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password --output . /verify-payrolldm-dataAccessSecondary-password.txt --overwrite --utf-8</pre>			
---	---	---	--	--	--

10	Scale up to 1 node for all services	All services should be using the new database connection. Sequence: ☒ PAPI ☒ PSP ☒ Pubsub ☒ RJF ☒ Payroll DM ☒ Query Console			
11	Ensure existing db connections are gone and starts making new connections.			Shobhit	
12	PSP Sanity	Perform Sanity after all steps are done and pod count is back to normal. Verify Build Version			
13	PubSub Sanity	- Check DB connections from Pubsub - Shobhit - Check for any recent message processing in splunk logs. - Check for following splunk logs in pubsub to ensure pubsub is up.			
14	RJF, PAPI, Query Console, Payroll DM Sanity	QueryConsole URL : https://qc.sap.psp.intuit.com/queryengine Set C & A cookie values in browser through plugins. Try following queries.			
15	Scale up to expected number of pods for all services	Verify that new pods count is as expected and pods are healthy.			
16	Disable turn away page	Use the TurnAway URL to disable the maintenance page.			
17	Execute the batchjobs which could not run due to downtime.	Use this Batchjob Timings wiki.			
18	Send update to stake holders once services are back up and running.				
19	Close All CR's	PAPI: RJF: PSP: Query Console: Payroll DM: Pubsub:			

2.1. Downtime Details

Application	Downtime Start (IST)	Downtime End (IST)
PSP		
PAPI		
RFJ		
Pubsub		
Payroll DM		
Query Console		

2.2. Application Connections

Application	DB Connection Detail(Pre prod)	DB Connection Detail(Prod)
Application	DB Connection Detail(Pre prod)	DB Connection Detail(Prod)

PSP	primary-datasource: url: jdbc:oracle:thin:@pspsys01.sbg-ppd.a.intuit.com:1521/pspsys01 pspsys01.sbg-ppd.a.intuit.com password: "PSPSecrets/secrets/AWSSYS/dataAccess-password" secondary-datasource: url: jdbc:oracle:thin:@pspsysib.sbg-ppd.a.intuit.com:1521/pspsysib username:IBOB_SYS_APP password: "/PSPSecrets/secrets/AWSSYS/dataAccessSecondary-password"	primary-datasource: url: jdbc:oracle:thin:@pspuwp01.sbg-ppd.a.intuit.com:1521/pspuwp01 username: PSPAPP password: "/PSPSecrets/secrets/AWSPROD/dataAccess-password" secondary-datasource: url: jdbc:oracle:thin:@pspuwp02.sbg-ppd.a.intuit.com:1521/pspuwp02 username: IBOB_PROD_PSPAPP password: "/PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password"
PAPI	url: jdbc:oracle:thin:@pspsys01.sbg-ppd.a.intuit.com:1521/pspsys01 username:PSPAPP password: "PSPSecrets/secrets/AWSSYS/dataAccess-password"	url: jdbc:oracle:thin:@pspuwp01.sbg-ppd.a.intuit.com:1521/pspuwp01 username: PSPAPP password: "/PSPSecrets/secrets/AWSPROD/dataAccess-password"
RFJ	url: jdbc:oracle:thin:@pspsys01.sbg-ppd.a.intuit.com:1521/pspsys01 username: pspadm password: "{secret}idps:/PSPSecrets/reportjob-secrets/sysaws/datasource-password"	url: jdbc:oracle:thin:@pspadg01.sbg-ppd.a.intuit.com:1521/pspadg01 username: PSPREAD_AWS password: "{secret}idps:/PSPSecrets/reportjob-secrets/prodaws/datasource-password"
Pubsub	primary-datasource: url: jdbc:oracle:thin:@pspsys01.sbg-ppd.a.intuit.com:1521/pspsys01 username:PSPAPP password: "PSPSecrets/secrets/AWSSYS/dataAccess-password" secondary-datasource: url: jdbc:oracle:thin:@pspsysib.sbg-ppd.a.intuit.com:1521/pspsysib username:IBOB_SYS_APP password: "/PSPSecrets/secrets/AWSSYS/dataAccessSecondary-password"	primary-datasource: url: jdbc:oracle:thin:@pspuwp01.sbg-ppd.a.intuit.com:1521/pspuwp01 username: PSPAPP password: "/PSPSecrets/secrets/AWSPROD/dataAccess-password" secondary-datasource: url: jdbc:oracle:thin:@pspuwp02.sbg-ppd.a.intuit.com:1521/pspuwp02 username: IBOB_PROD_PSPAPP password: "/PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password"
Payroll DM	Does not have SYS/QAL env.It only contains E2E environment in preprod.	primary-datasource: url: jdbc:oracle:thin:@pspadg01.sbg-ppd.a.intuit.com:1521/pspadg01 username: PSPREAD_AWS password: "{secret}idps:/PSPSecrets/reportjob-secrets/prodaws/datasource-password" secondary-datasource: url: "{secret}idps:/PSPSecrets/secrets/AWSPROD/dataAccessSecondary-url" username: IBOB_PROD_PSPAPP password: "{secret}idps:/PSPSecrets/secrets/AWSPROD/dataAccessSecondary-password"
Query Console	url: jdbc:oracle:thin:@pspsys01.sbg-ppd.a.intuit.com:1521/pspsys01 username:PSPAPP password: "PSPSecrets/secrets/AWSSYS/dataAccess-password"	url: jdbc:oracle:thin:@pspuwp01.sbg-ppd.a.intuit.com:1521/pspuwp01 username: PSPAPP password: "/PSPSecrets/secrets/AWSPROD/dataAccess-password"

2.3. User list

Database	Users list
Primary - US West	INTUADMIN, SBG_WAVEFRONT, OIMUSER, SBG_VDBA, PSPREAD_AWS, EBIETL, PSPAPP, PSPBOADMIN, PSPADM, OPS_USER, GGS, GGT, MON_OPS
Primary - US East	INTUADMIN, SBG_WAVEFRONT, OIMUSER, SBG_VDBA, PSPREAD_AWS, OPS_USER, GGS, GGT, MON_OPS
IBOB - US West	SBG_WAVEFRONT, INTUADMIN, INTU_IQUATE, IBOB_PSPREAD_AWS, IBOB_PROD_PSPREAD, RDS_WAVEFRONT, OPS_USER, SBG_VDBA, IBOBADM, IBOB_PROD_PSPAPP, GGT, GGS
IBOB - US East	SBG_WAVEFRONT, INTUADMIN, INTU_IQUATE, IBOB_PSPREAD_AWS, IBOB_PROD_PSPREAD, RDS_WAVEFRONT, OPS_USER, SBG_VDBA, IBOBADM, IBOB_PROD_PSPAPP, GGT, GGS