

GG Cleanup and setup GG from AWS to IHP

- GG Cleanup
 - Monolith to IBOB and reverse
 - Monolith RHEL7 to RHEL6
 - Setup GG replication from AWS -> IHP (Monolith)
 - Setup GG replication from AWS -> IHP (IBOB)

GG Cleanup

- Monolith to IBOB and reverse

On pprdpspdb901.ie.intuit.net (monolith RHEL6) :

Delete extract/replicat as below

EIBOBPD1

EIBOBPD2

PIBOBPD1

PIBOBPD2

RIBOBSD1

RIBOBSD2

stop *

delete e*

delete p*

delete r*

unregister extract EIBOBPD1 database

unregister extract EIBOBPD2 database

stop mgr

On pprdpspdb903.ie.intuit.net (IBOB LVDC) :

Delete extract/replicat as below

EIBOBSD1

EIBOBSD2

PIBOBSD1

PIBOBSD2

RIBOBPD1

RIBOBPD2

stop *

delete e*

delete p*

delete r*

unregister extract EIBOBSD1 database

unregister extract EIBOBSD2 database

stop mgr

- **Monolith RHEL7 to RHEL6**

On pprdpspdb800.ie.intuit.net (monolith RHEL7):

Delete extract/replicat from below

PPSPLPD2

RPSPLPD2

stop PPSPLPD2

stop RPSPLPD2

delete PPSPLPD2

delete RPSPLPD2

On pprdpspdb901.ie.intuit.net (monolith RHEL6) :

Delete extract/replicat from below

PPSPQPD1

RPSPQPD4

stop PPSPQPD1

stop RPSPQPD4

delete PPSPQPD1

delete RPSPQPD4

- **Setup GG replication from AWS -> IHP (Monolith)**

AWS :

Extract -> epsppp01

Pump -> ppspppd4

IHP :

Replicat -> rpsppp01

- **Setup GG replication from AWS -> IHP (IBOB)**

AWS :

Extract -> eibpp001

Pump -> pibqpd03

register extract eibpp001 database

IHP :

Replicat -> ribpp001