

GG Cleanup and setup GG from AWS to IHP

Created by Choubey, Mayank, last modified on May 21, 2019

- [GG Cleanup](#)
 - [Monolith to IBOB and reverse](#)
 - [Monolith RHEL7 to RHEL6](#)
 - [Setup GG replication from AWS -> IHP \(Monolith\)](#)
 - [Setup GG replication from AWS -> IHP \(IBOB\)](#)

GG Cleanup

- Monolith to IBOB and reverse

On pprdpspdb901.ie.intuit.net (monolith RHEL6) :

Delete extract/replicat as below

EIBOBPD1

EIBOBPD2

PIBOBPD1

PIBOBPD2

RIBOBSD1

RIBOBSD2

stop *

delete e*

delete p*

delete r*

unregister extract EIBOBPD1 database

unregister extract EIBOBPD2 database

stop mgr

On pprdpspdb903.ie.intuit.net (IBOB LVDC) :

Delete extract/replicat as below

EIBOBSD1

EIBOBSD2

PIBOBSD1

PIBOBSD2

RIBOBPD1

RIBOBPD2

stop *

delete e*

delete p*

delete r*

unregister extract EIBOBSD1 database

unregister extract EIBOBSD2 database

stop mgr

- **Monolith RHEL7 to RHEL6**

On pprdpspdb800.ie.intuit.net (monolith RHEL7):

Delete extract/replicat from below

PPSPLPD2

RPSPLPD2

stop PPSPLPD2

stop RPSPLPD2

delete PPSPLPD2

delete RPSPLPD2

On pprdpspdb901.ie.intuit.net (monolith RHEL6) :

Delete extract/replicat from below

PPSPQPD1

RPSPQPD4

stop PPSPQPD1

stop RPSPQPD4

delete PPSPQPD1

delete RPSPQPD4

- Setup GG replication from AWS -> IHP (Monolith)

AWS :

Extract -> epsppp01

Pump -> ppspqpd4

IHP :

Replicat -> rpsppp01

- Setup GG replication from AWS -> IHP (IBOB)

AWS :

Extract -> eibpp001

Pump -> pibqpd03

register extract eibpp001 database

IHP :

Replicat -> ribpp001

No labels