

HCM and QBDT Tables Data migration via DMS

- [Audit to Monolith Tables Migration](#)
 - [1.Create Tables on Monolith\(with PK and FK\)](#)
 - [2. Create DMS Source and Target Users on Audit and Monolith Database.](#)
 - [3.DMS Task Setting \(FullLoad+CDC\)](#)
 - [4.DMS Table Mapping](#)
 - [5.Index creation on tables](#)
 - [6.Data Validation](#)
- [Monolith to Audit \(Cut-over Steps\)](#)
 - [1. Create new CDC tasks from Monolith to Audit for QRI and HCM.](#)
 - [2.DMS Table Mapping:](#)
 - [3. Privileges on Audit Database.](#)
 - [4.Data Validation](#)

Audit to Monolith Tables Migration

1.Create Tables on Monolith(with PK and FK)

- Create tables on monolith pspadm schema [5_Tables_DDL.sql](#)
- QRI table hash partitioned.

ibobadm		psp_hcm401k_company_policy		table
ibobadm		psp_hcm401k_company_qbdt_pitem		table
ibobadm		psp_hcm401k_employee_deduction		table
ibobadm		psp_hcm401k_policy		table
ibobadm		psp_qbdt_request_info		table

2. Create DMS Source and Target Users on Audit and Monolith Database.

- Create DMS source user on Audit Database and give required privileges [Postgres as Source](#).
- Create DMS Target User on Audit Database and give required privileges [Postgres as Target](#)

3.DMS Task Setting (FullLoad+CDC)

- DMS Task Setting JSON file [Task-Setting.json](#)

4.DMS Table Mapping

- Table Mapping Json file [Audit-to-Monolith-tablemapping.json](#)
- table mapping schema from ibobadm to pspadm.

5.Index creation on tables

- Index Creation on tables [Index.sql](#)

6.Data Validation

- Create new full load Data Validation task for HCM tables.
- Create cdc validation task for HCM tables.
- DMS validation will not support for Different PK in source and target.
- Mismatched records—Some records in the table don't match between the source and target. A mismatch might occur for a number of reasons; For more information, check the [awsdms_control.awsdms_validation_failures_v1](#) table on the target endpoint. [AWS Docs](#)

Data Validation | [Info](#)

☐ Turn off

Don't validate data for the table in migration task.

☒ Validation with data migration

Choose this setting if you want AWS DMS to compare the data at the source and the target immediately after it performs a full data load. Validation ensures that DMS migrated your data accurately, but it requires additional time to complete.

☐ Validation without data migration (Not supported for Full load and CDC task)

Choose this setting if you want your task to perform data validation without performing any migration or replication of data. You must set **Target table preparation mode** to **Do nothing**. This setting can only apply to **Migrate existing data (Full Load)** or **Replicate ongoing changes (CDC)** tasks. You can't modify the validation-only setting after you create the task.

☐	Schema name ▾	Table ▾	Load state ▾	Elapsed load time ▾	Total rows ▾	Validation state ▾
☐	ibobadm_pds	psp_hcm401k_company_qbdt_pitem	Table completed	10 s	10,652	Validated
☐	ibobadm_pds	psp_hcm401k_company_policy	Table completed	6 s	10,974	Validated
☐	ibobadm_pds	psp_hcm401k_employee_deduction	Table completed	16 s	14,971	Validated
☐	ibobadm_pds	psp_hcm401k_policy	Table completed	20 s	4	Validated
☐	ibobadm_pds	psp_qbdt_request_info	Table completed	24 s	120	Validated

Validation state ▾	Validation pending ▾	Validation failed ▾	Validation suspended ▾	Validation details	Last updated
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)

- Create Task for DB solo validation for QRI table. [DB solo wiki](#)

Monolith to Audit (Cut-over Steps)

1. Create new CDC tasks from Monolith to Audit for QRI and HCM.

- Create New CDC tasks from Monolith Audit.
- DMS Task Setting JSON file [Task-Setting.json](#)

2.DMS Table Mapping:

- DMS Table Mapping JSON file: [mon-aud-table-mapping.json](#)
- table mapping schema from pspadm to ibobadm.

3. Privileges on Audit Database.

- revoke write privilege from app user.

```
revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm_pds.psp_qbdt_request_info from ibob_pds_pspapp;
revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm_pds.psp_hcm401k_company_policy from ibob_pds_pspapp;
revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm_pds.psp_hcm401k_company_qbdt_pitem from ibob_pds_pspapp;
revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm_pds.psp_hcm401k_employee_deduction from ibob_pds_pspapp;
revoke SELECT, INSERT, DELETE, UPDATE ON ibobadm_pds.psp_hcm401k_policy from ibob_pds_pspapp;
```

4.Data Validation

- Create new CDC Data Validation Task.

Data Validation [Info](#)

☐ Turn off
Don't validate data for the table in migration task.

☒ Validation with data migration
Choose this setting if you want AWS DMS to compare the data at the source and the target immediately after it performs a full data load. Validation ensures that DMS migrated your data accurately, but it requires additional time to complete.

☐ Validation without data migration (Not supported for Full load and CDC task)
Choose this setting if you want your task to perform data validation without performing any migration or replication of data. You must set **Target table preparation mode** to **Do nothing**. This setting can only apply to **Migrate existing data (Full Load)** or **Replicate ongoing changes (CDC)** tasks. You can't modify the validation-only setting after you create the task.

☐	Schema name ▾	Table ▾	Load state ▾	Elapsed load time ▾	Total rows ▾	Validation state ▾
☐	ibobadm_pds	psp_hcm401k_company_qbdt_pitem	Table completed	10 s	10,652	Validated
☐	ibobadm_pds	psp_hcm401k_company_policy	Table completed	6 s	10,974	Validated
☐	ibobadm_pds	psp_hcm401k_employee_deduction	Table completed	16 s	14,971	Validated
☐	ibobadm_pds	psp_hcm401k_policy	Table completed	20 s	4	Validated
☐	ibobadm_pds	psp_qbdt_request_info	Table completed	24 s	120	Validated

Validation state ▾	Validation pending ▾	Validation failed ▾	Validation suspended ▾	Validation details	Last updated
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)
Validated	0	0	0		February 7, 2024 at 19:37:12 (UTC+)

- Create Task for DB solo validation for QRI table. [DB solo wiki](#)