

IPS Deployment from EC2 Instance

- [EC2 Instance Setup](#)
 - [Pre-requirements setup](#):
 - [Cloud stack prereqs](#):
 - [EC2 chaplette prereqs](#):
 - [Github prereqs](#):
 - [Artifactory prereqs](#):
 - [Deploying](#):


EC2 Instance Setup

Instead of operating from your laptop, we can create a separate EC2 instance to deploy our cloud formation stacks.

Pre-requirements setup:

Cloud stack prereqs:

- A cloud stack resource in dev portal. If you don't have one please [create one](#).



EC2 chaplette prereqs:

- Bastion deployed in target account. If you do not have a bastion in your account, please follow the instructions [here](#).

Github prereqs:

- Private link to github for target VPC. If you don't already have github connectivity in your vpc, please run [this chaplette](#)
- Github user with permissions to your ips aurora config repo.

To check if you have connectivity, run `nslookup github.intuit.com` from an ec2 instance in the subnet and if it doesn't resolve then you need to run this.

Artifactory prereqs:

- Run the [chp-connectivity-service chaplette](#) to set up connectivity to artifactory.

To check if you have connectivity, run `nslookup artifact.intuit.com` from an ec2 instance in the subnet and if it doesn't resolve then you need to run this.

Deploying:

1. In your repo, copy and paste [the /instances directory](#) under your lib folder.
2. Fill out your `cdk.json` with the appropriate vpc values.
3. Add `deployInstanceProps` to your `cdk.json`. Example provided [here](#)
4. Change the `ipsVersion` line to match the version of `ips-aurora-cdk` you're deploying. If you're on version `>=0.7.7`, leave this value as is until you've upgraded to `<=0.7.7`.
5. Add your [github service user](#) credentials to secrets manager in the AWS console with the secret name: `/ips/relational/secrets/instances/deploy/git`
 - a. add a username key with the value being your github user's username

- b. add a password key with the value being your github user's token
6. Comment out the default test in your repo under `[repo path]/cdk/test/cdk-stack.test.ts`. Example [here](#).
7. Replace or add permissions to your [iam-policy.json](#) to include the permissions in the file.
8. Add the `DeployInstance` object to your [cdk-stack.ts](#). If you only want a deploy instance, comment the new `AdminInstance()` line out in your [cdk-stack.ts](#).
9. Run `cdk synth` in your `[repo path]/cdk` directory.
10. Commit your files to git to kick off a deployment.