

Setup veridata agent

1. Create agent home directories, copy veridata software and install veridata agent for database

```
sudo su - oracle
. /l/<DB_SID>

mkdir -p /u01/ogg/${ORACLE_SID}/wls
mkdir -p /u01/ogg/${ORACLE_SID}/oraInventory
mkdir -p /u01/ogg/${ORACLE_SID}/jdk1.8

sudo -i
cd /usr/java
cp -rp jdk1.8.0_131 /u01/ogg/pspuat/jdk1.8/
chown -R oracle:dba /u01/ogg/pspuat/jdk1.8/
exit
export JAVA_HOME=/u01/ogg/${ORACLE_SID}/jdk1.8/jdk1.8.0_131

Make sure Java version is "1.8 or later" by using the below command. The default Java version /usr/bin
/java could be an older one or latest.

oracle@puatpspdb800.ie.intuit.net:/home/oracle/software->$JAVA_HOME/bin/java -version
java version "1.8.0_131"
Java(TM) SE Runtime Environment (build 1.8.0_131-b11)
Java HotSpot(TM) 64-Bit Server VM (build 25.131-b11, mixed mode)

cd /home/oracle/software
unzip V789398-01.zip

## 2. Setup oraInventory

vi /u01/ogg/oraInst.loc

### 2.a vi /u01/ogg/oraInst.loc
inventory_loc=/u01/ogg/<DB_SID>/oraInventory
inst_group=dba

## 3. Update response file <DB_SID> with the ${ORACLE_SID}

vi /u01/ogg/veridata_agent.rsp

### 3.a. vi /u01/ogg/veridata_agent.rsp
[ENGINE]
#DO NOT CHANGE THIS.
Response File Version=1.0.0.0.0
[GENERIC]
#The oracle home location. This can be an existing Oracle Home or a new Oracle Home
ORACLE_HOME=/u01/ogg/<DB_SID>/wls
#Set this variable value to the Installation Type selected.
#e.g.
#Complete
#GoldenGate Veridata Web Server Installation
#GoldenGate Veridata Agent Installation
#GoldenGate Veridata Web Server and Agent Installation
#GoldenGate Monitor Web Server Installation
#GoldenGate Monitor Agent Installation
#GoldenGate Monitor Web Server and Agent Installation.
INSTALL_TYPE=GoldenGate Veridata Agent Installation

## 4. Install Agent

cd /u01/ogg/
export JAVA_HOME=/u01/ogg/${ORACLE_SID}/jdk1.8/jdk1.8.0_131
$JAVA_HOME/bin/java -jar fmw_12.2.1.2.0_ogg.jar -silent -ignoreSysPrereqs -responseFile /u01/ogg
/veridata_agent.rsp -invPtrLoc /u01/ogg/oraInst.loc
```

4.a. You should see the following on the screen

```
Launcher log file is /tmp/OraInstall2018-02-02_12-13-35AM/launcher2018-02-02_12-13-35AM.log.  
Extracting the installer . . . . Done  
Checking if CPU speed is above 300 MHz.   Actual 1999.998 MHz   Passed  
Checking swap space: must be greater than 512 MB.   Actual 4031 MB   Passed  
Checking if this platform requires a 64-bit JVM.   Actual 64   Passed (64-bit not required)  
Checking temp space: must be greater than 300 MB.   Actual 26075 MB   Passed
```

```
Preparing to launch the Oracle Universal Installer from /tmp/OraInstall2018-02-02_12-13-35AM  
Log: /tmp/OraInstall2018-02-02_12-13-35AM/install2018-02-02_12-13-35AM.log  
Copyright (c) 2016, Oracle and/or its affiliates. All rights reserved.
```

```
Reading response file..
```

```
Skipping Software Updates
```

```
Validations are enabled for this session.
```

```
Verifying data
```

```
Copying Files
```

```
Percent Complete : 10
```

```
Percent Complete : 20
```

```
Percent Complete : 30
```

```
Percent Complete : 40
```

```
Percent Complete : 50
```

```
Percent Complete : 60
```

```
Percent Complete : 70
```

```
Percent Complete : 80
```

```
Percent Complete : 90
```

```
Percent Complete : 100
```

```
The installation of Oracle Fusion Middleware 12c GoldenGate Monitor & Veridata 12.2.1.2.0 completed  
successfully.
```

```
Logs successfully copied to /a01/oradata/ogg/pspuat/oraInventory/logs.
```

2. Setup Veridata Agent properties for the given database and start the Agent

```
1. Execute agent configuration script
cd /u01/ogg/${ORACLE_SID}/wls/veridata/agent
./agent_config.sh ./

2. Set Agent properties

cd /u01/ogg/${ORACLE_SID}/wls/veridata/agent
cp agent.properties.sample agent.properties

3. Change the below listed properties in agent.properties.

server.port=<server.port>
database.url=<database.url>
server.jdbcDriver=<server.jdbcDriver>

7850
jdbc:oracle:thin:@puatpspdb800.ie.intuit.net1521:pspuat
ojdbc7.jar oracle.xdb_12.1.0.jar

4. Verify if they are set correct using the below:

egrep "^server.port|^database.url|^server.jdbcDriver" agent.properties

5. Increase the memory area for agents:

cd /u01/ogg/${ORACLE_SID}/wls/veridata/agent
cp agent.sh agent.sh.orig
vi agent.sh

### 3.a. Change the following values
### 3.b. From USER_MEM_ARGS="-Xmx1024M -Xms1024M" To USER_MEM_ARGS="-Xmx4096M -Xms4096M"

6. Start the agent

./agent.sh start

7. Verify if the agent is running:

ps -ef|grep jdk|grep agent|grep -i veridata
```