






Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk
Create environment
Elastic Beanstalk
Applications
Environments
Change history
You're using a legacy workflow
AWS Elastic Beanstalk recently released a new console workflow that makes it easier to use. You can continue to use the legacy workflow until it is deprecated.
Switch to new version
Step 1
Configure environment
Step 2
Configure service access
Step 3 - optional
Set up networking, database, and tags
Step 4 - optional
Configure instance traffic and scaling
Step 5 - optional
Configure updates, monitoring, and logging
Step 6
Review
Configure environment Info
Environment tier Info
AWS Elastic Beanstalk has two types of environment tiers to support different types of web applications.
Web server environment
Run a website, web application, or web API that serves HTTP requests. Learn more
Worker environment
Run a worker application that processes long-running workloads on demand or performs tasks on a schedule. Learn more
Application information Info
Application name
Maximum length of 100 characters.
Application tags (optional)
Environment information Info
Choose the name, subdomain and description for your environment. These cannot be changed later.
Environment name
Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk
Create environment
Elastic Beanstalk
Applications
Environments
Change history
You're using a legacy workflow
AWS Elastic Beanstalk recently released a new console workflow that makes it easier to use. You can continue to use the legacy workflow until it is deprecated.
Switch to new version
Step 1
Configure environment
Step 2
Configure service access
Step 3 - optional
Set up networking, database, and tags
Step 4 - optional
Configure instance traffic and scaling
Step 5 - optional
Configure updates, monitoring, and logging
Step 6
Review
Configure environment Info
Environment tier Info
AWS Elastic Beanstalk has two types of environment tiers to support different types of web applications.
Web server environment
Run a website, web application, or web API that serves HTTP requests. Learn more
Worker environment
Run a worker application that processes long-running workloads on demand or performs tasks on a schedule. Learn more
Application information Info
Application name
whatsapp
Maximum length of 100 characters.
Application tags (optional)
Environment information Info
Choose the name, subdomain and description for your environment. These cannot be changed later.
Environment name
Whatsapp-env
Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.



Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk
Create environment
Elastic Beanstalk
Applications
Environments
Change history
Domain
Leave blank for autogenerated value
.us-east-2.elasticbeanstalk.com
Check availability
Environment description
Platform Info
Platform
Tomcat
Platform branch
Tomcat 11 with Corretto 25 running on 64bit Amazon Linux 2023
Platform version
5.14.11 (Recommended)
Application code Info
Sample application
Existing version
Application versions that you have uploaded.
Upload your code
Upload a source bundle from your computer or copy one from Amazon S3.
Presets Info
Start from a preset that matches your use case or choose custom configuration to unset recommended values and use the service's default values.
Configuration presets
Single instance (free tier eligible)
Single instance (using Spot Instance)
High availability
High availability (using Spot and On-Demand Instances)
Custom configuration
Cancel
Next



Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk
Create environment
Elastic Beanstalk
Applications
Environments
Change history
Configure environment
Step 2
Configure service access
Step 3 - optional
Set up networking, database, and tags
Step 4 - optional
Configure instance traffic and scaling
Step 5 - optional
Configure updates, monitoring, and logging
Step 6
Review
Configure service access Info
Service access
IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. Learn more
Service role
Choose an IAM role for Elastic Beanstalk to assume as a service role. The IAM role must have the required IAM managed policies.
aws-elasticbeanstalk-service-role successfully created.
aws-elasticbeanstalk-service-role
Create new role
Edit role
View role details in IAM
EC2 instance profile
Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.
aws-elasticbeanstalk-ec2-role successfully created.
aws-elasticbeanstalk-ec2-role
Create new role
Edit role
View role details in IAM
EC2 key pair - optional
Select an EC2 key pair to securely log in to your EC2 instances. Learn more
jenkins
Cancel
Skip to Review
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk > Create environment
Elastic Beanstalk
Applications
Environments
Change history
Step 4 - optional
Configure instance traffic and scaling
Step 5 - optional
Configure updates, monitoring, and logging
Step 6
Review
Launch your environment in a custom VPC instead of the default VPC. You can create a VPC and subnets in the VPC management console. Learn more
Create VPC
Public IP address
Assign a public IP address to the Amazon EC2 instances in your environment.
Subnet default
Disabled
Enabled
Instance subnets
Filter instance subnets
Availability Zone
Subnet
CIDR
Name
No instance subnets
No instance subnets to display
Database Info
Integrate an RDS SQL database with your environment. Learn more
Enable database
Tags
Apply up to 50 tags. You can use tags to group and filter your resources. A tag is a key-value pair. The key must be unique within the resource and is case-sensitive. Learn more
Cancel
Skip to Review
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk > Create environment
Elastic Beanstalk
Applications
Environments
Change history
Step 1
Configure environment
Step 2
Configure service access
Step 3 - optional
Set up networking, database, and tags
Step 4 - optional
Configure instance traffic and scaling
Step 5 - optional
Configure updates, monitoring, and logging
Step 6
Review
Configure instance traffic and scaling - optional Info
Instances Info
Configure the Amazon EC2 instances that run your application.
Root volume (boot device)
Root volume type
The type of storage for the root volume attached to each instance.
General Purpose 3(SSD)
Size
The number of gigabytes of the root volume attached to each instance.
10
GB
IOPS
Input/output operations per second for a provisioned IOPS (SSD) volume.
3000
IOPS
Throughput
The desired throughput for the Amazon EBS root volume attached to your environment's EC2 instance
125
MiB/s
Amazon CloudWatch monitoring
The time interval between when metrics are reported from the EC2 instances
Monitoring interval
5 minute
Instance metadata service (IMDS)
Your environment's platform supports both IMDSv1 and IMDSv2. To enforce IMDSv2, deactivate IMDSv1. Learn more
IMDSv1
With the current setting, the environment enables both IMDSv1 and IMDSv2.
Disable
EC2 security groups
Select security groups to control traffic.
EC2 security groups
Choose security groups
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-2.console.aws.amazon.com/elasticbeanstalk/environments/e-ezpwdtfm8s?region=us-east-2
Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk > Environments > Whatsapp-env
Elastic Beanstalk
Applications
Environments
Change history
Application: whatsapp
Environments
Application versions
Saved configurations
Environment: Whatsapp-env
Go to environment
Events
Configuration
Deployments
Health & monitoring
Logs
Managed updates
Tags
Recent environments
Whatsapp-env
Whatsapp-env Info
Actions
Upload and deploy
Environment overview
Health
Ok
Environment ID
e-ezpwdtfm8s
Domain
Whatsapp-env.eba-7uqmicac.us-east-2.elasticbeanstalk.com
Application name
whatsapp
Platform
Change version
Platform
Tomcat 11 with Corretto 25 running on 64bit Amazon Linux 2023/5.14.11
Running version
-
Platform state
Supported
Events
Configuration
Deployments
Health & monitoring
Logs
Managed updates
Tags
Events (9) Info
Filter events by text, property or value
Time
Type
Details
October 26, 2026 11:57:54 (UTC+5:30) INFO Successfully launched environment: Whatsapp-env
October 26, 2026 11:57:53 (UTC+5:30) INFO Application available at Whatsapp-env.eba-7uqmicac.us-east-2.elasticbeanstalk.com.
October 26, 2026 11:57:21 (UTC+5:30) INFO Instance deployment completed successfully.
October 26, 2026 11:56:53 (UTC+5:30) INFO Waiting for EC2 instances to launch. This may take a few minutes.
October 26, 2026 11:56:38 (UTC+5:30) INFO Created EIP: 3.151.98.190
October 26, 2026 11:56:22 (UTC+5:30) INFO Created security group named: awseb-e-ezpwdtfm8s-stack-AWSEBSecurityGroup-UryjrjfDd9A7
October 26, 2026 11:56:21 (UTC+5:30) INFO Environment health has transitioned to Pending. Initialization in progress (running for 13 seconds). There are no instances.
October 26, 2026 11:55:56 (UTC+5:30) INFO Using elasticbeanstalk-us-east-2-618731765031 as Amazon S3 storage bucket for environment data.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-2.console.aws.amazon.com/elasticbeanstalk/environments/e-ezpwdtfm8s?region=us-east-2
Upload and deploy
To deploy a previous version, go to the Application versions page
Upload application
Choose file
sample.war
4.61 KB
2026-10-26T11:58:30
File must be less than 500MB max file size
Version label
whatsapp-version-1
Current number of EC2 instances: 1
Cancel
Deploy



Not secure
whatsapp-env.eba-7uqmicac.us-east-2.elasticbeanstalk.com
Sample "Hello, World" Application
This is the home page for a sample application used to illustrate the source directory organization of a web application utilizing the principles outlined in the Application Developer's Guide.
To prove that they work, you can execute either of the following links:
To a JSP page.
To a servlet.



us-east-2.console.aws.amazon.com/elasticbeanstalk/environments?region=us-east-2
Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk
Environments
Elastic Beanstalk
Applications
Environments
Change history
Recent environments
Whatsapp-env-1
Whatsapp-env
Environments (2) Info
Show terminated environments
Terminated within the last 1 hour.
Actions
Create environment
Filter environments by text, property or value
Environment name
Health
Applica...
Platform
Domain
Runnin...
Tier name
Date cr...
Last m...
Whatsapp-env
Ok
whatsapp
Tomcat 11...
Whatsapp-env.eba-7uqmicac.u...
whatsapp-...
WebServer
October 2...
October 2...
Whatsapp-env-1
Ok
whatsapp
Tomcat 11...
Whatsapp-env-1.eba-7uqmica...
whatsapp-...
WebServer
October 2...
October 2...
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences





this is a sample whatsapp cloned application


us-east-2.console.aws.amazon.com/elasticbeanstalk/environments/e-umnfdjtpjt/swap-domain?region=us-east-2
Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
Elastic Beanstalk > Environments > Whatsapp-env-1 > Swap domain
Elastic Beanstalk
Applications
Environments
Change history
Application: whatsapp
Environment: Whatsapp-env-1
Recent environments
Whatsapp-env-1
Whatsapp-env
Swap environment domain Info
When you swap an environment's domain with another environment's domain, you can deploy versions with no downtime. Learn more
Swapping the environment domain will modify the Route 53 DNS configuration, which may take a few minutes. Your application will continue to run while the changes are propagated.
Environment domain swap
Environment
Environment:
Whatsapp-env-1 (e-umnfdjtpjt)
Environment domain:
Whatsapp-env-1.eba-7uqmicac.us-east-2.elasticbeanstalk.com
Environment domain to swap
Traffic will be redirected to the domain of the chosen environment
Environments (1)
Show environments from all applications
Filter environments
1
Environment name
Application name
Environment domain:
Whatsapp-env (e-ezpwdtfm8s)
whatsapp
Whatsapp-env.eba-7uqmicac.us-east-2.elasticbeanstalk.com
Environment domain:
Whatsapp-env.eba-7uqmicac.us-east-2.elasticbeanstalk.com
Cancel
Swap
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Sample "Hello, World" Application

This is the home page for a sample application used to illustrate the source directory organization of a web application utilizing the principles outlined in the Application Developer's Guide.

To prove that they work, you can execute either of the following links:

- To a JSP page.
- To a servlet.



this is a sample whatsapp cloned application