


ec2-user@ip-172-31-43-179:~
login as: ec2-user
Authenticating with public key "jenkins"
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-43-179 ~]$


Setup Wizard - Jenkins
Not secure
3.141.196.43:8080
Incognito
Getting Started
Create First Admin User
Username
admin
Password
Confirm password
Full name
Praveen
Email
praveen@gmail.com
Jenkins 2.580.1
Skip and continue as admin
Save and Continue

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

jenkins

Add additional tags

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs.**

Search our full catalog including 1000s of application and OS images

Recents | Quick Start

Amazon Linux | macOS | Ubuntu | Windows | Red Hat | SUSE Linux | Debian

Browse more AMIs
Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.18 AMI — Free tier eligible
ami-0d31a22b09ceec4db (64-bit (x86), uefi-preferred) / ami-0dc1b24288e1849b8 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.

Summary

Number of instances Info

1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d31a22b09ceec4db

Virtual server type (instance type)
t3.small

Firewall (security group)
default

Storage (volumes)
1 volume(s) - 30 GiB

Cancel | Launch instance | Preview code

© 2026, Amazon Web Services, Inc. or its affiliates.

Amazon Linux 2023 AMI 2023.12.20261016.0 x86_64 HVM kernel-6.18

Architecture	Boot mode	AMI ID	Creation Date	Username	
64-bit (x86)	uefi-preferred	ami-0d31a22b09ceec4db	2026-10-16	ec2-user	Verified provider

Instance type Info | Get advice

Instance type

t3.small — Free tier eligible

Family: t3 2 vCPU 2 GiB Memory Current generation: true On-Demand RHEL base pricing: 0.0496 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0243 USD per Hour On-Demand SUSE base pricing: 0.0518 USD per Hour
On-Demand Windows base pricing: 0.0392 USD per Hour On-Demand Linux base pricing: 0.0208 USD per Hour

All generations

Compare instance types

Additional costs apply for AMIs with pre-installed software

Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

jenkins

Create new key pair

Network settings Info

Edit

Network | Info

vpc-00d7744362dafd64b

Subnet | Info

No preference (Default subnet in any availability zone)

Auto-assign public IP | Info

Summary

Number of instances | Info

1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d31a22b09ceec4db

Virtual server type (instance type)
t3.small

Firewall (security group)
default

Storage (volumes)
1 volume(s) - 30 GiB

Cancel

Launch instance

Preview code

vpc-00d7744362dafd64b

Subnet | Info

No preference (Default subnet in any availability zone)

Auto-assign public IP | Info

Enable

Firewall (security groups) | Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

- ○ Create security group
- ◉ Select existing security group

Common security groups | Info

Select security groups

Compare security group rules

default sg-0a83e602096f83817
VPC: vpc-00d7744362dafd64b

Security groups that you add or remove here will be added to or removed from all your network interfaces.

Configure storage Info

Advanced

1x 30 GiB gp3 Root volume, 3000 IOPS, Not encrypted

Add new volume

Click refresh to view backup information

The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.

File systems

- ○ S3 Files - new
- ○ EFS

Summary

Number of instances | Info

1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d31a22b09ceec4db

Virtual server type (instance type)
t3.small

Firewall (security group)
default

Storage (volumes)
1 volume(s) - 30 GiB

Cancel | Launch instance

Preview code

© 2026, Amazon Web Services, Inc. or its affiliates.

```
root@ip-172-31-43-179:~
[root@ip-172-31-43-179 ~]# yum update -y

Amazon Linux 2023 Kernel Livepatch repository   544 kB/s |  89 kB     00:00
No match for argument: -y
Error: No packages marked for upgrade.
[root@ip-172-31-43-179 ~]#
[root@ip-172-31-43-179 ~]# yum update
Last metadata expiration check: 0:00:25 ago on Wed Oct 21 09:51:38 2026.
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-43-179 ~]# wget -O /etc/yum.repos.d/jenkins.repo \
    https://pkg.jenkins.io/rpm-stable/jenkins.repo
--2026-10-21 09:52:16--  https://pkg.jenkins.io/rpm-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io)... 146.75.78.133, 2a04:4e42:83::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|146.75.78.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 267 [application/octet-stream]
Saving to: '/etc/yum.repos.d/jenkins.repo'

/etc/yum.repos.d/je 100%[===================>]     267  --.-KB/s    in 0s

2026-10-21 09:52:16 (7.63 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [267/267
]

[root@ip-172-31-43-179 ~]# rpm --import https://pkg.jenkins.io/rpm-stable/jenkin
s.io-2026.key
[root@ip-172-31-43-179 ~]# yum upgrade
Jenkins-stable                                  5.4 kB/s | 833  B     00:00
Jenkins-stable                                  128 kB/s | 1.6 kB     00:00
Importing GPG key 0x14ABFC68:
 Userid     : "Jenkins Project <jenkinsci-board@googlegroups.com>"
 Fingerprint: 5E38 6EAD B55F 0150 4CAE 8BCF 7198 F4B7 14AB FC68
 From       : https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key
Is this ok [y/N]: y
Jenkins-stable                                   15 kB/s | 3.0 kB     00:00
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-43-179 ~]# yum install java-21-amazon-corretto -y
Last metadata expiration check: 0:00:12 ago on Wed Oct 21 09:52:35 2026.
Dependencies resolved.
================================================================================
 Package                    Arch   Version                    Repository   Size
================================================================================
Installing:
 java-21-amazon-corretto    x86_64 1:21.0.12+13-1.amzn2023.1 amazonlinux 217 k
Installing dependencies:
 alsa-lib                   x86_64 1.2.7.2-1.amzn2023.0.4    amazonlinux 503 k
 cairo                      x86_64 1.18.0-4.amzn2023.0.3     amazonlinux 717 k
 dejavu-sans-fonts          noarch 2.37-16.amzn2023.0.2      amazonlinux 1.3 M
 dejavu-sans-mono-fonts     noarch 2.37-16.amzn2023.0.2      amazonlinux 467 k
 dejavu-serif-fonts         noarch 2.37-16.amzn2023.0.2      amazonlinux 1.0 M
 fontconfig                 x86_64 2.13.94-2.amzn2023.0.2    amazonlinux 273 k
 fonts-filesystem           noarch 1:2.0.5-12.amzn2023.0.2   amazonlinux 9.5 k
```

```
root@ip-172-31-43-179:~
  libxcb-1.17.0-1.amzn2023.0.1.x86_64
  pixman-0.43.4-1.amzn2023.0.4.x86_64
  xml-common-0.6.3-56.amzn2023.0.2.noarch

Complete!
[root@ip-172-31-43-179 ~]# yum install jenkins -y
Last metadata expiration check: 0:00:37 ago on Wed Oct 21 09:52:35 2026.
Dependencies resolved.
================================================================================
 Package           Architecture     Version             Repository         Size
================================================================================
Installing:
 jenkins           noarch           2.580.1-1           jenkins            51 M


Transaction Summary
================================================================================
Install  1 Package


Total download size: 51 M
Installed size: 52 M
Downloading Packages:
jenkins-2.580.1-1.noarch.rpm                    40 MB/s |  51 MB     00:01
--------------------------------------------------------------------------------
Total                                           38 MB/s |  51 MB     00:01
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :                                                        1/1
  Running scriptlet: jenkins-2.580.1-1.noarch                               1/1
  Installing       : jenkins-2.580.1-1.noarch                               1/1
  Running scriptlet: jenkins-2.580.1-1.noarch                               1/1
  Verifying        : jenkins-2.580.1-1.noarch                               1/1


Installed:
  jenkins-2.580.1-1.noarch

Complete!
[root@ip-172-31-43-179 ~]# systemctl enable jenkins
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /u
sr/lib/systemd/system/jenkins.service.
[root@ip-172-31-43-179 ~]# systemctl start jenkins
[root@ip-172-31-43-179 ~]# systemctl status jenkins
● jenkins.service - Jenkins Continuous Integration Server
     Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: >
     Active: active (running) since Wed 2026-10-21 09:53:52 UTC; 6s ago
   Main PID: 26331 (java)
      Tasks: 50 (limit: 2255)
     Memory: 539.2M
        CPU: 22.376s
     CGroup: /system.slice/jenkins.service
             └─26331 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/jav>

Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LP>
```


Sign in - Jenkins
Not secure
3.141.196.43:8080/login?from=%2F
Incognito
Getting Started
Unlock Jenkins
To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:
/var/lib/jenkins/secrets/initialAdminPassword
Please copy the password from either location and paste it below.
Administrator password
Continue


root@ip-172-31-43-179:~
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]>
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]>
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]>
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]>
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 202>
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 202>
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal systemd[1]: Started>
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 202>
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 202>
Oct 21 09:53:57 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 202>
lines 1-20/20 (END)...skipping...
● jenkins.service - Jenkins Continuous Integration Server
Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: disabled)
Active: active (running) since Wed 2026-10-21 09:53:52 UTC; 6s ago
Main PID: 26331 (java)
Tasks: 50 (limit: 2255)
Memory: 539.2M
CPU: 22.376s
CGroup: /system.slice/jenkins.service
└─26331 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]>
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]> **
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]> **
Oct 21 09:53:46 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: [LF]> **
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 2026-10-21 09:53:52.659+0000 [id=38] INFO jenkins.InitReactorRunner$1#onAttained: Completed initia>
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 2026-10-21 09:53:52.682+0000 [id=30] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up >
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 2026-10-21 09:53:52.937+0000 [id=56] INFO h.m.DownloadService$Downloadable#load: Obtained the upda>
Oct 21 09:53:52 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 2026-10-21 09:53:52.939+0000 [id=56] INFO hudson.util.Retrier#start: Performed the action check up>
Oct 21 09:53:57 ip-172-31-43-179.us-east-2.compute.internal jenkins[26331]: 2026-10-21 09:53:57.759+0000 [id=76] WARNING h.n.DiskSpaceMonitorDescriptor#markNodeOfflineOrOnlin>
~
~
~
~


Dashboard - Jenkins
Not secure
3.141.196.43:8080
Incognito
Jenkins
New Item
Build History
Build Queue
No builds in the queue.
Build Executor Status
0/2
Add description
Welcome to Jenkins!
This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.
Start building your software project
Create a job
Set up a distributed build
Set up an agent
Configure a cloud
Learn more about distributed builds
REST API
Jenkins 2.580.1

EC2

Dashboard
AWS Global View
Events

Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New

Images
AMIs
AMI Catalog

Elastic Block Store
Volumes
Snapshots
Lifecycle Manager

Network & Security
Security Groups
Elastic IPs
Placement Groups

Inbound security group rules successfully modified on security group (sg-0c93eb789c9ca2d57 | launch-wizard-1)
▶ Details

sg-0c93eb789c9ca2d57 - launch-wizard-1

Actions

Details

Security group name	Security group ID	Description	VPC ID
launch-wizard-1	sg-0c93eb789c9ca2d57	launch-wizard-1 created 2026-10-21T09:46:43.673Z	vpc-00d7744362dafd64b

Owner	Inbound rules count	Outbound rules count
618731765031	4 Permission entries	1 Permission entry

Inbound rules | Outbound rules | Sharing | VPC associations | Related resources - *new* | Tags

Inbound rules (4)

Manage tags | Edit inbound rules

Search

1

Name	Security group rule ID	IP version	Type	Protocol	Port range	Source
-	sgr-02ef16f23072acc40	IPv4	SSH	TCP	22	0.0.0.0/0
-	sgr-0628f8e1c831853dc	IPv4	Custom TCP	TCP	8080	14.99.219.164/32
-	sgr-0fe193c8e5f2b4390	IPv4	HTTP	TCP	80	0.0.0.0/0
-	sgr-05c03e3ca79b77589	IPv4	HTTPS	TCP	443	0.0.0.0/0

© 2026, Amazon Web Services, Inc. or its affiliates.