

Settings / Developer Settings
Type / to search
GitHub Apps
OAuth Apps
Personal access tokens
Fine-grained tokens
Tokens (classic)
New fine-grained personal access token
Create a fine-grained, repository-scoped token suitable for personal API use and for using Git over HTTPS.
Token name *
jenkins
'jenkins' is available.
A unique name for this token. May be visible to resource owners or users with possession of the token.
Description
Resource owner
praveenamirisetty
The token will only be able to make changes to resources owned by the selected resource owner. Tokens can always read all public repositories.
Expiration
30 days (Nov 20, 2026)
The token will expire on the selected date
Repository access
Public repositories
Read-only access to public repositories.
All repositories
This applies to all current and future repositories you own. Also includes public repositories (read-only).
Only select repositories
Select at least one repository. Max 50 repositories. Also includes public repositories (read-only).
Select repositories 1

Read-only access to public repositories.

○ **All repositories**

This applies to all current and future repositories you own. Also includes public repositories (read-only).

◉ **Only select repositories**

Select at least one repository. Max 50 repositories. Also includes public repositories (read-only).

Select repositories 1

Selected 1 repository.

praveenamirisetty/**jenkins-demo** ×

Permissions

Choose the minimal permissions necessary for your needs. Learn more about permissions.

Repositories 2

Account 0

+ Add permissions

Contents

Repository contents, commits, branches, downloads, releases, and merges. Learn more.

Access: **Read and write** ×

Metadata Required


Search repositories, list collaborators, and access repository metadata. Learn more.

Access: Read-only

Generate token **Cancel**

This token will be ready for use immediately.

© 2026 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information


Settings / Developer Settings
Type / to search
GitHub Apps
OAuth Apps
Personal access tokens
Fine-grained tokens
Tokens (classic)
Fine-grained personal access tokens
Generate new token
These are fine-grained, repository-scoped tokens suitable for personal API use and for using Git over HTTPS.
jenkins
Never used • Expires on Fri, Nov 20 2026
Delete
Make sure to copy your personal access token now as you will not be able to see this again.
github_pat_11A5VZGNA0vgacA4Tprv3F_n8efCjFdtwNyYCp8EhEiju5GA2tv6LqxPHViPlRpccNADSH2J3PQaUa
© 2026 GitHub, Inc.
Terms
Privacy
Security
Status
Community
Docs
Contact
Manage cookies
Do not share my personal information

root@ip-172-31-43-179:~/dev

```
[root@ip-172-31-43-179 ~]# mkdir dev
[root@ip-172-31-43-179 ~]# cd dev
[root@ip-172-31-43-179 dev]# git init
-bash: git: command not found
[root@ip-172-31-43-179 dev]# dnf install git -y
Amazon Linux 2023 repository                    71 MB/s |  84 MB     00:01
Amazon Linux 2023 Kernel Livepatch repository  776 kB/s |  89 kB     00:00
Jenkins-stable                                  17 kB/s | 3.0 kB     00:00
Dependencies resolved.
================================================================================
 Package             Arch      Version                     Repository      Size
================================================================================
Installing:
 git                 x86_64    2.50.1-1.amzn2023.0.1       amazonlinux     53 k
Installing dependencies:
 git-core            x86_64    2.50.1-1.amzn2023.0.1       amazonlinux    4.9 M
 git-core-doc        noarch    2.50.1-1.amzn2023.0.1       amazonlinux    2.8 M
 perl-Error          noarch    1:0.17030-2.amzn2023.0.1    amazonlinux     42 k
 perl-File-Find      noarch    1.37-477.amzn2023.0.10      amazonlinux     26 k
 perl-Git            noarch    2.50.1-1.amzn2023.0.1       amazonlinux     41 k
 perl-TermReadKey    x86_64    2.38-9.amzn2023.0.3         amazonlinux     36 k
 perl-lib            x86_64    0.65-477.amzn2023.0.10      amazonlinux     15 k

Transaction Summary
================================================================================
Install  8 Packages


Total download size: 7.9 M
Installed size: 41 M
Downloading Packages:
(1/8): git-2.50.1-1.amzn2023.0.1.x86_64.rpm     1.6 MB/s |  53 kB     00:00
(2/8): git-core-doc-2.50.1-1.amzn2023.0.1.noarc  51 MB/s | 2.8 MB     00:00
(3/8): perl-Error-0.17030-2.amzn2023.0.1.noarch 1.4 MB/s |  42 kB     00:00
(4/8): git-core-2.50.1-1.amzn2023.0.1.x86_64.rp  54 MB/s | 4.9 MB     00:00
(5/8): perl-File-Find-1.37-477.amzn2023.0.10.no 667 kB/s |  26 kB     00:00
(6/8): perl-Git-2.50.1-1.amzn2023.0.1.noarch.rp 1.1 MB/s |  41 kB     00:00
(7/8): perl-TermReadKey-2.38-9.amzn2023.0.3.x86 1.5 MB/s |  36 kB     00:00
(8/8): perl-lib-0.65-477.amzn2023.0.10.x86_64.r 593 kB/s |  15 kB     00:00
--------------------------------------------------------------------------------
Total                                            42 MB/s | 7.9 MB     00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :                                                        1/1
  Installing       : git-core-2.50.1-1.amzn2023.0.1.x86_64                  1/8
  Installing       : git-core-doc-2.50.1-1.amzn2023.0.1.noarch              2/8
  Installing       : perl-lib-0.65-477.amzn2023.0.10.x86_64                 3/8
  Installing       : perl-TermReadKey-2.38-9.amzn2023.0.3.x86_64            4/8
  Installing       : perl-File-Find-1.37-477.amzn2023.0.10.noarch           5/8
  Installing       : perl-Error-1:0.17030-2.amzn2023.0.1.noarch             6/8
  Installing       : perl-Git-2.50.1-1.amzn2023.0.1.noarch                  7/8
  Installing       : git-2.50.1-1.amzn2023.0.1.x86_64                       8/8
  Running scriptlet: git-2.50.1-1.amzn2023.0.1.x86_64                       8/8
```

```
root@ip-172-31-43-179:~/dev
-demo.git'
[root@ip-172-31-43-179 dev]# ^C
[root@ip-172-31-43-179 dev]# ls -la
total 0
drwxr-xr-x. 3 root root  18 Oct 21 11:46 .
dr-xr-x---. 4 root root 171 Oct 21 11:55 ..
drwxr-xr-x. 6 root root 138 Oct 21 11:56 .git
[root@ip-172-31-43-179 dev]# echo "Hello from Amazon Linux - Jenkins Demo" > ind
ex.html
[root@ip-172-31-43-179 dev]# git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html

nothing added to commit but untracked files present (use "git add" to track)
[root@ip-172-31-43-179 dev]# git add .
[root@ip-172-31-43-179 dev]# git commit -m "added sample file"
[main (root-commit) be9959c] added sample file
 1 file changed, 1 insertion(+)
 create mode 100644 index.html
[root@ip-172-31-43-179 dev]# git branch -M main
[root@ip-172-31-43-179 dev]# git remote -v
origin  https://github.com/praveenamirisetty/jenkins-demo.git (fetch)
origin  https://github.com/praveenamirisetty/jenkins-demo.git (push)
[root@ip-172-31-43-179 dev]# git push -u origin main
Username for 'https://github.com': praveenamirisetty
Password for 'https://praveenamirisetty@github.com':
remote: Invalid username or token. Password authentication is not supported for
Git operations.
fatal: Authentication failed for 'https://github.com/praveenamirisetty/jenkins-d
emo.git/'
[root@ip-172-31-43-179 dev]# git push -u origin main
Username for 'https://github.com': praveenamirisetty
Password for 'https://praveenamirisetty@github.com':
remote: Invalid username or token. Password authentication is not supported for
Git operations.
fatal: Authentication failed for 'https://github.com/praveenamirisetty/jenkins-d
emo.git/'
[root@ip-172-31-43-179 dev]# ^C
[root@ip-172-31-43-179 dev]# git push -u origin main
Username for 'https://github.com': praveenamirisetty
Password for 'https://praveenamirisetty@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 259 bytes | 259.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/praveenamirisetty/jenkins-demo.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
[root@ip-172-31-43-179 dev]#
```


github.com/praveenamirisetty/jenkins-demo
praveenamirisetty / jenkins-demo
Type / to search
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
jenkins-demo
Public
Pin
Watch 0
Fork 0
Star 0
main
1 Branch
0 Tags
Go to file
T
Add file
Code
praveenamirisetty added sample file
be9959c · 6 minutes ago
1 Commit
index.html
added sample file
6 minutes ago
README
Add a README
Help people interested in this repository understand your project.
Add a README
About
No description, website, or topics provided.
Activity
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
Contributors 1
praveenamirisetty Praveen Amiriset...
Languages
HTML 100%
Suggested workflows
Based on your tech stack

Jenkins / build job / Configure

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Execute concurrent builds if necessary

Advanced

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

None

Git

Repositories

Repository URL

https://github.com/praveenamirisetty/jenkins-demo.git

Credentials

- none - + Add


Advanced


+ Add Repository


Branches to build


Branch Specifier (blank for 'any')


Save Apply



build job Config - Jenkins
Not secure
3.141.196.43:8080/job/build%20job/configure
Incognito
Jenkins / build job / Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Source Code Management
Connect and manage your code repository to automatically pull the latest code for your builds.
None
Git
Repositories
Repository URL
https://github.com/praveenamirisetty/jenkins-demo.git
Credentials
- none -
Add
Advanced
Add Repository
Branches to build
Branch Specifier (blank for 'any')
*/main
Add Branch
Save
Apply



build job Config - Jenkins
Not secure
3.141.196.43:8080/job/build%20job/configure
Incognito
Jenkins / build job / Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Triggers
Set up automated actions that start your build based on specific events, like code changes or scheduled times.
Trigger builds remotely (e.g., from scripts)
Build after other projects are built
Build periodically
GitHub hook trigger for GITScm polling
Poll SCM
Environment
Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.
Delete workspace before build starts
Use secret text(s) or file(s)
Add timestamps to the Console Output
Inspect build log for published build scans
Terminate a build if it's stuck
With Ant
Build Steps
Automate your build process with ordered tasks like code compilation, testing, and deployment.
Execute shell
Save
Apply


build job - Jenkins
Not secure
3.141.196.43:8080/job/build%20job/
Incognito
Jenkins / build job
Status
Changes
Workspace
Build Now
Delete Project
GitHub Hook Log
Configure
Rename
Builds
Filter
Today
#1 11:37 AM
build job
Add description
Downstream Projects
test job
Permalinks
Last build (#1), 29 min ago
Last stable build (#1), 29 min ago
Last successful build (#1), 29 min ago
Last completed build (#1), 29 min ago
REST API
Jenkins 2.580.1


github.com/praveenamirisetty/jenkins-demo/settings/hooks
praveenamirisetty / jenkins-demo
Type / to search
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
General
Access
Collaborators
Moderation
Code, planning, and automation
Rulesets
Branches
Tags
Actions
Webhooks
Copilot
Planning
Environments
Codespaces
Pages
Security and quality
Advanced Security
Deploy keys
Secrets and variables
Integrations
GitHub Apps
Webhooks
Add webhook
Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our Webhooks Guide.
http://3.141.196.43:8080/github-we... (push)
Last delivery was successful.
Edit
Delete


Dashboard - Jenkins
Not secure
3.141.196.43:8080
Incognito
Jenkins
New Item
Build History
Add description
Build Queue (1)
build job
Build Executor Status
0/2
All
S
W
Name ↓
Last Success
Last Failure
Last Duration
build job
53 min #1
N/A
89 ms
deploy job
53 min #1
N/A
19 ms
test job
53 min #1
N/A
21 ms
Icon: S M L
REST API
Jenkins 2.580.1


Dashboard - Jenkins
Not secure
3.141.196.43:8080
Incognito
Jenkins
New Item
Build History
Add description
Build Queue (1)
test job
Build Executor Status
0/2
All
S
W
Name ↓
Last Success
Last Failure
Last Duration
build job
53 min #1
N/A
89 ms
deploy job
53 min #1
N/A
19 ms
test job
53 min #1
N/A
21 ms
Icon: S M L
REST API
Jenkins 2.580.1


Dashboard - Jenkins
Not secure 3.141.196.43:8080
Incognito
Jenkins
New Item
Build History
Add description
Build Queue (1)
deploy job
Build Executor Status 0/2
All
S W Name ↓ Last Success Last Failure Last Duration
build job 53 min #1 N/A 89 ms
deploy job 53 min #1 N/A 19 ms
test job 53 min #1 N/A 21 ms
Icon: S M L
REST API Jenkins 2.580.1

```
root@ip-172-31-43-179:~/dev
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
[root@ip-172-31-43-179 dev]# vi index.html
[root@ip-172-31-43-179 dev]# git add .
[root@ip-172-31-43-179 dev]# git commit -m "updated file"
[main 117f2df] updated file
 1 file changed, 2 insertions(+), 1 deletion(-)
[root@ip-172-31-43-179 dev]# git push origin main
Username for 'https://github.com': praveenamirisetty
Password for 'https://praveenamirisetty@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 288 bytes | 288.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/praveenamirisetty/jenkins-demo.git
   be9959c..117f2df  main -> main
[root@ip-172-31-43-179 dev]# systemctl status jenkins
● jenkins.service - Jenkins Continuous Integration Server
     Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: >
     Active: active (running) since Wed 2026-10-21 10:09:21 UTC; 2h 10min ago
   Main PID: 27351 (java)
      Tasks: 43 (limit: 2255)
     Memory: 427.6M
        CPU: 1min 7.252s
     CGroup: /system.slice/jenkins.service
             └─27351 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/jav>

Oct 21 10:09:19 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:19 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:19 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:21 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:21 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:21 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:21 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:21 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:21 ip-172-31-43-179.us-east-2.compute.internal jenkins[27351]: 202>
Oct 21 10:09:21 ip-172-31-43-179.us-east-2.compute.internal systemd[1]: Started>
[root@ip-172-31-43-179 dev]# ss -lntp | grep 8080
LISTEN 0      50                 *:8080            *:*    users:(("java",pid=273
51,fd=9))
[root@ip-172-31-43-179 dev]# vi index.html
[root@ip-172-31-43-179 dev]# git add .
[root@ip-172-31-43-179 dev]# git commit -m "updated file"
[main c87872c] updated file
 1 file changed, 2 insertions(+), 1 deletion(-)
[root@ip-172-31-43-179 dev]# git push origin main
Username for 'https://github.com': praveenamirisetty
Password for 'https://praveenamirisetty@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 288 bytes | 288.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/praveenamirisetty/jenkins-demo.git
   117f2df..c87872c  main -> main
[root@ip-172-31-43-179 dev]#
```