
```
praveen@PRAVEENKUMAR:~$ free -h
               total        used        free      shared  buff/cache   available
Mem:           7.6Gi       556Mi       6.2Gi       3.5Mi       1.0Gi       7.1Gi
Swap:          2.0Gi          0B       2.0Gi
praveen@PRAVEENKUMAR:~$ vmstat 2 5
procs -----------memory---------- ---swap-- -----io---- -system-- -------cpu-------
 r  b   swpd   free   buff  cache   si   so    bi    bo   in   cs us sy id wa st gu
 0  0      0 6502556  52580 1001004    0    0  1239    36  429    0  0  0 99  0  0  0
 0  0      0 6502884  52580 1001044    0    0     0    36  162   73  0  0 100  0  0  0
uptime 0  0      0 6504508  52580 1001044    0    0     0     0  132   63  0  0 100  0  0  0
 0  0      0 6503252  52588 1001044    0    0     0    16  130   81  0  0 100  0  0  0
 0  0      0 6503952  52588 1001044    0    0     0     0   99   50  0  0 100  0  0  0
praveen@PRAVEENKUMAR:~$ uptime
 10:32:41 up 8 min,  1 user,  load average: 0.00, 0.02, 0.00
praveen@PRAVEENKUMAR:~$ lscpu
Architecture:                         x86_64
  CPU op-mode(s):                     32-bit, 64-bit
  Address sizes:                      39 bits physical, 48 bits virtual
  Byte Order:                         Little Endian
CPU(s):                               16
  On-line CPU(s) list:                0-15
Vendor ID:                            GenuineIntel
  Model name:                         12th Gen Intel(R) Core(TM) i5-1240P
    CPU family:                       6
    Model:                            154
    Thread(s) per core:               2
    Core(s) per socket:               8
    Socket(s):                        1
    Stepping:                         3
    BogoMIPS:                         4224.01
    Flags:                            fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat pse36 clflush mmx fxsr ss
                                      e sse2 ss ht syscall nx pdpe1gb rdtscp lm constant_tsc rep_good nopl xtopology tsc_reliable
                                       nonstop_tsc cpuid tsc_known_freq pni pclmulqdq vmx ssse3 fma cx16 pcid sse4_1 sse4_2 x2api
                                      c movbe popcnt tsc_deadline_timer aes xsave avx f16c rdrand hypervisor lahf_lm abm 3dnowpre
                                      fetch ssbd ibrs ibpb stibp ibrs_enhanced tpr_shadow ept vpid ept_ad fsgsbase tsc_adjust bmi
                                      1 avx2 smep bmi2 erms invpcid rdseed adx smap clflushopt clwb sha_ni xsaveopt xsavec xgetbv
                                      1 xsaves avx_vnni vnmi umip waitpkg gfni vaes vpclmulqdq rdpid movdiri movdir64b fsrm md_cl
                                      ear serialize ibt flush_l1d arch_capabilities
Virtualization features:
  Virtualization:                     VT-x
  Hypervisor vendor:                  Microsoft
  Virtualization type:                full
Caches (sum of all):
  L1d:                                384 KiB (8 instances)
  L1i:                                256 KiB (8 instances)
  L2:                                 10 MiB (8 instances)
  L3:                                 12 MiB (1 instance)
```

```
NUMA:
  NUMA node(s):                       1
  NUMA node0 CPU(s):                  0-15
Vulnerabilities:
  Gather data sampling:               Not affected
  Ghostwrite:                         Not affected
  Indirect target selection:          Not affected
  Itlb multihit:                      Not affected
  L1tf:                               Not affected
  Mds:                                Not affected
  Meltdown:                           Not affected
  Mmio stale data:                    Not affected
  Old microcode:                      Not affected
  Reg file data sampling:             Mitigation; Clear Register File
  Retbleed:                           Mitigation; Enhanced IBRS
  Spec rstack overflow:               Not affected
  Spec store bypass:                  Mitigation; Speculative Store Bypass disabled via prctl
  Spectre v1:                         Mitigation; usercopy/swapgs barriers and __user pointer sanitization
  Spectre v2:                         Mitigation; Enhanced / Automatic IBRS; IBPB conditional; PBRSB-eIBRS SW sequence; BHI BHI_D
                                      IS_S
  Srbds:                              Not affected
  Tsa:                                Not affected
  Tsx async abort:                    Not affected
  Vmscape:                            Not affected
praveen@PRAVEENKUMAR:~$ cat /proc/cpuinfo
processor       : 0
vendor_id       : GenuineIntel
cpu family      : 6
model           : 154
model name      : 12th Gen Intel(R) Core(TM) i5-1240P
stepping        : 3
microcode       : 0xffffffff
cpu MHz         : 2112.009
cache size      : 12288 KB
physical id     : 0
siblings        : 16
core id         : 0
cpu cores       : 8
apicid          : 0
initial apicid  : 0
fpu             : yes
fpu_exception   : yes
cpuid level     : 28
wp              : yes
flags           : fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat pse36 clflush mmx fxsr sse sse2 ss ht syscall nx pdpe1gb rdtscp lm const
ant_tsc rep_good nopl xtopology tsc_reliable nonstop_tsc cpuid tsc_known_freq pni pclmulqdq vmx ssse3 fma cx16 pcid sse4_1 sse4_2 x2apic movbe popcnt tsc_de
adline_timer aes xsave avx f16c rdrand hypervisor lahf_lm abm 3dnowprefetch ssbd ibrs ibpb stibp ibrs_enhanced tpr_shadow ept vpid ept_ad fsgsbase tsc_adjus
```

```
praveen@PRAVEENKUMAR: ~
wp              : yes
flags           : fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat pse36 clflush mmx fxsr sse sse2 ss ht syscall nx pdpe1gb rdtscp lm const
ant_tsc rep_good nopl xtopology tsc_reliable nonstop_tsc cpuid tsc_known_freq pni pclmulqdq vmx ssse3 fma cx16 pcid sse4_1 sse4_2 x2apic movbe popcnt tsc_de
adline_timer aes xsave avx f16c rdrand hypervisor lahf_lm abm 3dnowprefetch ssbd ibrs ibpb stibp ibrs_enhanced tpr_shadow ept vpid ept_ad fsgsbase tsc_adjus
t bmi1 avx2 smep bmi2 erms invpcid rdseed adx smap clflushopt clwb sha_ni xsaveopt xsavec xgetbv1 xsaves avx_vnni vnmi umip waitpkg gfni vaes vpclmulqdq rdp
id movdiri movdir64b fsrm md_clear serialize ibt flush_l1d arch_capabilities
vmx flags       : vnmi invvpid ept_x_only ept_ad ept_1gb tsc_offset vtpr ept vpid unrestricted_guest ept_mode_based_exec tsc_scaling usr_wait_pause
bugs            : spectre_v1 spectre_v2 spec_store_bypass swapgs retbleed eibrs_pbrsb rfds bhi spectre_v2_user
bogomips        : 4224.01
clflush size    : 64
cache_alignment : 64
address sizes   : 39 bits physical, 48 bits virtual
power management:

praveen@PRAVEENKUMAR:~$ cat /proc/meminfo
MemTotal:        7970452 kB
MemFree:         6497784 kB
MemAvailable:    7394984 kB
Buffers:           52596 kB
Cached:           974264 kB
SwapCached:            0 kB
Active:           180896 kB
Inactive:         936028 kB
Active(anon):       2928 kB
Inactive(anon):    90660 kB
Active(file):     177968 kB
Inactive(file):   845368 kB
Unevictable:           0 kB
Mlocked:               0 kB
SwapTotal:       2097152 kB
SwapFree:        2097152 kB
Dirty:                12 kB
Writeback:             0 kB
AnonPages:         90220 kB
Mapped:           141068 kB
Shmem:              3580 kB
KReclaimable:      26800 kB
Slab:              96444 kB
SReclaimable:      26800 kB
SUnreclaim:        69644 kB
KernelStack:        4656 kB
PageTables:         4372 kB
SecPageTables:         0 kB
NFS_Unstable:          0 kB
Bounce:                0 kB
WritebackTmp:          0 kB
CommitLimit:     6082376 kB
```

```
praveen@PRAVEENKUMAR: ~
FilePmdMapped:         0 kB
Unaccepted:            0 kB
Balloon:               0 kB
HugePages_Total:       0
HugePages_Free:        0
HugePages_Rsvd:        0
HugePages_Surp:        0
Hugepagesize:       2048 kB
Hugetlb:               0 kB
DirectMap4k:       74752 kB
DirectMap2M:     6053888 kB
DirectMap1G:    10485760 kB
praveen@PRAVEENKUMAR:~$ sudo dmesg | tail
[sudo: authenticate] Password:
[   12.956915] ACPI: AC: AC Adapter [AC1] (on-line)
[   12.964843] ACPI: battery: Slot [BAT1] (battery present)
[   13.970409] WSL (190) ERROR: CheckConnection: getaddrinfo() failed: -5
[   15.988815] TCP: eth0: Driver has suspect GRO implementation, TCP performance may be compromised.
[   17.000737] kvm_intel: Using Hyper-V Enlightened VMCS
[   17.010092] vmentry_ctrl unsupported with eVMCS: 0x100000
[   17.010101] vmexit_ctrl unsupported with eVMCS: 0x10000000
[   17.895301] intel_rapl_msr: PL4 support detected.
[   17.988305] systemd-journald[54]: File /var/log/journal/03e4b2e1a00c43d89a54101a9a2990f9/user-1000.journal corrupted or uncleanly shut down, renaming and
 replacing.
[   48.875140] hv_balloon: Max. dynamic memory size: 8034 MB
praveen@PRAVEENKUMAR:~$ sudo dmesg | tail -20
[   10.684037] Failed to connect to system scope bus via local transport: No such file or directory
[   10.765953] misc dxg: dxgk: dxgkio_is_feature_enabled: Ioctl failed: -22
[   10.797031] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -22
[   10.805553] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -22
[   10.811710] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -22
[   10.820076] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -2
[   11.026476] Failed to connect to system scope bus via local transport: No such file or directory
[   11.441738] systemd-journald[54]: Collecting audit messages is disabled.
[   11.733889] systemd-journald[54]: Received client request to flush runtime journal.
[   11.775510] systemd-journald[54]: File /var/log/journal/03e4b2e1a00c43d89a54101a9a2990f9/system.journal corrupted or uncleanly shut down, renaming and re
placing.
[   12.956915] ACPI: AC: AC Adapter [AC1] (on-line)
[   12.964843] ACPI: battery: Slot [BAT1] (battery present)
[   13.970409] WSL (190) ERROR: CheckConnection: getaddrinfo() failed: -5
[   15.988815] TCP: eth0: Driver has suspect GRO implementation, TCP performance may be compromised.
[   17.000737] kvm_intel: Using Hyper-V Enlightened VMCS
[   17.010092] vmentry_ctrl unsupported with eVMCS: 0x100000
[   17.010101] vmexit_ctrl unsupported with eVMCS: 0x10000000
[   17.895301] intel_rapl_msr: PL4 support detected.
[   17.988305] systemd-journald[54]: File /var/log/journal/03e4b2e1a00c43d89a54101a9a2990f9/user-1000.journal corrupted or uncleanly shut down, renaming and
 replacing.
```


praveen@PRAVEENKUMAR: ~
[10.765953] misc dxg: dxgk: dxgkio_is_feature_enabled: Ioctl failed: -22
[10.797031] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -22
[10.805553] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -22
[10.811710] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -22
[10.820076] misc dxg: dxgk: dxgkio_query_adapter_info: Ioctl failed: -2
[11.026476] Failed to connect to system scope bus via local transport: No such file or directory
[11.441738] systemd-journald[54]: Collecting audit messages is disabled.
[11.733889] systemd-journald[54]: Received client request to flush runtime journal.
[11.775510] systemd-journald[54]: File /var/log/journal/03e4b2e1a00c43d89a54101a9a2990f9/system.journal corrupted or uncleanly shut down, renaming and replacing.
[12.956915] ACPI: AC: AC Adapter [AC1] (on-line)
[12.964843] ACPI: battery: Slot [BAT1] (battery present)
[13.970409] WSL (190) ERROR: CheckConnection: getaddrinfo() failed: -5
[15.988815] TCP: eth0: Driver has suspect GRO implementation, TCP performance may be compromised.
[17.000737] kvm_intel: Using Hyper-V Enlightened VMCS
[17.010092] vmentry_ctrl unsupported with eVMCS: 0x100000
[17.010101] vmexit_ctrl unsupported with eVMCS: 0x10000000
[17.895301] intel_rapl_msr: PL4 support detected.
[17.988305] systemd-journald[54]: File /var/log/journal/03e4b2e1a00c43d89a54101a9a2990f9/user-1000.journal corrupted or uncleanly shut down, renaming and replacing.
[48.875140] hv_balloon: Max. dynamic memory size: 8034 MB
praveen@PRAVEENKUMAR:~$ sudo lshw -short
H/W path Device Class Description
==========
system Computer
/0 bus Motherboard
/0/1 memory 8064MiB System memory
/0/2 processor 12th Gen Intel(R) Core(TM) i5-1240P
/0/3 storage Virtio 1.0 console
/0/3/0 generic Virtual I/O device
/0/4 generic Virtio 1.0 file system
/0/4/0 generic Virtual I/O device
/0/0 display Basic Render Driver
/0/5 system PnP device PNP0b00
/0/6 scsi0 storage
/0/6/0.0.0 /dev/sda volume 356MiB Virtual Disk
/0/6/0.0.1 /dev/sdb volume 159MiB Virtual Disk
/0/6/0.0.2 /dev/sdc volume 2GiB Virtual Disk
/0/6/0.0.3 /dev/sdd volume 1TiB Virtual Disk
/1 eth0 network Ethernet interface
praveen@PRAVEENKUMAR:~$ lsusb
Command 'lsusb' not found, but can be installed with:
sudo apt install usbutils
praveen@PRAVEENKUMAR:~$ lspci
Command 'lspci' not found, but can be installed with:
sudo apt install pciutils
praveen@PRAVEENKUMAR:~$