




us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#LaunchInstances:
Search [Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
EC2 > Instances > Launch an instance
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
Monitoring-Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
ami-052b3645c2c811821 (64-bit (x86), uefi-preferred) / ami-012c1b468f26f77dd (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible
Description
Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.
Amazon Linux 2023 AMI 2023.12.20261026.1 x86_64 HVM kernel-6.18
Architecture
Boot mode
AMI ID
Creation Date
Username
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-052b3645c2c811821
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#ModifyInboundSecurityGroupRules:securityGroupId=sg-0ad124351fdbb6ab3
Search [Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
EC2 > Security Groups > sg-0ad124351fdbb6ab3 > Edit inbound rules
Edit inbound rules Info
Inbound rules control the incoming traffic that's allowed to reach the instance.
Inbound rules Info
Security group rule ID
Type Info
Protocol Info
Port range Info
Source type Info
Source Info
Description - optional Info
sgr-05bcec85e04afb491 SSH TCP 22 Custom 0.0.0.0/0 Delete
sgr-07d995bc2b047430b HTTPS TCP 443 Custom 0.0.0.0/0 Delete
sgr-085dfd781793e31e0 HTTP TCP 80 Custom 0.0.0.0/0 Delete
- Custom TCP TCP 3000 Anywhere-IPv4 0.0.0.0/0 Delete
- Custom TCP TCP 9090 Anywhere-IPv4 0.0.0.0/0 Delete
- Custom TCP TCP 9100 Anywhere-IPv4 0.0.0.0/0 Delete
Add rule
Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Cancel
Preview changes
Save rules
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,client:false
Search
[Alt+S]
United States (Ohio)
Praveen Amirisetty (618731765031)
Praveen Amirisetty
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Successfully initiated termination (deletion) of i-06eb1643ad644b2b9
Notifications 0 0 3 0 0
Instances (2) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
sample-server
i-06eb1643ad644b2b9
Terminated
t3.micro
–
us-east-2a
–
–
Monitoring-Server
i-023c2fb27f57bb4c7
Running
t3.small
3/3 checks passed
us-east-2a
ec2-18-224-45-120.us-...
18.224.45.120
All instances
Instance alarm states
In alarm
None
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None
Upcoming events
None
View AWS Health Dashboard
https://us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#Home:
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



ec2-user@ip-172-31-1-176:~
login as: ec2-user
Authenticating with public key "static-app"
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-1-176 ~]$ sudo dnf update -y
Amazon Linux 2023 Kernel Livepatch repository 779 kB/s | 89 kB 00:00
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-1-176 ~]$ sudo dnf install wget tar -y
Last metadata expiration check: 0:00:06 ago on Mon Oct 26 18:20:53 2026.
Package wget-1.21.3-1.amzn2023.0.5.x86_64 is already installed.
Package tar-2:1.34-1.amzn2023.0.4.x86_64 is already installed.
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-1-176 ~]$ tar -xzf node_exporter-*.linux-amd64.tar.gz
tar (child): node_exporter-*.linux-amd64.tar.gz: Cannot open: No such file or directory
tar (child): Error is not recoverable: exiting now
tar: Child returned status 2
tar: Error is not recoverable: exiting now
[ec2-user@ip-172-31-1-176 ~]$ ^C
[ec2-user@ip-172-31-1-176 ~]$ pwd
/home/ec2-user
[ec2-user@ip-172-31-1-176 ~]$ wget https://github.com/prometheus/node_exporter/releases/download/v1.9.1/node_exporter-1.9.1.linux-amd64.tar.gz
--2026-10-26 18:22:09-- https://github.com/prometheus/node_exporter/releases/download/v1.9.1/node_exporter-1.9.1.linux-amd64.tar.gz
Resolving github.com (github.com)... 140.82.112.4
Connecting to github.com (github.com)|140.82.112.4|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://release-assets.githubusercontent.com/github-production-release-asset/9524057/dc8ec09c-2975-42a2-9591-57dd1ffff7b7?sp=r&sv=2018-11-09&sr=b&spr=https&se=2026-10-26T19%3A00%3A24Z&rscd=attachment%3B+filename%3Dnode_exporter-1.9.1.linux-amd64.tar.gz&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43a1-aedd-ab1947aa7ab0&sktid=398a6654-997b-47e9-b12b-9515b896b4de&skt=2026-10-26T18%3A00%3A05Z&ske=2026-10-26T19%3A00%3A24Z&sks=b&skv=2018-11-09&sig=A1Y%2BvP7bQ0lDkya55xY87v1nN17eRbY%2B%2FncpnyVlfA%3D&jwt=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJnaXRodWIuY29tIiwiYXVkIjoicmVsZWFzZSlhc3NldHMuZ2l0aHVidXNlcmNvbnRlbnQuY29tIiwia2V5IjoiA2V5MSIsImV4cCI6MTc5MzA0MDYwMiwibmJmIjoxNzkzMDM4ODAyLCJwYXRoIjoicmVsZWFzZWFzc2V0cHJvZHVjdGlvbi5iaG9iLmNvcmUud2luZG93cy5uZXQifQ.4O8otoEHMchSSBywbXP95IdB4UB3XIIxPYsYEwu8TSU&response-content-disposition=attachment%3B%20filename%3Dnode_exporter-1.9.1.linux-amd64.tar.gz&response-content-type=application%2Foctet-stream [following]
--2026-10-26 18:22:09-- https://release-assets.githubusercontent.com/github-production-release-asset/9524057/dc8ec09c-2975-42a2-9591-57dd1ffff7b7?sp=r&sv=2018-


```
ec2-user@ip-172-31-1-176:~
.tar.gz
[ec2-user@ip-172-31-1-176 ~]$ tar -xzf node_exporter-*.linux-amd64.tar.gz
[ec2-user@ip-172-31-1-176 ~]$ sudo cp node_exporter-*.linux-amd64/node_exporter
/usr/local/bin/
[ec2-user@ip-172-31-1-176 ~]$ sudo useradd --no-create-home --shell /sbin/nologi
n node_exporter
[ec2-user@ip-172-31-1-176 ~]$ sudo vi /etc/systemd/system/node_exporter.service
[ec2-user@ip-172-31-1-176 ~]$ sudo systemctl daemon-reload
[ec2-user@ip-172-31-1-176 ~]$ sudo systemctl enable --now node_exporter
Created symlink /etc/systemd/system/multi-user.target.wants/node_exporter.servic
e → /etc/systemd/system/node_exporter.service.
[ec2-user@ip-172-31-1-176 ~]$ sudo systemctl status node_exporter
● node_exporter.service - Prometheus Node Exporter
     Loaded: loaded (/etc/systemd/system/node_exporter.service; enabled; preset>
     Active: active (running) since Mon 2026-10-26 18:23:26 UTC; 5s ago
   Main PID: 2438 (node_exporter)
      Tasks: 5 (limit: 2255)
     Memory: 15.8M
        CPU: 18ms
     CGroup: /system.slice/node_exporter.service
             └─2438 /usr/local/bin/node_exporter


Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
[ec2-user@ip-172-31-1-176 ~]$ sudo systemctl status node_exporter
● node_exporter.service - Prometheus Node Exporter
     Loaded: loaded (/etc/systemd/system/node_exporter.service; enabled; preset>
     Active: active (running) since Mon 2026-10-26 18:23:26 UTC; 18s ago
   Main PID: 2438 (node_exporter)
      Tasks: 5 (limit: 2255)
     Memory: 15.6M
        CPU: 18ms
     CGroup: /system.slice/node_exporter.service
             └─2438 /usr/local/bin/node_exporter


Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
Oct 26 18:23:26 ip-172-31-1-176.us-east-2.compute.internal node_exporter[2438]:>
[ec2-user@ip-172-31-1-176 ~]$ curl http://localhost:9100/metrics
# HELP go_gc_duration_seconds A summary of the wall-time pause (stop-the-world)
```

```
ec2-user@ip-172-31-1-176:~
go_memstats_mallocs_total 8225
# HELP go_memstats_mcache_inuse_bytes Number of bytes in use by mcache structure
s. Equals to /memory/classes/metadata/mcache/inuse:bytes.
# TYPE go_memstats_mcache_inuse_bytes gauge
go_memstats_mcache_inuse_bytes 1200
# HELP go_memstats_mcache_sys_bytes Number of bytes used for mcache structures o
btained from system. Equals to /memory/classes/metadata/mcache/inuse:bytes + /me
mory/classes/metadata/mcache/free:bytes.
# TYPE go_memstats_mcache_sys_bytes gauge
go_memstats_mcache_sys_bytes 15600
# HELP go_memstats_mspan_inuse_bytes Number of bytes in use by mspan structures.
 Equals to /memory/classes/metadata/mspan/inuse:bytes.
# TYPE go_memstats_mspan_inuse_bytes gauge
go_memstats_mspan_inuse_bytes 39520
# HELP go_memstats_mspan_sys_bytes Number of bytes used for mspan structures obt
ained from system. Equals to /memory/classes/metadata/mspan/inuse:bytes + /memor
y/classes/metadata/mspan/free:bytes.
# TYPE go_memstats_mspan_sys_bytes gauge
go_memstats_mspan_sys_bytes 48960
# HELP go_memstats_next_gc_bytes Number of heap bytes when next garbage collecti
on will take place. Equals to /gc/heap/goal:bytes.
# TYPE go_memstats_next_gc_bytes gauge
go_memstats_next_gc_bytes 4.194304e+06
# HELP go_memstats_other_sys_bytes Number of bytes used for other system allocat
ions. Equals to /memory/classes/other:bytes.
# TYPE go_memstats_other_sys_bytes gauge
go_memstats_other_sys_bytes 699728
# HELP go_memstats_stack_inuse_bytes Number of bytes obtained from system for st
ack allocator in non-CGO environments. Equals to /memory/classes/heap/stacks:byt
es.
# TYPE go_memstats_stack_inuse_bytes gauge
go_memstats_stack_inuse_bytes 393216
# HELP go_memstats_stack_sys_bytes Number of bytes obtained from system for stac
k allocator. Equals to /memory/classes/heap/stacks:bytes + /memory/classes/os-st
acks:bytes.
# TYPE go_memstats_stack_sys_bytes gauge
go_memstats_stack_sys_bytes 393216
# HELP go_memstats_sys_bytes Number of bytes obtained from system. Equals to /me
mory/classes/total:byte.
# TYPE go_memstats_sys_bytes gauge
go_memstats_sys_bytes 8.34404e+06
# HELP go_sched_gomaxprocs_threads The current runtime.GOMAXPROCS setting, or th
e number of operating system threads that can execute user-level Go code simulta
neously. Sourced from /sched/gomaxprocs:threads
# TYPE go_sched_gomaxprocs_threads gauge
go_sched_gomaxprocs_threads 1
# HELP go_threads Number of OS threads created.
# TYPE go_threads gauge
go_threads 5
# HELP node_arp_entries ARP entries by device
# TYPE node_arp_entries gauge
node_arp_entries{device="ens5"} 1
# HELP node_boot_time_seconds Node boot time, in unixtime.
# TYPE node_boot_time_seconds gauge
node_boot_time_seconds 1.793038624e+09
```


ec2-user@ip-172-31-1-176:~
os_release, bios_vendor, bios_version, board_asset_tag, board_name, board_serial
, board_vendor, board_version, chassis_asset_tag, chassis_serial, chassis_vendor
, chassis_version, product_family, product_name, product_serial, product_sku, pr
oduct_uuid, product_version, system_vendor if provided by DMI.
TYPE node_dmi_info gauge
node_dmi_info{bios_date="10/16/2017",bios_release="1.0",bios_vendor="Amazon EC2"
,bios_version="1.0",board_asset_tag="i-023c2fb27f57bb4c7",board_name="",board_ve
ndor="Amazon EC2",board_version="",chassis_asset_tag="Amazon EC2",chassis_vendor
="Amazon EC2",chassis_version="",product_family="",product_name="t3.small",produ
ct_sku="",product_version="",system_vendor="Amazon EC2"} 1
HELP node_entropy_available_bits Bits of available entropy.
TYPE node_entropy_available_bits gauge
node_entropy_available_bits 256
HELP node_entropy_pool_size_bits Bits of entropy pool.
TYPE node_entropy_pool_size_bits gauge
node_entropy_pool_size_bits 256
HELP node_exporter_build_info A metric with a constant '1' value labeled by ve
rsion, revision, branch, goversion from which node_exporter was built, and the g
oos and goarch for the build.
TYPE node_exporter_build_info gauge
node_exporter_build_info{branch="HEAD",goarch="amd64",goos="linux",goversion="go
1.23.7",revision="f2ec547b49af53815038a50265aa2adcd1275959",tags="unknown",versi
on="1.9.1"} 1
HELP node_filefd_allocated File descriptor statistics: allocated.
TYPE node_filefd_allocated gauge
node_filefd_allocated 951
HELP node_filefd_maximum File descriptor statistics: maximum.
TYPE node_filefd_maximum gauge
node_filefd_maximum 9.223372036854776e+18
HELP node_filesystem_avail_bytes Filesystem space available to non-root users
in bytes.
TYPE node_filesystem_avail_bytes gauge
node_filesystem_avail_bytes{device="/dev/nvme0n1p1",device_error="",fstype="xfs"
,mountpoint="/"} 3.0153265152e+10
node_filesystem_avail_bytes{device="/dev/nvme0n1p128",device_error="",fstype="vf
at",mountpoint="/boot/efi"} 9.097216e+06
node_filesystem_avail_bytes{device="tmpfs",device_error="",fstype="tmpfs",mountp
oint="/run"} 4.00011264e+08
node_filesystem_avail_bytes{device="tmpfs",device_error="",fstype="tmpfs",mountp
oint="/run/user/1000"} 2.0023296e+08
node_filesystem_avail_bytes{device="tmpfs",device_error="",fstype="tmpfs",mountp
oint="/tmp"} 1.001168896e+09
HELP node_filesystem_device_error Whether an error occurred while getting stat
istics for the given device.
TYPE node_filesystem_device_error gauge
node_filesystem_device_error{device="/dev/nvme0n1p1",device_error="",fstype="xfs
",mountpoint="/"} 0
node_filesystem_device_error{device="/dev/nvme0n1p128",device_error="",fstype="v
fat",mountpoint="/boot/efi"} 0
node_filesystem_device_error{device="tmpfs",device_error="",fstype="tmpfs",mount
point="/run"} 0
node_filesystem_device_error{device="tmpfs",device_error="",fstype="tmpfs",mount
point="/run/user/1000"} 0
node_filesystem_device_error{device="tmpfs",device_error="",fstype="tmpfs",mount
point="/tmp"} 0


ec2-user@ip-172-31-1-176:~
tent.com)|185.199.109.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 121127234 (116M) [application/octet-stream]
Saving to: 'prometheus-3.5.0.linux-amd64.tar.gz'
prometheus-3.5.0.li 100%[==========>] 115.52M 342MB/s in 0.3s
2026-10-26 18:24:34 (342 MB/s) - 'prometheus-3.5.0.linux-amd64.tar.gz' saved [12
1127234/121127234]
[ec2-user@ip-172-31-1-176 ~]$ tar -xzf prometheus-*.linux-amd64.tar.gz
[ec2-user@ip-172-31-1-176 ~]$ sudo cp prometheus-*.linux-amd64/prometheus /usr/l
ocal/bin/
[ec2-user@ip-172-31-1-176 ~]$ sudo cp prometheus-*.linux-amd64/promtool /usr/loc
al/bin/
[ec2-user@ip-172-31-1-176 ~]$ sudo mkdir -p /etc/prometheus
[ec2-user@ip-172-31-1-176 ~]$ sudo mkdir -p /var/lib/prometheus
[ec2-user@ip-172-31-1-176 ~]$ sudo cp -r prometheus-*.linux-amd64/consoles /etc/
prometheus/
cp: cannot stat 'prometheus-*.linux-amd64/consoles': No such file or directory
[ec2-user@ip-172-31-1-176 ~]$ sudo cp -r prometheus-*.linux-amd64/console_librar
ies /etc/prometheus/
cp: cannot stat 'prometheus-*.linux-amd64/console_libraries': No such file or di
rectory
[ec2-user@ip-172-31-1-176 ~]$ sudo vi /etc/prometheus/prometheus.yml
[ec2-user@ip-172-31-1-176 ~]$ sudo vi /etc/systemd/system/prometheus.service
[ec2-user@ip-172-31-1-176 ~]$ sudo systemctl daemon-reload
[ec2-user@ip-172-31-1-176 ~]$ sudo systemctl enable --now prometheus
Created symlink /etc/systemd/system/multi-user.target.wants/prometheus.service →
/etc/systemd/system/prometheus.service.
[ec2-user@ip-172-31-1-176 ~]$ sudo systemctl status prometheus
● prometheus.service - Prometheus Monitoring
Loaded: loaded (/etc/systemd/system/prometheus.service; enabled; preset: d
Active: active (running) since Mon 2026-10-26 18:26:27 UTC; 5s ago
Main PID: 2669 (prometheus)
Tasks: 8 (limit: 2255)
Memory: 81.2M
CPU: 120ms
CGroup: /system.slice/prometheus.service
└─2669 /usr/local/bin/prometheus --config.file=/etc/prometheus/pro
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti
Oct 26 18:26:28 ip-172-31-1-176.us-east-2.compute.internal prometheus[2669]: ti


Not secure
18.224.45.120:9100
Node Exporter
Prometheus Node Exporter
Version: (version=1.9.1, branch=HEAD, revision=f2ec547b49af53815038a50265aa2adcd1275959)
Metrics
Download a detailed report of resource usage (pprof format, from the Go runtime):
heap usage (memory)
CPU usage (60 second profile)
To visualize and share profiles you can upload to pprof.me


Not secure
18.224.45.120:9090/query
Prometheus
Query
Alerts
Status
Enter expression (press Shift+Enter for newlines)
Execute
Table
Graph
Explain
Evaluation time
No data queried yet
Add query