Fractional Knapsack :-



Comparison between double ?

return this.val_by_wt - o.val_by_wt;

7.5 — 7.3

Result = 0.2

↓

In integer ≡ 0

'0' mean, this & o. is equal ×

```java
public int compareTo(KnapHelper o) {
    if(this.val_by_wt > o.val_by_wt) {
        return 1;
    } else if(this.val_by_wt < o.val_by_wt) {
        return -1;
    } else {
        return 0;
    }
}
```

if (this — > 0) {

→ -1;

use if(this < 0) {

→ +1;

{ else }

→ 0;

}

Standard

↳ return this.check - other.check



Perfect Squares: Given an integer n, return the least number of perfect square numbers that sum to n

(least number → Min nos.)

$n = 7 \longrightarrow 1^2 + 1^2 + 1^2 + 2^2 = 7$ (4)

$n = 9 \longrightarrow 3^2 = 9$ (1)

$n = 5 \rightarrow 1^2 + 2^2 = 5$ (2)

$n = 3 \rightarrow 1^2 + 1^2 + 1^2 = 3$ (3)

$n = 4 \rightarrow 2^2 \rightarrow$ (1)

n = 11

0	1	2	3	4	5	6	7	8	9	10	11
0	1	2	3	1	2	3	4	2	1	2	3
-	1^2	1^2 1^2	1^2 1^2 1^2	2^2	1^2 2^2	1^2 1^2 2^2	1^2 1^2 1^2 2^2	2^2 2^2	3^2	1^2 3^2	1^2 3^2 1^2

Print all Longest Increasing Subseq.'s -




10 22 9 33 21 50 41 60 80 1
max index = 8
1 2 1 3 2 4 4 5 6 1
0 1 2 3 4 5 6 7 8 9


index length val
8 6 80
80
7 5 60
60→80
6 4 41
41→60→80
5 4 50
50→60→80
3 3 33
33→41→60→80
3 3 33
33→50→60→80
1 2 22
22→33→41→60→80
1 2 22
22→33→50→60→80
length = 1
0 1 10
10→22→33→41→60→80
0 1 10
10→22→33→50→60→80
10→22→33→41→60→80
10→22→33→50→60→80

Largest Square Submatrix with all 1s :-

Portal → length of side = l

Leetcode → Area of square = l * l

0	1	0	1	0	1
1	0	1	0	1	0
0	1	1	1	1	0
0	0	1	1	1	0
1	1	1	1	1	1

Small problem →







max 3





gt depends on min. size from op1, op2 & op3] +1

NOTE: for maximum size of Rectangle

⟶ use Largest Area Histogram concept of Stack.