



|                                                            |                                |                                  |                                       |                                                            |
|------------------------------------------------------------|--------------------------------|----------------------------------|---------------------------------------|------------------------------------------------------------|
| 170.0.0.0/16 - 170.0.0.0/32 - 127.0.0.1/0 - 170.0.0.1/0    | 170.0.0.0<br>2.0.0.0           | 2.0.0.0<br>12.0.0.0              | 12.0.0.0<br>182.50.0.0                | 182.50.0.0/16 - 182.50.0.0/32 - 127.0.0.1/0 - 182.50.0.1/0 |
|                                                            | 12.0.0.0/8 - 2.0.0.2           | 170.0.0.0/16 - 2.0.0.1           | 2.0.0.0/8 - 12.0.0.1                  |                                                            |
|                                                            | 182.50.0.0/16 - 2.0.0.2        | 182.50.0.0/16 - 12.0.0.2         | 170.0.0.0/16 - 12.0.0.1               |                                                            |
| Root of R1 table - 170.0.0.0 - 00A<br>System - 130.1 - BBB | 2.0.0.1 - CCC<br>2.0.0.2 - DDD | 12.0.0.1 - EEE<br>12.0.0.2 - FFF | 182.50.0.1 - GGG<br>182.50.0.10 - HHH |                                                            |





### ARP REQ

Sender ip 182.50.0.1  
 Sender mac GGG  
 Target ip 182.50.0.10  
 Target mac ?

SMAC GGG  
 DMAC FFF

### ARP REP

Sender ip 182.50.0.10  
 Sender mac HHH  
 Target ip 182.50.0.1  
 Target mac GGG

SMAC HHH  
 DMAC GGG

|      |     |             |      |     |
|------|-----|-------------|------|-----|
| ECHO | SIP | 182.50.0.10 | SMAC | GGG |
|      | DIP | 182.50.0.1  | DMAC | HHH |