

Java Output Guessing Questions

Question 1

Java

```
public class Q1 {
    public static void main(String[] args) {
        char ch = 'C';
        int hex = 0x1B;
        int oct = 031;

        int score = (ch ^ hex) + (oct >> 2);
        boolean flag = (hex > oct) && ((score++ == 76) || (++score == 78));

        char token = (char) ((flag ? score : score - 2) + ('a' - 0x58));

        System.out.printf("%X", (int) token);
    }
}
```

Question 2

Java

```
public class Q2 {
    public static void main(String[] args) {
        char tag = '\102';
        int mask = 0x0F;
        int shift = 010;

        int acc = (tag & mask) << (shift >> 2);
        acc ^= (tag > 'A' ? 0x13 : 0x07);

        char key = (char) ('A' + (acc % 10));

        System.out.printf("%c%d", key, acc & 0x07);
    }
}
```

Question 3

Java

```

public class Q3 {
    public static void main(String[] args) {
        char base = '1';
        int hex = 0x24;
        int oct = 040;

        int res = (hex - oct) + (base << 1);
        boolean check = ((res >> 3) == 12) | ((res++ & 1) == 0);

        char out = (char) ((check ? res : 0) - ('D' - 'A'));

        System.out.printf("%o", (int) out);
    }
}

```

Question 4

Java

```

public class Q4 {
    public static void main(String[] args) {
        char letter = 'F';
        int num = 0x14;
        int step = 007;

        int val = (letter - num) ^ step;

        while (val > 50) {
            val -= (val % 2 == 0) ? (val & 3) + 1 : 3;
        }

        System.out.printf("%c%X", (char) ('A' + (val % 6)), val);
    }
}

```

Question 5

Java

```

public class Q5 {
    public static void main(String[] args) {
        char c = 'E';
        int hex = 0x30;
        int oct = 060;
    }
}

```

```

int balance = (oct - hex) + (c & 0x0F);
boolean flag = (balance++ == 5) && ((c >> 1) == 34);

int code = (flag ? balance : ~balance & 0xFF);

System.out.printf("%X", code);
}
}

```

Question 6

Java

```

public class Q6 {
    public static void main(String[] args) {
        char alpha = '8';
        int a = 0x0D;
        int b = 015;

        int metric = (alpha - '0') * (a ^ b);

        if ((metric & 1) == 0 && (a == b)) {
            metric = (metric >> 1) + 0x20;
        } else {
            metric = (metric << 1) - 010;
        }

        System.out.printf("%c%d", (char) metric, metric % 7);
    }
}

```

Question 7

Java

```

public class Q7 {
    public static void main(String[] args) {
        char p = '\141';
        int q = 0x5F;
        int r = 004;

        int combo = ((p & q) ^ r);
        int finalVal = (combo > 60) ? (combo >> 2) : (combo << 2);

        char res = (char) ('@' + (finalVal & 0x0F));
    }
}

```

```

        System.out.printf("%c%X", res, finalVal);
    }
}

```

Question 8

Java

```

public class Q8 {
    public static void main(String[] args) {
        char ch = 'M';
        int hex = 0x10;
        int oct = 020;

        int tracker = (hex == oct) ? (ch | 0x20) : (ch & ~0x20);

        boolean flag = ((tracker & 1) != 0) ^ ((tracker >> 4) == 6);

        char marker = (char) (flag ? tracker - 10 : tracker + 10);

        System.out.printf("%c%d", marker, tracker % 9);
    }
}

```

Question 9

Java

```

public class Q9 {
    public static void main(String[] args) {
        char seed = '3';
        int x = 0x0E;
        int y = 016;

        int score = (seed - '0') + (x ^ y);

        for (int i = 1; i <= 3; i++) {
            score = (i % 2 != 0) ? (score << 1) : (score >> 1);
            score ^= (i & 1);
        }

        char outChar = (char) ('@' + (score & 7));

        System.out.printf("%c%d", outChar, score);
    }
}

```

```
}  
}
```

Question 10

Java

```
public class Q10 {  
    public static void main(String[] args) {  
        char initial = 'Z';  
        int hex = 0x2B;  
        int oct = 053;  
  
        int diff = hex - oct;  
        int reg = (initial >> 2) + diff;  
  
        boolean pass = (reg++ > 22) && ((reg & 0x03) == 3);  
  
        char symbol = (char) ((pass ? reg : --reg) + ('0' + 0x05));  
  
        System.out.printf("%X%c", reg, symbol);  
    }  
}
```