

Praveen Manoharan's Workspace

Search

Invite Upgrade

GenAI-Jul-HomeAssignment

S01-Text to Audio

Save Share

POST

https://api.groq.com/openai/v1/audio/speech

Send

Docs Params Authorization Headers 11 Body Scripts Tests Settings

Auth Type

Inherit a...

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#).

Bearer Token

Token

{{auth_secret_0mzs}}

Edit Auth in collection

Body Cookies 1 Headers 21 Test Results

200 OK 1.38 s 402.04 KB Save Response

Hex Preview Visualize

0:00 / 0:08

ENVIRONMENTS

SPECS

FLOWS

Connect Git Console Terminal

Globals Vault Tools

Praveen Manoharan's Workspace

GenAI-Jul-HomeAssignment > S01-Text to Audio Copy

POST `https://api.groq.com/openai/v1/audio/speech` Send

Docs Params Authorization Headers 11 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {
2   "model": "canopylabs/orpheus-v1-english",
3   "input": "[Spoken slowly] vanakkam. I am a language model created by Groq. I am here to help you with any
4     questions you may have. How can I assist you today?",
5   "voice": "diana",
6   "response_format": "wav"
7 }
```

Body Cookies 1 Headers 21 Test Results 200 OK • 2.03 s • 582.05 KB Save Response

Hex Preview Visualize

0:00 / 0:12

Microsoft Word

Globals Vault Tools

Praveen Manoharan's Workspace

Search

Invite Upgrade

GenAI-Jul-HomeAssignment

S02- MultiLingual

Save Share

POST

https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers Body Scripts Tests Settings

Body

Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Schema Beautify

```
1 {
2   "model": "llama-3.3-70b-versatile",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are an API Specialist. Always respond in the same language as the user."
7     },
8     {
9       "role": "user",
10      "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."
11    }
12  ]
13 }
```

Body Cookies 1 Headers 20 Test Results

200 OK · 4.31 s · 1.89 KB

Save Response

{ } JSON

Preview Visualize

```
1 {
2   "id": "chatcmpl-017f2cb2-dd36-4ea9-a319-65772bd6f7d3",
3   "object": "chat.completion",
4   "created": 1784353342,
5   "model": "llama-3.3-70b-versatile",
6   "choices": [
7     {
8       "index": 0,
9       "message": {
10        "role": "assistant",
11        "content": "வணக்கம்! நன்றி சொல்லுங்கள். இந்த API-ஐ பயன்படுத்துவதற்கு, நீங்கள் கீழே காணும் படிகளைப் பின்பற்ற வேண்டும்:\n\n1. **API கீ பெறு**\nஇந்த API சேவையைப் பயன்படுத்துவதற்கு, ஒரு API கீ தேவை. நீங்கள் இந்த சேவையின் இணையதளத்தில் பதிவு செய்து, ஒரு API கீ பெறலாம்.\n\n2. **API ஆவணங்களைப் படிக்கவும்**\nவசூலாக்கை நீங்கள் API கீ பெறலாம். அதைப் பயன்படுத்துவதற்கான ஆவணங்களைப் படிக்கவும்.
```

Connect Git Console Terminal

0 0

Globals Vault Tools

Praveen Manoharan's Workspace

Search

Invite Upgrade

GenAI-Jul-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode

Save Share

POST

https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers Body Scripts Tests Settings

Body

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Schema Beautify

1 {
2 "model": "openai/gpt-oss-120b",
3 "messages": [
4 {
5 "role": "system",
6 "content": "You are a Senior API Test Automation Architect with strong expertise in Java, Rest Assured,
7 TestNG, Maven, and API schema-driven test generation."
8 },
9 {
10 "role": "user",
"content": "I - INSTRUCTION\nGenerate Rest Assured Java code for Swagger Petstore APIs.\n\nMANDATORY
RULES:\n1) Generate ONLY Java Rest Assured code.\n2) Do NOT include explanations, markdown, or extra text.
3) Use TestNG as the test runner.\n4) Use meaningful class, method, and variable names.\n5) Include

Body Cookies 1 Headers 20 Test Results

200 OK 2.60 s 2.38 KB Save Response

{ } JSON Preview Visualize

```
restassured.response.Response;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\nimport java.util.HashMap;\nimport java.util.Map;\nimport java.util.Random;\n\nimport static org.hamcrest.Matchers.*;\n\npublic class PetApiTest {\n\n    private static long petId;\n    private static final String PET_NAME = \"TestPet\";\n    private static final String UPDATED_PET_NAME = \"UpdatedTestPet\";\n\n    @BeforeClass\n    public void setup() {\n        RestAssured.baseURI = \"https://petstore.swagger.io/v2\";\n    }\n\n    private Map<String, Object> buildPetPayload(long id, String name, String status) {\n        Map<String, Object> pet = new HashMap<>();\n        pet.put(\"id\", id);\n        pet.put(\"name\", name);\n        pet.put(\"photoUrls\", new String[]{\"http://example.com/photo.jpg\"});\n        pet.put(\"status\", status);\n        return pet;\n    }\n\n    @Test(priority = 1)\n    public void createPet() {\n        petId = new Random().nextLong();\n        if (petId < 0) petId = -petId;\n        Map<String, Object> payload = buildPetPayload(petId, PET_NAME, \"available\");\n        given()\n            .contentType(ContentType.JSON)\n            .body(payload)\n            .when()\n            .post(\"/pet/\")\n            .then()\n            .statusCode(200)\n            .body
```

Connect Git Console Terminal

0 0

Globals Vault Tools