Google Cloud H2S


AI Builder Cup

Build in JAPAC.
Build for the world.



Team Details

a. Team name: RoleSpace
b. Team leader name: Praveen Saharan
c. Problem Statement: **Future of Work & Enterprise Productivity.** Every role in a software company needs a different amount of AI. Today developers get coding agents, everyone else gets nothing, and nobody sees the cost or the risk.




Note: Please download this template to make your edits and submit the final version.

To download, go to File > Download > Microsoft PowerPoint (.PPTX). Kindly refrain from sending edit requests.

Brief about the idea

Every role gets the right AI. The company keeps control. One policy gives each person a level that decides their AI tools, the code they may change, the models they may call and what they may spend.



Maya, product manager (Ask): Gemini 3.8 Flash, Kimi K2 Thinking · 2 of 3 repositories · $2/month on key maya-ask. Everything greyed out is unreachable for Maya.

Ask

PMs: checked answers about the code

Suggest

Designers: safe edits as reviewed PRs

Build

Developers: a private AI workspace

Govern

Admins: budgets, approvals, audit

Live: pick a person and their reachable models and repositories light up (animated in PowerPoint and Google Slides).

Opportunities

1 What's different

- One level per person, instead of policies per org or team.
- One budget per person across the assistant and the workspace.
- A path allow-list per person; every edit is a reviewed PR.

2 How it solves it

- PMs get checked answers without interrupting developers.
- Designers ship small fixes safely; CI and a human decide.
- Developers get a private AI workspace on day one.

3 USP

- Every decision explains itself: checks, rule, policy version.
- A refusal becomes a request to the owning team.
- Everything runs in the customer's own Google Cloud project.

61% of developers spend 30+ minutes a day searching for answers

Stack Overflow survey 2024

72% of engineering leaders say new hires need over a month for their first 3 real PRs

Cortex 2024

≈1¢ RoleSpace model cost per checked answer

measured, 17 Oct 2026

How RoleSpace compares

Each is strong at its own job. RoleSpace ties AI to each person's role across all of them, and runs on Google Cloud.

GitHub Copilot | Cursor | Windsurf | Cody | ChatGPT Enterprise

	Typical today	RoleSpace
Who gets what	Feature and model policies per org, team or role	**One level per person: tools, paths, models, budget**
Code changes	Path rules per repository or org	**A path allow-list per person; every edit a reviewed PR**
Spend	A budget inside each tool	**One budget per person across assistant and workspace**
Models	The models each tool offers	**Any Vertex AI model you allow, on each person's key**
Where it runs	Mostly the vendor's cloud	**Gateway, workspaces and logs in your own GCP project**
Audit	Exportable activity logs	**A hash-chained log plus an evidence pack**

From public product information, Oct 2026. Names and logos belong to their owners. Google Cloud Workstations and Antigravity are building blocks RoleSpace works with.

List of features offered by the solution

Ask

Verified answers

Every [file:line] citation is checked against lines the agent really read.

Suggest

Edits only as pull requests

Path allow-list, diff preview, CI check, one human review before merge.

Build

Private workspaces

Coder and Gemini CLI on the person's own key; IAP tunnel, no public IP.

Govern

Per-person model keys

Gemini, Kimi K2 or Qwen; budget and rate limits, enforced on each key.

Govern

Temporary access

Ask for a higher level for hours; an admin approves; it ends by itself.

Govern

Kill switch

One click blocks a key: assistant, pull requests and workspace stop.

Ask

Refusals become requests

A change your level can't make goes to the owning team's inbox.

Govern

Explain every decision

Each check in order, the deciding rule and policy version; a simulator.


Govern

Audit and evidence

Hash-chained audit log; evidence pack mapped to SOC 2 and ISO 27001.

Also: usage per person, model and project · onboarding by email · repo access · policy form · saved chats · prompt-injection guard


Process flow diagram or Use-case diagram



Explanation

1. Everyone signs in with Google through Identity-Aware Proxy. No VPN.
2. PMs and designers use the app: Ask gets checked answers, Suggest proposes edits.
3. Developers get a private Coder workspace with Gemini CLI.
4. Every model call goes through the gateway on the person's own key.
5. Only the gateway may call Gemini; the app and the VM get 403.
6. Changes reach GitHub only as pull requests: CI check and human review.

Process flow: from a laptop to a pull request



Explanation

1. Sign in with Google; a browser is all you need. Code and keys never touch the laptop.
2. Developers open VS Code and Gemini CLI in their private workspace through an IAP tunnel.
3. The assistant and Gemini CLI call the gateway with the person's own key, so every call is capped and logged.
4. A designer's edit becomes a pull request with a CI allow-list check and one human review.

Wireframes/Mock diagrams of the proposed solution (optional)

One app, eleven screens and a chat history. What each person sees follows their level.

Assistant
Ask about your repos; checked citations; pick a model.

Everyone

Requests
Refusals and access requests, with owner and status.

Everyone

Changes
Your pull requests: checks, review, merged.

Suggest

Workspace
Your repos, each with VS Code and Gemini CLI.

Build

Overview
Spend, blocked calls, policy stops and impact.

Govern

Usage
Tokens and cost by person, model and project.

Govern

People & access
Add people by email; budgets; kill switch.

Govern

Repo access
Who can ask about or work on each repository.

Govern

Policy
Models, budgets and limits per level; simulator.

Govern

Audit log
Hash-chained events; verify; export evidence.

Govern


Architecture
Live diagram: calls move along their real path.

Govern

History
Chats saved in this browser; reopen any of them.

Everyone


Architecture diagram of the proposed solution



Network and access

- Region us-central1; VPC rs-vpc, private subnet 10.1.2.0/24 with Private Google Access.
- No public IPs. Outbound only through Cloud NAT.
- Inbound to the VM only from Google's IAP range, ports 22 and 3000.
- App behind an HTTPS load balancer with IAP sign-in.
- Gateway: Cloud Run IAM plus a key per person. Cloud SQL: no authorized networks.

User and access management



Demo: a persona menu stands in for directory groups. In production the level comes from the person's Entra ID or Okta group.

Security and spend guardrails

Who can do what

Sign-in	Google sign-in through IAP for the app and workspaces. No VPN, no public IPs.
Keys	A gateway key per person: their models, budget and rate limits. Model routes only.
Secrets	The app reads only the secrets it needs, one grant per secret.
Workspaces	Containers can't reach the VM's credentials; the relay passes model calls only.
Admin	Admin changes need a passcode; 10 wrong tries lock it for 15 minutes.
Evidence	Every decision goes into a hash-chained log; an edit or a deletion is detected.

How much can be spent, smallest cap first

A monthly budget each person's key

The gateway refuses their next call.

Calls per minute each person's key

A runaway loop is slowed down.

One hard ceiling all AI, everyone together

No one can spend past it.

A project-wide stop the whole cloud project

Billing can be cut before a set amount.

Every limit is enforced outside the app, so a prompt can't lift it.

Technologies to be used in the solution

How RoleSpace uses Gemini, Cloud Run, Firestore and Firebase

Gemini on Vertex AI

Gemini 3.8 Flash and 3.1 Pro answer every question and draft every edit through ADK agents. Kimi K2 and Qwen3 Coder run on the same keys.

Cloud Run

Runs the RoleSpace app, the model gateway, the public website and the spending switch, each with its own service account.

Firestore

The hash-chained audit log, requests, people, policy changes, repo access and saved chats.

Firebase

Firestore, Firebase's database, holds RoleSpace's records (see left); its TTL policy expires saved chats after 30 days.

Also on Google Cloud

Identity-Aware Proxy and an HTTPS load balancer · Agent Development Kit · Cloud SQL · Secret Manager · Pub/Sub and Cloud Billing budgets · Compute Engine, VPC and Cloud NAT

Models Gemini · Kimi K2 · Qwen3 Coder · DeepSeek · Claude

Estimated implementation cost (optional)

Component	Sizing	≈ per month
Coder workspace VM	e2-standard-4, always on	$98
Model gateway	Cloud Run, 1 vCPU, 2 GiB, always on	$58
RoleSpace app	Cloud Run, one warm instance	$15–25
Load balancer + IAP	One HTTPS forwarding rule	$18
Cloud SQL	db-f1-micro, 10 GB	$10
NAT, Firestore, logs	Light use	< $5
Infrastructure total		**≈ $205–215**

List prices in us-central1, approximate: check them in the Google Cloud pricing calculator.

Biggest savings: stop the VM out of hours (about two-thirds less), or move to Cloud Workstations per person.

≈ 1¢

model cost per answered question (measured)


Hard cap

on all AI spend, enforced by the gateway: no one can go past it

$1–10


monthly AI budget per person, set by level and enforced by the gateway

Snapshots of the prototype



Ask: a verified answer


Maya asks how a score is calculated. Every citation links to the exact lines and is checked by code; her access, tools and budget sit on the right.



Suggest: an edit becomes a pull request


Leo asks for the new brand colour. He reviews the diff; Open pull request creates a real PR in his name, with a CI check and one human review.

Snapshots of the prototype (continued)



Every decision explains itself


Leo's edit to lib/score.mjs is denied by policy. He sees each check in order, the rule that decided and the role.yaml version.



Govern: spend, control and impact


Spend and blocked calls from the gateway, policy stops, questions answered without a developer, and budget used per person.

Snapshots: enterprise controls



Usage: tokens and cost per person and model


Every model call from the gateway's log: tokens, cost, budget used, rate limits and models per person, split by project and source. CSV export.



Add a person by email


The admin picks level, projects, models and budget. RoleSpace creates their key, stores it in Secret Manager and logs it. Remove blocks the key at once.

Snapshots: enterprise controls (continued)



Repo access per person

Three repositories. The admin decides who can ask about or work on each; workspaces clone only the person's repositories.



Policy without editing YAML

Switch models on, choose them per level (Gemini, Kimi K2, Qwen), set budgets and rate limits, then push the change to every key.

Prototype Performance report/Benchmarking

10/10
questions answered from the expected file

92/92
citations verified: every cited line was read

12.2 s
median answer time (Gemini Flash via the gateway)

10/10
attacks stopped, each by a named layer

Attack	Stopped by
Planted prompt injection in a repo file	Agent treats file text as data
PM asks for a code change	Ask level has no write tool
Designer edits server.mjs	Path allow-list in code
Edit via public/css/../../lib/score.mjs	Path check refuses '..'
Designer over budget	Gateway budget on the key

Attack	Stopped by
Request for secrets	Secrets only in Secret Manager
PM calls a model not on her key	Gateway key: 403
A key mints itself a new key	Key limited to model routes: 403
Workspace calls Vertex AI directly	IAM: no Vertex AI role, 403
Bot PR touching lib/score.mjs	CI allow-list check fails

How it was measured: eval/run_eval.py against the deployed build's code, on the real gateway, Gemini and Coder VM, 17 Oct 2026; $0.13 for the run. Earlier runs: 105/105 and 103/103 citations.

Limits: a small sample; the checker proves where a citation points, not that the sentence is right.

Additional Details/Future Development (if any)

Identity

Levels from Entra ID or Okta groups (SAML, SCIM), on top of today's Google sign-in.

Policy as code

role.yaml changes go through a pull request, with a preview of who gains or loses what.

Data protection

Prompt and response scanning with Model Armor before the model.

Where people work

Ask from Slack and Teams; read PR and issue diffs inside RoleSpace and the workspace.

Cost per outcome

Cost per answered question and per merged PR, next to hours saved.

Scale

Coder on GKE, a highly available gateway, a scoped admin key, usage in BigQuery.

One policy, from a PM's question to a developer's workspace.

Coding assistants, AI gateways and agent platforms each govern their own slice, and each is deeper at its own job. RoleSpace ties them to each person's role, built on Google Cloud with Workstations and Antigravity as building blocks.

Provide links to your:

GitHub Public Repository

https://github.com/praveensaharan/RoleSpace Source, architecture, tests

Demo Video Link (3 Minutes)

Add the public video URL before submitting

Final Product Link

https://rolespace.duckdns.org/rolespace-ent/ Sign in with Google


Website

https://rolespace.duckdns.org Public, interactive tour

Try it in two minutes

- **Maya (PM):** ask how a score is calculated, then ask to change it.
- **Leo (designer):** change the Begin button colour; then try lib/score.mjs.
- **Ava (admin):** Overview, People & access, Policy, Audit log, Architecture.
- Admin changes need a passcode, shared with judges on request.

Appendix: target architecture at enterprise scale



Designed, not built. The prototype is the small version of this: same levels, gateway and checks.

Explanation

1. Entra ID or Okta groups sync by SCIM; the group sets the level.
2. Control plane on Cloud Run: assistant, requests, usage and onboarding.
3. Coder on GKE: a private workspace per person, from their role's template.
4. HA gateway: keys, budgets, rate limits, Model Armor. Every call tagged.
5. Models per level: Gemini and Claude on Vertex AI, or OpenAI on the customer's key.
6. A GitHub or GitLab app opens each PR under policy, in the person's name.

Google Cloud H2S

AI Builder Cup

Build in JAPAC.
Build for the world.

Thank you

