Google Cloud H2S

AI Builder Cup

Build in JAPAC.
Build for the world.



## Team Details

a. Team name: RoleSpace
b. Team leader name: Praveen Saharan
c. Problem Statement: **Future of Work & Enterprise Productivity.** Every role in a software company needs a different amount of AI. Today developers get coding agents, everyone else gets nothing, and nobody sees the cost or the risk.

# Brief about the idea

**RoleSpace gives every person in a software company the right amount of AI for their job, and keeps the company in control.** One policy file (role.yaml) gives each person a level. The level decides which AI tools they get, which files they may change, which models they may call and how much they may spend. It is enforced in code, at the model gateway, in CI and in IAM, not by the prompt.

| Ask | Suggest | Build | Govern |
|---|---|---|---|
| Maya · Product manager | Leo · Product designer | Sam · Developer | Ava · Platform admin |
| Questions about the code, answered with line citations that code checks. No writes. | Small edits inside a path allow-list, delivered only as a pull request a human merges. | A private Coder workspace with Gemini CLI on his own key. No VPN, no public IP. | Levels, budgets, approvals, a kill switch, spend and a tamper-evident audit log. |

**Built on Google Cloud:** Gemini on Vertex AI · Agent Development Kit · Cloud Run · Identity-Aware Proxy · Cloud SQL · Firestore · Secret Manager

# Opportunities

## 1 What's different

- Coding assistants license seats for developers only.
- AI gateways cap keys but don't know people's jobs, the code or outcomes.
- Agent governance (Agent Gateway) controls agents, not which person gets which level of AI.
- RoleSpace ties one policy to each person's job, across questions, edits, workspaces and spend.

## 2 How it solves it

- PMs get answers from the code without interrupting developers, with every citation checked.
- Designers ship small UI fixes as pull requests, inside an allow-list, with CI and a human review.
- Developers get a private workspace with AI on day one.
- Admins see and cap spend per person; every refusal, denial and approval is logged.

## 3 USP

- One policy file, enforced in four independent places.
- Every decision explains itself: the checks in order, the rule that decided, the policy version.
- A refusal becomes a request to the owning team, not a dead end.
- Higher access is temporary by default: approved, logged, and gone by itself.

# List of features offered by the solution

Ask

### Verified answers

Every [file:line] citation is checked against lines the agent really read.

Suggest

### Edits only as pull requests

Path allow-list, diff preview, CI check, one human review before merge.

Build

### Private workspaces

Coder and Gemini CLI on the person's own key; IAP tunnel, no public IP.

Govern

### Per-person model keys

Models and budget per level, enforced by the gateway on each key.

Govern

### Temporary access

Ask for a higher level for hours; an admin approves; it ends by itself.

Govern

### Kill switch

One click blocks a key: assistant, pull requests and workspace stop.

Ask

### Refusals become requests

A change your level can't make goes to the owning team's inbox.

Govern

### Explain every decision

Each check in order, the deciding rule and policy version; a simulator.


Govern

### Audit and evidence

Hash-chained audit log; evidence pack mapped to SOC 2 and ISO 27001.

**Also:** live architecture view · prompt-injection guard · spend pace per person · impact metrics · Google sign-in through IAP


# Process flow diagram or Use-case diagram




## Explanation

1. Everyone signs in with Google through Identity-Aware Proxy. No VPN.
2. PMs and designers use the app: Ask gets checked answers, Suggest proposes edits.
3. Developers get a private Coder workspace with Gemini CLI.
4. Every model call goes through the gateway on the person's own key.
5. Only the gateway may call Gemini; the app and the VM get 403.
6. Changes reach GitHub only as pull requests: CI check and human review.

# Process flow: from a laptop to a pull request




## Explanation

1. Sign in with Google; a browser is all you need. Code and keys never touch the laptop.
2. Developers open VS Code and Gemini CLI in their private workspace through an IAP tunnel.
3. The assistant and Gemini CLI call the gateway with the person's own key, so every call is capped and logged.
4. A designer's edit becomes a pull request with a CI allow-list check and one human review.

# Wireframes/Mock diagrams of the proposed solution (optional)

One app, eight screens. What each person sees follows their level.

### Assistant

Ask about the code; answers cite lines that are checked; edits arrive as a diff.

Everyone

### Requests

Refusals and access requests, with owner, status and history.

Everyone

### Workspace

How to open the private Coder workspace; its guardrails.

Build

### Overview

Spend, blocked calls, policy stops and impact, live from the gateway.

Govern

### People & access

Levels, models, budgets and pace per person; kill switch.

Govern

### Policy

Role matrix, role.yaml, and a simulator for any decision.

Govern

### Audit log

Hash-chained events; verify the chain; export evidence.


Govern

### Architecture

Live diagram: calls move along their real path.

Govern


# Architecture diagram of the proposed solution




## Network and access

- Region us-central1; VPC rs-vpc, private subnet 10.1.2.0/24 with Private Google Access.
- No public IPs. Outbound only through Cloud NAT.
- Inbound to the VM only from Google's IAP range, ports 22 and 3000.
- App behind an HTTPS load balancer with IAP sign-in.
- Gateway: Cloud Run IAM plus a key per person. Cloud SQL: no authorized networks.

# User and access management




**Demo:** a persona menu stands in for directory groups. In production the level comes from the person's Entra ID or Okta group.

# Technologies to be used in the solution

## AI and agents

- Gemini 3.8 Flash and 3.1 Pro on Vertex AI
- Agent Development Kit (ADK) 2.12
- Gemini CLI in each workspace

## Model gateway

- LiteLLM on Cloud Run
- Per-person keys: models, budgets, block
- Cloud SQL (Postgres 16): keys and spend

## App

- Cloud Run: FastAPI (Python 3.12)
- Firestore: audit chain, requests, grants
- Secret Manager for every key and token

## Identity and network

- IAP + HTTPS load balancer: Google sign-in
- IAP TCP tunnel to Coder, no VPN
- VPC private subnet + Cloud NAT

## Developer workspace

- Coder on Compute Engine, no public IP
- Terraform template, VS Code in the browser
- Relay adds the VM's identity to calls

## Delivery and UI

- GitHub pull requests, Actions CI check
- Branch protection: one human review
- Vanilla JS app shell, strict CSP; Playwright tests

# Estimated implementation cost (optional)

| Component | Sizing | ≈ per month |
|---|---|---|
| **Coder workspace VM** | e2-standard-4, always on | $98 |
| **Model gateway** | Cloud Run, 1 vCPU, 2 GiB, always on | $58 |
| **RoleSpace app** | Cloud Run, one warm instance | $15–25 |
| **Load balancer + IAP** | One HTTPS forwarding rule | $18 |
| **Cloud SQL** | db-f1-micro, 10 GB | $10 |
| **NAT, Firestore, logs** | Light use | < $5 |
| **Infrastructure total** | | **≈ $205–215** |

List prices in us-central1, approximate: check them in the Google Cloud pricing calculator.

**Biggest savings:** stop the VM out of hours (about two-thirds less), or move to Cloud Workstations per person.

**≈ 1¢**

model cost per answered question (measured)


**$0.13**

for a full evaluation run: 10 questions and 9 attacks

**$1–10**


monthly AI budget per person, set by level and enforced by the gateway

# Snapshots of the prototype




## Ask: a verified answer


Maya asks how a score is calculated. Every citation links to the exact lines and is checked by code; her access, tools and budget sit on the right.




## Suggest: an edit becomes a pull request


Leo asks for the new brand colour. He reviews the diff; Open pull request creates a real PR with a CI check and one human review.

# Snapshots of the prototype (continued)




## Every decision explains itself

Leo's edit to lib/score.mjs is denied by policy. He sees each check in order, the rule that decided and the role.yaml version.




## Govern: spend, control and impact

Spend and blocked calls from the gateway, policy stops, questions answered without a developer, and budget used per person.

# Prototype Performance report/Benchmarking

**10/10**
questions answered from the expected file

**92/92**
citations verified: every cited line was read

**12.2 s**
median answer time (Gemini Flash via the gateway)

**10/10**
attacks stopped, each by a named layer

| Attack | Stopped by |
|---|---|
| Planted prompt injection in a repo file | Agent treats file text as data |
| PM asks for a code change | Ask level has no write tool |
| Designer edits server.mjs | Path allow-list in code |
| Edit via public/css/../../lib/score.mjs | Path check refuses '..' |
| Designer over budget | Gateway budget on the key |

| Attack | Stopped by |
|---|---|
| Request for secrets | Secrets only in Secret Manager |
| PM calls a model not on her key | Gateway key: 403 |
| A key mints itself a new key | Key limited to model routes: 403 |
| Workspace calls Vertex AI directly | IAM: no Vertex AI role, 403 |
| Bot PR touching lib/score.mjs | CI allow-list check fails |

**How it was measured:** eval/run_eval.py against the deployed build's code, on the real gateway, Gemini and Coder VM, 17 Oct 2026; $0.13 for the run. Earlier runs: 105/105 and 103/103 citations.

**Limits:** a small sample; the checker proves where a citation points, not that the sentence is right.

# Additional Details/Future Development (if any)

### Identity

Levels from Entra ID or Okta groups (SAML, SCIM), on top of today's Google sign-in.

### Policy as code

role.yaml changes go through a pull request, with a preview of who gains or loses what.

### Data protection

Prompt and response scanning with Model Armor before the model.

### Where people work

Ask from Slack and Teams; requests flow into Jira or Linear.

### Cost per outcome

Cost per answered question and per merged PR, next to hours saved.


### Scale

Many teams and repos, sessions in Firestore, more instances, a scoped admin key.

## One policy, from a PM's question to a developer's workspace.

Copilot and Cursor license developer seats; LiteLLM and Portkey cap keys; Agent Gateway governs agents. Each is deeper at its own job. RoleSpace ties them to a person's job, and is built on Google's platform, not against it.

# Target architecture at enterprise scale




## Explanation

1. Entra ID or Okta groups sync by SCIM; the group sets the level.
2. Control plane on Cloud Run: assistant, requests, usage and onboarding.
3. Coder on GKE: a private workspace per person, from their role's template.
4. HA gateway: keys, budgets, rate limits, Model Armor. Every call tagged.
5. Models per level: Gemini and Claude on Vertex AI, or OpenAI on the customer's key.
6. A GitHub or GitLab app opens PRs for people without accounts.

**Designed, not built.** The prototype is the small version of this: same levels, gateway and checks.

# Provide links to your:

## GitHub Public Repository

https://github.com/praveensaharan/RoleSpace Source, architecture, tests

## Demo Video Link (3 Minutes)

Add the public video URL before submitting

## Final Product Link

https://rolespace.duckdns.org Sign in with Google, then pick a persona

## Try it in two minutes

- **Maya (PM):** ask how a score is calculated, then ask to change it.
- **Leo (designer):** change the Begin button colour; then try lib/score.mjs.
- **Ava (admin):** Overview, People & access, Policy, Audit log, Architecture.
- Admin changes need a passcode, shared with judges on request.

Google Cloud H2S

# AI Builder Cup

Build in JAPAC.
Build for the world.

# Thank you

