Quick Start with Docker 🐳

Follow these steps to install Open WebUI with Docker.

Step 1: Pull the Open WebUI Image

Start by pulling the latest Open WebUI Docker image from the GitHub Container Registry.

docker pull ghcr.io/open-webui/open-webui:main

Step 2: Run the Container

Run the container with default settings. This command includes a volume mapping to ensure persistent data storage.

docker run -d -p 3000:8080 -v open-webui:/app/backend/data --name open-webui ghcr.io/open-webui/open-webui:main

Important Flags

- **Volume Mapping (-v open-webui:/app/backend/data)**: Ensures persistent storage of your data. This prevents data loss between container restarts.
- **Port Mapping (-p 3000:8080)**: Exposes the WebUI on port 3000 of your local machine.

Using GPU Support

For Nvidia GPU support, add --gpus all to the docker run command:

docker run -d -p 3000:8080 --gpus all -v open-webui:/app/backend/data --name open-webui ghcr.io/open-webui/open-webui:cuda

Single-User Mode (Disabling Login)

To bypass the login page for a single-user setup, set the WEBUI_AUTH environment variable to False:

docker run -d -p 3000:8080 -e WEBUI_AUTH=False -v open-webui:/app/backend/data --name open-webui ghcr.io/open-webui/open-webui:main

warning

You cannot switch between single-user mode and multi-account mode after this change.

Advanced Configuration: Connecting to Ollama on a Different Server

To connect Open WebUI to an Ollama server located on another host, add the OLLAMA_BASE_URL environment variable:

docker run -d -p 3000:8080 -e OLLAMA_BASE_URL=https://example.com -v open-webui:/app/backend/data --name open-webui --restart always ghcr.io/open-webui/open-webui:main

Access the WebUI

After the container is running, access Open WebUI at:

http://localhost:3000

For detailed help on each Docker flag, see Docker's documentation.

Updating

To update your local Docker installation to the latest version, you can either use **Watchtower** or manually update the container.

Option 1: Using Watchtower

With Watchtower, you can automate the update process:

docker run --rm --volume /var/run/docker.sock:/var/run/docker.sock containrrr/watchtower --run-once open-webui

(Replace open-webui with your container's name if it's different.)

Option 2: Manual Update

 Stop and remove the current container:

docker rm -f open-webui

 Pull the latest version:

docker pull ghcr.io/open-webui/open-webui:main

Start the container again:

docker run -d -p 3000:8080 -v open-webui:/app/backend/data --name open-webui ghcr.io/open-webui/open-webui:main

Both methods will get your Docker instance updated and running with the latest build.

Next Steps

After installing, visit:

- http://localhost:3000 to access Open WebUI.
- or http://localhost:8080/ when using a Python deployment.

You are now ready to start using Open WebUI!

Using Open WebUI with Ollama

If you're using Open WebUI with Ollama, be sure to check out our Starting with Ollama Guide to learn how to manage your Ollama instances with Open WebUI.

Join the Community

Need help? Have questions? Join our community:

- Open WebUI Discord
- GitHub Issues

Stay updated with the latest features, troubleshooting tips, and announcements!