

Ammune.AI

Installation Guide 2025

With root permissions:

1. Download Ammune **docker tar file**
2. Create **/home/l7admin** and **/home/dbpost** directories.

Commands:

```
mkdir /home/l7admin  
mkdir /home/dbpost
```

3. Set 755 permissions to **/home/dbpost** and **/home/l7admin**

Commands:

```
chmod -R 755 /home/dbpost  
chmod -R 755 /home/l7admin
```

4. Check if **docker** package installed, if not install:

<https://docs.docker.com/engine/install/ubuntu/>

5. Download helper scripts **start**, **stop**, **enter** from with your given **username** and **password**:

- <https://ammunedemo.com:4545/start>
- <https://ammunedemo.com:4545/stop>
- <https://ammunedemo.com:4545/enter>

Commands:

```
wget --no-check-certificate --user=USERNAME --password=PASSWORD  
https://ammunedemo.com:4545/start  
wget --no-check-certificate --user=USERNAME --password=PASSWORD  
https://ammunedemo.com:4545/stop  
wget --no-check-certificate --user=USERNAME --password=PASSWORD  
https://ammunedemo.com:4545/enter
```

Explanation:

- **start** stops the currently running container (if it exists), cleans all its volumes and runs a new container.
- **stop** stops the currently running container (if it exists) and cleans all its volumes.
- **enter** opens a shell from inside the container.

6. Copy scripts to **/sbin** directory and set execution permissions.

Commands:

```
cp start /sbin/start
cp stop /sbin/stop
cp enter /sbin/enter
chmod +x /sbin/start
chmod +x /sbin/stop
chmod +x /sbin/enter
```

Installation

1. Load .tar file as a docker image.

Command:

```
docker load < l7ammune_docker.VERSION.tar
```

Change **VERSION** to proper version (for example **v2.430**)

2. Start the docker container.

Command:

```
start
```

3. Wait a few minutes and access Ammune UI – https://<Ammune_IP>:8443/

4. Proceed to enter license key:



5. Create an admin:

The screenshot shows the 'CREATE ADMIN' step of the Ammune.AI setup. At the top, there are three numbered steps: 1. CREATE ADMIN (active), 2. SELECT MODE, and 3. CONFIGURE DOMAINS. Below the steps is the text 'Create your first account'. The form contains four input fields: 'Username' with the value 'maxim', 'Email' with the value 'maxim@l7defense.com', 'Password' with masked characters, and 'Confirm Password' with masked characters. A green 'NEXT' button is at the bottom.

6. Select mode **Behind Load Balancer**:

The screenshot shows the 'SELECT MODE' step. It says 'Please pick the way your instances are connected - Behind Load Balancer or directly to DNS'. There is a single green button labeled 'Behind Load Balancer'.


7. Click on **Add Domain**:

The screenshot shows the 'Add Domain' step. It features a table with columns: Domain, Front IP, Domain Protocol, Domain Port, Protected Instance IP, Protected Instance Protocol, Protected Instance Port, and Add. The 'Domain' and 'Protected Instance IP' columns have input fields. The 'Domain Protocol' and 'Protected Instance Protocol' columns have 'SELECT' dropdown menus. The 'Domain Port' and 'Protected Instance Port' columns have greyed-out input fields. The 'Add' column has a green '+' button. Below the table are 'BACK' and 'ADD DOMAIN' buttons.

8. Click on **Finish**:

This screenshot is identical to the previous one, showing the 'Add Domain' step. The 'Finish' button is highlighted with a red box, indicating the final step in this section.

9. Now you should be able to see the following screen:



If you do, you successfully installed Ammune!

Ammune Configuration (Default: Inline – All in One)

Configuration – Inline Mode – All in One Mode

1. Go to **Settings** -> **Proxy Settings**

The screenshot shows the 'Proxy Settings' configuration form in Ammune.AI. It has a dark theme. At the top, there's a 'Pick Protected Domain' dropdown with a 'Create New' link. Below that is a 'Domain' field with 'l7testing7.com' entered. Then, a 'Front IP' dropdown with 'aws32-192.168.1.101'. Below that, 'Domain Protocol' is set to 'HTTP' and 'Domain Port' is '80'. There's a slider for 'BLOCK MALICIOUS REQUESTS FOR l7testing7.com' which is currently at the 'on' position. Below that are two toggle switches: 'Enable Health Check' and 'Redirect to HTTPS', both currently turned off. Then, 'Protected Instance IP' is set to '192.168.1.129'. Below that, 'Protected Instance Protocol' is 'HTTP' and 'Protected Instance Port' is '80'. At the bottom is a green 'Create' button.

2. Configure a new protected domain with parameters that the client gives, for example:

3. For sanity check, you can run:

- curl -H "Host: example.com" http://<Ammune_IP>/
- curl -H "Host: example.com" http://<Ammune_IP>?testingt=../

Wait 30 seconds and check in **UI** -> **API-WAF** -> **Real Time Dashboard** that a normal request and alert pop up.

Other Ammune Mode Types

Configuration - Inline Mode - Management Only Mode

1. Go to **Settings** -> **Global Settings** -> **System Mode** -> **Management Only** and commit.

Configuration - Inline Mode - Engine Only Mode

1. Go to **Settings** -> **Global Settings** -> **System Mode** -> **Engine Only**, fill the management machine's IP and commit.

Configuration - Monitoring Mode

1. Go to **Settings** -> **Global Settings** -> **Engine Mode** -> **Monitor**
2. Go to **Settings** -> **Monitoring Settings**, fill the protected ip ranges and ports that the client provides and commit.

Prerequisites:

Tool	VM Components	OS	CPU	Memory (GB)	Access & Permissions	Storage
ammune.ai	1	Ubuntu	8	32	SSH & Sudo	200GB

- PoV can start with the basic configuration of 4 CPU & 16 GB RAM, however based on the network traffic the configuration can be further expanded.
- Ports: 80, 443, 8443, 9090, 9091 to be opened from system through which ammun.ai console needs to be accessed.