Test Run Report

Test Run Overview

Started	10 Dec 2023, 11:02:10
Ended	10 Dec 2023, 11:03:20
Duration (mm:ss)	01:09.953

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ● Skipped

Test Case Summary

📁 tests	successful
📁 API + UI TestCases	successful
📄 AccountOppoCase1.testcase	successful

AccountOppoCase1.testcase

Summary

Started	10 Dec 2023, 11:02:10
Ended	10 Dec 2023, 11:03:17
Duration (mm:ss)	01:07.130
Outcome	● successful

Output

● Salesforce Connect: PSPConnection (Test)   ⓘ 11:02:10(00:00.090)
   ⓘ Connecting to Salesforce as PSPConnection

   ⓘ Successfully connected to Salesforce as PSPConnection

● Create Object: Account=>AccountId   ⓘ 11:02:11(00:01.753)
   ⓘ Creating a new Salesforce object. Connection Name: PSPConnection, Name: Account, field count: 3

   ⓘ Setting fields:

   ⓘ =Field=> ParentId = 001WS000001FGGpYAO

   ⓘ =Field=> Type = Prospect

   ⓘ =Field=> Name = PSPXCP

   ▤ Account created successfully. Object Id: 001WS000001FsZ1YAK, Result Name: AccountId

   ⓘ Logging Salesforce Object Id for clean up. Object Name: Account, id: 001WS000001FsZ1YAK

● Create Object: Opportunity=>OpportunityId   ⓘ 11:02:12(00:02.621)
   ⓘ Creating a new Salesforce object. Connection Name: PSPConnection, Name: Opportunity, field count: 3

   ⓘ Setting fields:

   ⓘ =Field=> StageName = Prospecting

   ⓘ =Field=> CloseDate = 2023-12-10

   ⓘ =Field=> Name = PSPOppo0Y

   ▤ Opportunity created successfully. Object Id: 006WS000000eeWeYAI, Result Name: OpportunityId

   ⓘ Logging Salesforce Object Id for clean up. Object Name: Opportunity, id: 006WS000000eeWeYAI

● On SF Opportunity View screen   ⓘ 11:02:13(00:02.996)
   ⓘ Start of With Screen. Connection Name: PSPConnection, target: sf:ui:target?object=Opportunity&action=View

   ⓘ Opening Chrome webdriver instance to https://login.salesforce.com/

   ⓘ Successfully opened Chrome webdriver to https://login.salesforce.com/

   ⓘ Opening Page context. Name: screen, data: null, frame: null

   ⓘ Opening Salesforce page. Object: Opportunity, RelatedList: null, Action: View, Page URL: /lightning/r/006WS000000eeWeYAI/view, Current URL: chrome://new-tab-page/

   ⓘ Opening Salesforce user home page

   ⓘ Successfully opened user home page

   ⓘ Activating detailTab tab

   ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

   ⓘ Going to update browser window handles.

   ⓘ Successfully updated browser window handles.

  ● Click the New Case button   ⓘ 11:02:32(00:22.348)

Before Screenshot : 2023/12/10 11:02:32

After Screenshot : 2023/12/10 11:02:44

ⓘ Start of Interact. Connection: PSPConnection, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26quickAction%3DNewCase, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26quickAction%3DNewCase

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://automation-c-dev-ed.develop.lightning.force.com/lightning/r/Opportunity/006WS000000eeWeYAI/view

ⓘ Interaction: ui:interaction?name=action

ⓘ Sending screenshot. Data length: 262532

ⓘ Activating detailTab tab

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Click element using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//*[(self::header and (contains(@role, 'banner') or contains(@class, 'forceHighlightsPanel'))) or (self::force-highlights2) or (self::records-highlights2)]//li[contains(@class, 'slds-dropdown-trigger') and contains(@class, 'slds-button_last')]

ⓘ Hover>Clicking WebElement. WebElement [tag: li, text: 0, text: Show more actions]

ⓘ Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//runtime_platform_actions-action-renderer[@apiname='NewCase' or @apiname='Global.NewCase']//*[self::a or self::button]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (23c0931008a9fab0dbfcb0f6bc6521d2)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//runtime_platform_actions-action-renderer[@apiname='NewCase' or @apiname='Global.NewCase']//*[self::a or self::button]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: New Case]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 75875

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://automation-c-dev-ed.develop.lightning.force.com/lightning/r/Opportunity/006WS000000eeWeYAI/view

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

🟢 On SF Opportunity Publisher Action New Case screen   ⓘ 11:02:49(00:39.556)

Before Screenshot : 2023/12/10 11:02:49

Before Screenshot : 2023/12/10 11:02:53

After Screenshot : 2023/12/10 11:03:11

ⓘ Start of With Screen. Connection Name: PSPConnection, target: sf:ui:target?object=Opportunity&action=QuickAction&quickAction=NewCase

ⓘ Sending screenshot. Data length: 75875

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Initiating Publisher Action: New Case

ⓘ Sending screenshot. Data length: 75903

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

🟢 Set the Status picklist to New   ⓘ 11:02:56(00:46.098)

   ⓘ Start of Interact. Connection: PSPConnection, Locator: ui:locator?name=Status&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DStatus, before wait: default, after wait: default, auto retry: default

   ⓘ Locator: ui:locator?name=Status&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DStatus

   ⓘ Interaction: ui:interaction?name=set

   ⓘ Switched focus to main window. URL: https://automation-c-dev-ed.develop.lightning.force.com/lightning/r/Opportunity/006WS000000eeWeYAI/view

   ⓘ Interaction: ui:interaction?name=set

   ⓘ Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceQuickActionLayout')]

or @class='bottomBar']//*[((self::label and contains(@class,'uiLabel')) or (self::span and contains(@class,'uiPicklistLabel'))) and (span/text()='Status')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@34f281b2 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]]

ⓘ Got webElement. tagName: A, id: null, type: null, class: select

ⓘ Typing value. tagName: A, type: null, value: New, blur: false

ⓘ Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

ⓘ Clicking WebElement. WebElement [tag: a, href: javascript:void(0);]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Subject field to Oppo1Case1   ⓘ 11:03:00(00:49.990)

ⓘ Start of Interact. Connection: PSPConnection, Locator: ui:locator?name=Subject&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DSubject, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Subject&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DSubject

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://automation-c-dev-ed.develop.lightning.force.com/lightning/r/Opportunity/006WS000000eeWeYAI/view

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceQuickActionLayout') or @class='bottomBar']//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Subject'] or .//text() = 'Subject')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@34f281ce -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: 2817:0, type: text, class: input

ⓘ Typing value. tagName: INPUT, type: text, value: Oppo1Case1, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Create button   ⓘ 11:03:02(00:52.663)

Before Screenshot : 2023/12/10 11:03:02

After Screenshot : 2023/12/10 11:03:07

ⓘ Start of Interact. Connection: PSPConnection, Locator: ui:locator?name=publishersharebutton&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dpublishersharebutton, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=publishersharebutton&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dpublishersharebutton

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://automation-c-dev-ed.develop.lightning.force.com/lightning/r/Opportunity/006WS000000eeWeYAI/view

ⓘ Interaction: ui:interaction?name=action

ⓘ Sending screenshot. Data length: 72846

ⓘ Find publishersharebutton using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[self::div or self::footer][contains(@class, 'bottomBar') or contains(@class, 'slds-modal__footer')]//button[contains(@class, 'publisherShareButton')]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (23c0931008a9fab0dbfcb0f6bc6521d2)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[self::div or self::footer][contains(@class, 'bottomBar') or contains(@class, 'slds-modal__footer')]//button[contains(@class, 'publisherShareButton')]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 263139

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Sending screenshot. Data length: 263139

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://automation-c-dev-ed.develop.lightning.force.com/lightning/r/Opportunity/006WS000000eeWeYAI/view

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Handling managed resource. Name: PSPConnection

ⓘ Salesforce Connection handled successfully. Name: PSPConnection