

Quiz on PL/SQL Conditional Control

1. What is the purpose of conditional control in PL/SQL?

- A. To manage database transactions
- B. To perform conditional operations**
- C. To define data types
- D. To create loops

Answer (B): To perform conditional operations

Conditional control allows for decision-making in PL/SQL, enabling the execution of different statements based on certain conditions.

2. Which keyword is used to initiate an IF statement in PL/SQL?

- A. WHEN
- B. IF**
- C. THEN
- D. CASE



The screenshot shows a Microsoft Excel spreadsheet with a table of products and a formula being entered. The table has columns for Product ID, Product Name, Category, Price, and Stock. The data is as follows:

Product ID	Product Name	Category	Price	Stock
P001	Laptop	Electronics	\$50,000	15
P002	Smartphone	Electronics	\$20,000	30
P003	Blender	Kitchen	\$5,000	50
P004	Refrigerator	Appliances	\$35,000	10
P005	Microwave	Kitchen	\$10,000	20

In the adjacent cells, the following information is displayed:

- Product ID: P004
- Price: =XLOOKUP(

3. What does the ELSIF keyword do in an IF statement?

- A. Ends the if statement
- B. Adds another condition to check
- C. Starts a loop
- D. Creates a nested if

Answer (B): Adds another condition to check

The ELSIF keyword allows you to check additional conditions if the initial IF condition is false.

4. Which statement allows multiple conditions to be evaluated in PL/SQL?

- A. IF-THEN-ELSE
- B. CASE
- C. LOOP

D. FOR

Answer (B): CASE

The CASE statement can evaluate multiple conditions and execute corresponding actions.

5. What is the default behavior if no conditions are met in a CASE statement?


- A.** It raises an error
- B.** It returns NULL
- C.** It executes the ELSE part
- D.** Nothing happens

Answer (C): It executes the ELSE part

If no conditions match in a CASE statement, it will execute the ELSE part if it is defined.

You scored 3 out of 5!

Correct Incorrect



 Print Page

Submit

Review