

Quiz on PL/SQL Exceptions

1. What is an exception in PL/SQL?

- A.** A runtime error
- B.** A syntax error
- C.** A compile-time error
- D.** An ignored error


Answer (A): A runtime error

An exception in PL/SQL is an event that disrupts the normal flow of execution, typically a runtime error.

2. Which block is used to handle exceptions in PL/SQL?

- A.** BEGIN
- B.** EXCEPTION
- C.** DECLARE
- D.** END





Employee	Salary	Salary Range	Tax Bracket
Arjun Mehta	\$85,000	50,000	5%
Neha Sharma	\$45,000	75,000	10%
Rohan Singh	\$70,000	1,00,000	15%
Priya Jain	\$60,000		
Rahul Bhatnagar	\$75,000		

Employee	Salary	Tax
Priya Jain	\$60,000	=XLOOKUP(E8, E2:E4, F2:F4)

3. What keyword is used to raise an exception explicitly?

- A. RAISE
- B. THROW
- C. EXCEPTION
- D. ERROR

Answer (A): RAISE

In PL/SQL, the RAISE keyword is used to explicitly raise an exception.

4. What type of exception is NOT predefined in PL/SQL?

- A. NO_DATA_FOUND
- B. TOO_MANY_ROWS
- C. CUSTOM_ERROR
- D. ZERO_DIVIDE

Answer (C): CUSTOM_ERROR

CUSTOM_ERROR is not a predefined exception; it is an example of a user-defined exception.

5. What does the SQLCODE function return?

- A.** The name of the exception
- B.** The error number
- C.** The error message
- D.** The line number where the error occurred

Answer (B): The error number

The SQLCODE function returns the numeric error code for the most recent exception.

You scored 4 out of 5!

Correct Incorrect

