

Quiz on PL/SQL Loops Explained

1. What is the primary purpose of loops in PL/SQL?

- A.** To repeat a sequence of statements
- B.** To declare variables
- C.** To handle exceptions
- D.** To manage database connections

Answer (A): To repeat a sequence of statements


Loops in PL/SQL are used to repeat a sequence of statements multiple times.

2. Which of the following is NOT a type of loop in PL/SQL?

- A.** FOR loop
- B.** WHILE loop
- C.** REPEAT loop
- D.** DO WHILE loop

Answer (D): DO WHILE loop

PL/SQL supports FOR loop, WHILE loop, and LOOP but does not have a DO WHILE loop.



3. What is the syntax for a basic FOR loop in PL/SQL?

- A. FOR i IN 1..10 LOOP
- B. FOR i FROM 1 TO 10 LOOP
- C. LOOP i = 1 TO 10
- D. FOR i: 1 TO 10

Answer (A): FOR i IN 1..10 LOOP

The correct syntax for a FOR loop in PL/SQL is 'FOR i IN 1..10 LOOP'.

4. How do you exit a loop prematurely in PL/SQL?

- A. EXIT
- B. BREAK

C. RETURN

D. STOP

Answer (A): EXIT

You can use the EXIT statement to terminate a loop prematurely in PL/SQL.

5. What condition is checked in a WHILE loop before executing its body?

A. Before each iteration

B. After each iteration

C. At the end of the loop


D. Never checked

Answer (A): Before each iteration

In a WHILE loop, the condition is checked before each iteration of the loop.

You scored 3 out of 5!

Correct Incorrect



 Print Page

Submit

Review