

Quiz on PL/SQL Operators

1. What is the purpose of the Arithmetic operators in PL/SQL?

- A.** To perform operations on numbers
- B.** To compare two values
- C.** To manipulate strings
- D.** To control program flow

Answer (A): To perform operations on numbers


Arithmetic operators are used to perform mathematical operations on numeric values.

2. Which of the following is NOT an example of a Relational operator?

- A.** =
- B.** <>
- C.** >
- D.** <=
- E.** +

Answer (E): +

The '+' symbol is an arithmetic operator, not a relational operator.



3. What do Logical operators in PL/SQL do?

- A. Combine multiple conditions
- B. Perform arithmetic calculations
- C. Compare two numbers
- D. Format strings

Answer (A): Combine multiple conditions

Logical operators are used to combine multiple conditions for making decisions.

4. Which operator would you use to check if a value is NULL?

- A. IS NULL

- B. =
- C. <>
- D. IS NOT

Answer (A): IS NULL


The 'IS NULL' operator is specifically used to check for NULL values.

5. What is the function of the concatenation operator in PL/SQL?

- A. To add numbers
- B. To join two strings
- C. To compare values
- D. To create arrays

You scored 4 out of 5!

Correct Incorrect



 Print Page

Submit

Review